



Addl. PCCF, MoEFCC,  
Regional Office (ECZ),  
Bungalow No. A-2, Shyamali Colony,  
Ranchi – 834002.

Ref No. - JMB/115/ 0882 /2017

May, 26, 2017

SUB: Half Yearly Compliance Report of the conditions of EC issued by MoEFCC, New Delhi to Lagla Mahal Sand Lease, Tata Steel Limited, Dhanbad for the period October'16 to March'17.

Dear Sir,

We are enclosing herewith compliance report for the period October'16 to March'17 for the EC granted vide letter no.- J-11015/426/2008-IA.II (M), Dated-27<sup>th</sup> February,2013 issued by Ministry of Environment, Forest and Climate Change, New Delhi. This is for your kind perusal.

Thanking you,

Yours faithfully,

General Manager (Jharia)

Email I.D.- sanjay.rajoria@tatasteel.com

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5<sup>th</sup> Floor  
1582, Rajdanga Main Road, Kolkata-700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa,  
Ranchi -834004.

**TATA STEEL LIMITED**

Jharia Collieries Jamadoba 828 112 Dhanbad India

Tel 91 326 2320263/2320265/2320267 Fax 91 326 2320268

Regd. Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001

Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

**HALF YEARLY COMPLIANCE REPORT**  
(PERIOD: OCTOBER'16 – MARCH'17)

**LAGLA MAHAL SAND LEASE**  
(CAPACITY: 0.1 MTPA RIVER BED SAND)  
VILLAGE: LAGLA & MAHAL, DIST: BOKARO, JHARKHAND



**TATA STEEL LIMITED, JHARIA DIVISION**  
P.O.- JAMADOBA, DIST. - DHANBAD,  
STATE- JHARKHAND, PIN CODE – 828112

**ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/426/2008-  
IA.II(M) DATED- 27.02.2013 ISSUED BY GOVT. OF INDIA, MINISTRY OF  
ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW DELHI.**

**A. SPECIFIC CONDITIONS:**

- (i) The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board, and effectively implement all the conditions stipulated therein.
  - **The Consent to Establish has been granted by JSPCB vide letter no. PC/NOC/DHN/17/2010-D-497(N) dated 31.03.2015 and the Consent to Operate (CTO) vide letter no. 1376 dated 07.04.2015 valid till 31.03.2016. The CTO has further been renewed on 23.02.2016 for a period of 5 years. All the conditions as stipulated in the consent are being complied with.**
- (ii) The project proponent shall comply with section 3 of the Mines Act.
  - **It is being complied.**
- (iii) Sand collection shall be done at the middle/ main stream and not at the bank of the river to avoid any change of the river course due to the project.
  - **Sand excavation is done by leaving 1/5th of the width of the river intact for maintaining the embankment. It will be ensured that no change in the river course takes place.**
- (iv) Particulate level (PM<sub>2.5</sub>) shall be monitored regularly and the result placed in the public domain.
  - **Monitoring of PM<sub>2.5</sub> has been carried out in this period. The report is given as annexure-I.**
- (v) The project proponent shall identify the degraded area within the mine lease and undertake plantation/afforestation in the area identified by planting the native species.
  - **The mine lease area is a riverbed. Hence we approach the villagers and assist them in planting the native species as well as fruit plants in the villages.**
- (vi) Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out of haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
  - **It is being complied. Water spraying is done on the transportation roads.**
- (vii) The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydrogeological regime of the surrounding area shall not be affected. Regular monitoring of ground water level and quality shall be carried

out around the mine lease area by establishing a network of existing well and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.

- **The extraction of sand is done with utmost care of the environment. There is no extraction of water as well as no change in river course involved hence there will be no impact on the hydrogeological regime. The monitoring report of the ground water level and quality is given as annexure-I.**
- (viii) The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite of water (surface water and groundwater), if any, required for the project.
  - **No water is required for the operation of project. Drinking water required by the workers is arranged by the company.**
- (ix) Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
  - **Adequate monitoring of the health of the vehicles used for transportation of sand is ensured to avoid any oil & grease leakage. Higher capacity trucks have been deployed.**
- (x) Vehicular emissions shall be kept under control and regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
  - **The vehicles used are regularly checked and maintained. Only vehicles having PUC certificates are allowed to ply. Transportation of sand is always done via tarpaulin-covered trucks which are optimally loaded.**
- (xi) No drilling and blasting operation shall be carried out.
  - **Not applicable as it is a sand mining project.**
- (xii) Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
  - **Sand, being coarse in nature and having high moisture content, does not get air borne during gathering & transportation. Sand stored in the sand yards is transferred to underground voids through surface bunkers in a slurry form. However, dust control**

**measures while transporting of sand is in place through water tanker, coverage of trucks and optimal loading.**

- (xiii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- **As per our policy, PME's are conducted at regular intervals.**
- (xiv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- **The workers are from the neighbouring villages and hence new housing facilities are not required.**
- (xv) The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e., PM<sub>10</sub>) and NO<sub>x</sub> in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharge water shall also be monitored [(TDS, DO, PH, Fecal Coliform and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry [www.envfor.nic.in](http://www.envfor.nic.in) shall also be referred in this regard for its compliance.
- **The monitoring of the air parameters has been done in this period. There is no use of water for mining operation hence there is no discharge. Details of air analysis are given later. The monitoring reports are regularly uploaded on company's website along with half-yearly EC compliance reports. Screenshot has been provided as Annexure-II.**
- (xvi) The Company shall submit within 3 months their policy towards Corporate Environment Responsibility which should inter-alia provide for (i) Standard operating process / process to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions, (ii) Hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the EC conditions and (iii) System of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders.
- **We have a Corporate Environment Policy and the implementation of the policy is being reviewed through Integrated Management System at regular intervals. There is a proper system in place to submit legal compliances and violations, if any, to top management for their information and review.**

**B. GENERAL CONDITIONS:**

- (i) No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and forests.
  - **It will be complied with.**
- (ii) No change in the calendar plan including excavation, quantum of sand from river bed and waste should be made.
  - **It will be complied with.**
- (iii) Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife department and effectively implemented.
  - **No rare species are found in the area.**
- (iv) At least four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e., PM<sub>10</sub>) and NO<sub>x</sub> monitoring. Location of stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
  - **The monitoring stations have been established and monitoring job is being done on regular basis by own laboratory as well as by MoEF recognized laboratory (M/s S S Environiks India Pvt Ltd). The ambient air quality analysis reports are attached as Annexure-I.**
- (v) Data on ambient air quality [(RSPM(Particulate matter with size less than 10micron i.e., PM<sub>10</sub>) and NO<sub>x</sub>] should be regularly submitted to the Ministry including its regional office at Bhubaneswar and to the State Pollution Control Board/ Central Pollution Control Board once in six months.
  - **It is being submitted as annexure-I in this compliance report.**
- (vi) Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
  - **Sand, being coarse in nature and having high moisture content, does not get air borne during gathering & transportation. However, dust control measures while transporting of sand is in place through water tanker, coverage of trucks and optimal loading.**

- (vii) Measures should be taken for control of noise levels below 85 dBA in work Environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- **Proper PPE's are provided to all the workers.**
- (viii) Industrial waste water (Workshop and Waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19<sup>th</sup> May 1993 and 31<sup>st</sup> December 1993 or as amended from time to time. Oil and Grease trap should be installed before discharge of Workshop effluents.
- **No waste water generation will take place.**
- (ix) Personnel working in dusty area should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspect. Occupational Health Surveillance programme of the worker should be undertaken periodically to observe any contraction due to exposure to dust and take corrective measures, if needed.
- **It will be complied with.**
- (x) A separate Environmental Management cell with suitable qualified personnel should be set-up under the control of a senior executive, who will report directly to the Head of the Organization.
- **We have an established Environmental Management Cell, with qualified personnel who report directly to the General Manager of the Division.**
- (xi) The funds earmarked for environmental protection measures should be kept in separate A/C and should not be diverted for other purposes. Year wise expenditure should be reported to this ministry and its regional office located at Bhubaneswar.
- **Expenditure on Environmental Protection measures is monitored separately. Approx. 10 lakhs rupees have been incurred annually for water spraying activities on transportation roads.**
- (xii) The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- **The CTE and CTO of the project have been granted by JSPCB. The permission for lifting of sand from the river bed has also been granted by District Mining Officer, Bokaro.**
- (xiii) The regional office of this ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the regional office by furnishing the requisite Data/ information/ monitoring reports.
- **It will be complied with.**

(xiv) The project proponent shall submit six monthly reports on the status of compliance of the stipulated environment clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the MoEF, its Regional Office Bhubaneswar, the respective zonal office of CPCB and the SPCB. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF, Bhubaneswar, the respective Zonal Officer of CPCB and the SPCB.

➤ **It is being complied.**

(xv) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

➤ **It has been complied with.**

(xvi) The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and the Collector's Office / Tehsildar's Office for 30 days.

➤ **It has been complied with.**

(xvii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and also be sent to the respective Regional Office of the Ministry on Environment and Forests, Bhubaneswar by e-mail.

➤ **The environmental statement for financial year 2015-16 has been submitted to JSPCB on 23<sup>rd</sup> September 2016 and it is also uploaded on the company website (Annexure- II) as well as sent to MOEF by email at ro.ranchi-mef@gov.in on 30<sup>th</sup> September 2016.**

(xiii) The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the Ministry of Environment and Forests at <http://envfor.nic.in> and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.

➤ **It has been complied with.**

**General Manager (Jharia)**



**Annexure- I Ambient Air & Groundwater Analysis Report**

**Period-** October'2016 to December'2016

**Ambient Air Quality Report**

Name of Industry : Lagla Mahal Sand Mining Project

No. of sampling points : 4

Sampling Location	Date of Sampling/ Weather Condition		
	OCTOBER'16	NOVEMBER'16	DECEMBER'16
Mahal School Near Izri River	25.10.16/ Clear	28.11.16/ Clear	26.12.16/ Clear
Lagla Gram Panchayat	25.10.16/ Clear	28.11.16/ Clear	26.12.16/ Clear
Bagula School	26.10.16/ Clear	29.11.16/ Clear	27.12.16/ Clear
Shahar Juri School	26.10.16/ Clear	29.11.16/ Clear	27.12.16/ Clear

Location	Latitude/ Longitude	Date	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NOx
			PM <sub>10</sub> Level : 24 Hourly Limit- 100µg/m <sup>3</sup>	PM <sub>2.5</sub> Level : 24 Hourly Limit- 60µg/m <sup>3</sup>	SO <sub>x</sub> Level: 24 Hourly Limit- 80µg/m <sup>3</sup>	NO <sub>x</sub> Level: 24 Hourly Limit- 80µg/m <sup>3</sup>
Mahal School Near Izri River	23°38'06.1"N / 86°23'41.2" E	25.10.2016	60.0	31.0	11.5	13
		28.11.2016	62.0	33.0	12	14
		26.12.2016	64.0	35.0	12.5	14.5
Lagla Gram Panchayat	23°37'21.3" N/ 86°23'35.3" E	25.10.2016	56.0	28.0	9.0	10.5
		28.11.2016	57.5	29.5	9.5	11
		26.12.2016	58.5	30.5	10.5	13
Bagula School	23°36'27.3" N/ 86°21'59.7" E	26.10.2016	54.5	27.5	9.5	11.0
		29.11.2016	55.5	29.0	10.5	12.5
		27.12.2016	57.0	30.0	11.5	13.5
Shahar Juri School	23°36'26.6" N/ 86°20'58.9" E	26.10.2016	55.5	29.0	10.0	11.5
		29.11.2016	57.5	30.5	12.0	14.0
		27.12.2016	58.0	31.0	12.5	14.5
Minimum			54.50	27.50	9.00	10.50
Maximum			64.00	35.00	12.50	14.50
Average			58.00	30.33	10.92	12.75

*Ambil*

**Manager (Environment)**

**Annexure- I Ambient Air & Groundwater Analysis Report**

**Period- January'17 to March'17**

**Ambient Air Quality Report**

Name of Industry : Lagla Mahal Sand Mining Project

No. of sampling points : 4

Sampling Location	Date of Sampling/ Weather Condition		
	JANUARY'17	FEBRUARY'17	MARCH'17
Mahal School Near Izri River	17.01.2017/ Clear	09.02.2017/ Clear	23.03.2017/ Clear
Lagla Gram Panchayat	17.01.2017/ Clear	09.02.2017/ Clear	23.03.2017/ Clear
Bagula School	18.01.2017/ Clear	10.02.2017/ Clear	24.03.2017/ Clear
Shahar Juri School	18.01.2017/ Clear	10.02.2017/ Clear	24.03.2017/ Clear

Location	Latitude/ Longitude	Date	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>
			PM <sub>10</sub> Level : 24 Hourly Limit- 100µg/m <sup>3</sup>	PM <sub>2.5</sub> Level : 24 Hourly Limit- 60µg/m <sup>3</sup>	SO <sub>x</sub> Level: 24 Hourly Limit- 80µg/m <sup>3</sup>	NO <sub>x</sub> Level: 24 Hourly Limit- 80µg/m <sup>3</sup>
Mahal School Near Izri River	23°38'06.1"N / 86°23'41.2" E	17.01.2017	60.5	30.5	11.7	13.2
		09.02.2017	61.5	32.0	12.2	13.5
		23.03.2017	62.0	33.0	12.0	13.5
Lagla Gram Panchayat	23°37'21.3" N/ 86°23'35.3" E	17.01.2017	55.0	27.5	9.5	11.0
		09.02.2017	55.5	28.5	10.5	11.5
		23.03.2017	57.5	30.0	10.0	12.8
Bagula School	23°36'27.3" N/ 86°21'59.7" E	18.01.2017	53.0	26.5	10.0	11.5
		10.02.2017	54.0	28.0	9.5	12.0
		24.03.2017	56.0	30.5	11.0	13.0
Shahar Juri School	23°36'26.6" N/ 86°20'58.9" E	18.01.2017	53.0	27.0	9.0	11.0
		10.02.2017	55.5	29.5	11.5	13.0
		24.03.2017	56.0	30.0	12.0	13.5
Minimum			53.00	26.50	9.00	11.00
Maximum			62.00	33.00	12.20	13.50
Average			56.63	29.42	10.74	12.46

  
**Manager (Environment)**

**Annexure- I Ambient Air & Groundwater Analysis Report**

**Ground water level fluctuation in and around Core & Buffer zone area of sand mining lease**

**Post-Monsoon Season- November'16**

S.No	Date	Location	Time	Sample Parameter			
				Depth in meter (m)	pH	Electrical Conductivity, $\mu\text{S/m}$	Total Hardness (as $\text{CaCO}_3$ ), mg/l
1	23.11.2016	Prem Singhdih	11:10AM	3.8	7.3	865	670
2	23.11.2016	Lagla	09:50AM	3.5	7.0	630	550
3	23.11.2016	Alakdih	01:30PM	3.2	7.1	680	585
4	23.11.2016	Joradih	11:55AM	3.0	7.2	500	350
5	23.11.2016	SEB Quarters	10:50AM	3.2	7.0	850	630
6	23.11.2016	Kargali	12:10PM	3.0	7.2	720	575
7	23.11.2016	Kumargora	12:40PM	3.5	7.1	830	510
8	23.11.2016	Bhojudih	12:50PM	4.0	7.0	710	525
9	23.11.2016	Mahal	01:15PM	3.5	7.0	620	430
10	23.11.2016	Sudamdih	10:20AM	3.5	7.2	895	755

**Winter Season- January'17**

S.No	Date	Location	Time	Sample Parameter			
				Depth in meter (m)	pH	Electrical Conductivity, $\mu\text{S/m}$	Total Hardness (as $\text{CaCO}_3$ ), mg/l
1	14.01.2017	Prem Singhdih	09:45AM	6.0	7.2	730	421
2	14.01.2017	Lagla	11:10AM	5.5	7.0	570	350
3	14.01.2017	Alakdih	10:25AM	5.7	7.0	550	375
4	14.01.2017	Joradih	11:55AM	5.5	7.2	480	410
5	14.01.2017	SEB Quarters	10:10AM	5.8	7.0	780	330
6	14.01.2017	Kargali	01:10PM	6.0	7.2	620	315
7	14.01.2017	Kumargora	12:30PM	6.5	7.1	595	395
8	14.01.2017	Bhojudih	12:45PM	5.5	7.0	620	430
9	14.01.2017	Mahal	11:40AM	5.5	7.0	485	320
10	14.01.2017	Sudamdih	11:25AM	5.2	7.2	730	350

  
**Manager (Environment)**



# S.S. Environics (India) Pvt. Ltd.

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Plot No-361/2314 "Sustenance Tower"

At: Patrapada, P.O: Dumuduma, Dist: Khurda, Bhubaneswar-751 019, Odisha

Tele Fax: 0674-2471574, E-mail : emails@ssenvironics.com

Ref.No: SSE/16/R-2867

Date: 08.03.2017

## AMBIENT AIR QUALITY REPORTS


Name of Industry : M/s. Tata Steel Ltd, Jamadoba, TATA STEEL LTD., JAMADOBA Group Plant Jharkhand

Month of Monitoring : February 2017

Date of analysis : 18.02.2017 to 27.02.2017

Sl. No	Name of the Location	Date of Sampling	Time Weighted Average	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NOx (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )	NH <sub>3</sub> (µg/m <sup>3</sup> )	O <sub>3</sub> (µg/m <sup>3</sup> )	As (ng/m <sup>3</sup> )	Ni (ng/m <sup>3</sup> )	Cd (ng/m <sup>3</sup> )	Cr (ng/m <sup>3</sup> )
1.	Lagla gram panchayat	14.02.17	24hrly	89.12	42.25	7.6	15.2	0.16	24.2	5.1	BDL	BDL	ND	ND
2.	Saharjuri School	14.02.17	24hrly	85.18	46.32	6.4	15.8	0.12	23.8	5.0	BDL	BDL	ND	ND
3.	Icchar High School, Purulia	15.02.17	24hrly	91.90	49.82	8.1	13.4	0.14	24.2	5.3	BDL	BDL	ND	ND
4.	Railway Colony, Bhojudih	15.02.17	24hrly	93.19	51.69	7.4	13.8	0.19	26.8	5.2	BDL	BDL	ND	ND
	CPCB Standard		24hrly	100	60	80	80	4(1hr)	400	180 (1hr)	--	--	--	--
	Method of Analysis & Code of Method													
				Gravimetric Method IS: 5182,Part-23	Gravimetric Method IS: 5182,Part-23	Improved West-Gaeke Method IS: 5182,Part-2	Modified Jacob & Hochheiser (Na. Arsenite) IS: 5182,Part-6	Non Dispersive Infrared Spectroscopy (NDIR) IS: 5182,Part-10	1.Chemiluminescence 2.Diphenol Blue Method APHA-401	1.Chemiluminescence 2.Chemical Method IS:5182,Part-9	ICP Method After Sampling on EPM 2000 OR Equivalent Filter Paper.	ICP Method After Sampling on EPM 2000 OR Equivalent Filter Paper.	ICP Method After Sampling on EPM 2000 OR Equivalent Filter Paper.	ICP Method After Sampling on EPM 2000 OR Equivalent Filter Paper.

BDL Values: PM-10:-5µg/m<sup>3</sup>, PM-2.5:- 2.0µg/m<sup>3</sup>, SO<sub>2</sub>:- 4 µg/m<sup>3</sup>, NOx:- 9 µg/m<sup>3</sup>, CO:- 0.1 mg/m<sup>3</sup>, Ozone:- 5 µg/m<sup>3</sup>, Ni:- 0.05 ng/m<sup>3</sup>, As:- 0.05 ng/m<sup>3</sup>, NH<sub>3</sub>:- 20 µg/m<sup>3</sup> ND: Not Detected



← → ↻ [www.tatasteelindia.com/corporate-citizen/environment-compliance-reports.asp](http://www.tatasteelindia.com/corporate-citizen/environment-compliance-reports.asp)

 Half Yearly EC Compliance Report of 6&7 Pits Colliery Apr'16 to Sep'16

 Half Yearly EC Compliance Report of Digwadth Colliery Apr'16 to Sep'16

 Half Yearly EC Compliance Report of OCP Kalimela Apr'16 to Sep'16

 Half Yearly EC Compliance Report of Jamadoba Coal Washery Apr'16 to Sep'16

 Half Yearly EC Compliance Report of Lagla Mahal Apr'16 to Sep'16

 Half Yearly EC Compliance Report of Mahal Saharjuri Apr'16 to Sep'16

 Half Yearly EC Compliance Report of Preamsingdh Apr'16 to Sep'16

 Environment Statement of Ferro Management Plant Joda, Keonjhar - for the year 2015-16

 Half Yearly Compliance Report (April'16 - Oct'16) : Ferro Alloy Plant, Joda, M/s Tata Steel Limited

 Six Monthly EC Compliance Report (April'16 - Sep'16) : Ferro Alloy Plant, Bamnipal, M/s Tata Steel Limited

 Ash percentage and Quantity-Jamadoba Washery Apr-Sep 2016

 Tailing Despatch Bhelatand Washery (Sep-Oct 2016)

 Tailing Despatch Bhelatand Washery (Jul-Aug 2016)

- Environment Statement for the financial year ending March 2016 for 6&7 Pits Colliery
- Environment Statement for the financial year ending March 2016 for Lagla\_Mahal
- Environment Statement for the financial year ending March 2016 for Mahal\_Saharjuri
- Environment Statement for the financial year ending March 2016 for Sijua\_Colliery
- Environment Statement for the financial year ending March 2016 for\_Bhelatand A. Colliery
- Environment Statement for the financial year ending March 2016 for\_Bhelatand Coal Washery
- Environment Statement for the financial year ending March 2016 for\_Digwadih Colliery
- Environment Statement for the financial year ending March 2016 for\_Jamadoba Coal Washery
- Environment Statement for the financial year ending March 2016 for\_Jamadoba Colliery
- Half Yearly EC Compliance Report of Lagla Mahal Sand Lease for Oct'15-Mar'16
- Half Yearly EC Compliance Report of Mahal Saharjuri Sand Lease for Oct'15- Mar'16
- Half Yearly EC Compliance Report of Preamsingdh Sand Lease for Dec'15 Mar'16
- Half Yearly EC Compliance Report of 6&7 Pits Colliery for Oct'15-Mar'16
- Half Yearly EC Compliance Report of Digwadih Colliery for Oct'15-Mar'16