

The Member Secretary 5RF-2/1, Acharya Vihar, Unit – IX, OPTCL Colony, Anand Bazar, Bhoi Nagar, Bhubaneswar, Odisha 751022 Email: <u>mef.or@nic.in</u>

MD/ENV/ 425 /116/19 Date: 27.11.2019

- Ref: Environmental Clearance letter no. SEIAA-329 (SEIAA-38/11) dated: 29.06.2011 & Extension of Environmental Clearance vide letter no. SEIAA/1925, dated: 31.08.2016.
- Sub: Half-yearly compliance status report of Environmental Clearance conditions for the period April'18 September'19 in respect of Manmora Manganese Mine, Tata Steel Ltd.

Dear Sir,

Kindly find attached herewith submitting the six monthly compliance report as on date as on date in respect of the stipulated Environmental Clearance conditions of Manmora Manganese Mine, Tata Steel Ltd. for the period from **April'19 - September'19** as per EIA Notification, 2006. Also the compliance for the same period vide office memorandum no. Z-11013/57/2014-IA.II (M), dated 29.10.2014, is attached herewith as Annexure - A The same has been mailed in soft copy to your good office on email: mef.or@nic.in for your ready reference.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavor for further improve upon our Environmental Management practices.

Thanking you, Yours faithfully,

f: Tata Steel Limited

(Planning), OMQ

Encl. : As above

- Copy to : The Chairman, Central Pollution Control Board, Southernd Conclave, Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata 700107 (W. B.)
 - : The Member Secretary, State Pollution Control Board, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit VIII, Bhubaneswar 751012 (Odisha)
 - : The Regional Officer, SPCB, College Road, Baniapata, Keonjhar 758001 (Odisha)
 - : The Regional Officer, MoEF & CC, (EZ), MoEF & CC, Govt. of India, A/3,
 - Chandrasekharpur, Bhubaneswar 751 013(Odisha).

TATA STEEL LIMITED

Mines Division Noamundi 833 217 India Tel 91 9234301340 Fax 91 6596 290737 Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001 India Tel 91 22 66658282 Fax 91 22 66657724 Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

COMPLIANCE REPORT PERIOD: Oct'2017 TO March '2018

ENVIRONMENTAL CLEARANCE NO. SEIAA-38/11 OF MANMORA MANGANESE MINE OF TATA STEEL LIMITED VIDE SEIAA'S LETTER NO. SEIAA/329 DATED 29.06.2011

Sl.	Stipulated Conditions	Compliance status
no	Supulated Conditions	Complance status
1	The earthen embankments are planned as per WAPCO design; it needs stone walling on both sides to prevent collapse of the embankment as immediately down of the mine are the townships, railway line and some agricultural land.	• The outer face as well as the inner face of the embankment has been stone patched to prevent collapse of the embankment. Photograph of Stone Pitched Embankment is attached as Annexure-1
2	Since the mine has been fully worked and mineral resources have been fully removed, mine closure plan should be implemented forthwith reclaiming the mine pits and re- vegetation of the mine lease area.	• The mined out pit of Manmora Manganese mine over 6.46 ha has been reclaimed by filling of slime. The void consists of 0.6 million tonnes of resources in the form of slime. The slime will be allowed to settle down for few years and feasibility studies has under process for its future use. Once the slime is extracted, the entire area will be reclaimed by afforestation. However, progressive reclamation is carried out by plantation in the lease area as per approved Progressive mine closure plan.
3	The existing overburden dumps and the entire quantity of waste generated shall be back filled and liquidated within five years and there shall be no external overburden dump in the mining lease area. The back filled area shall be afforested and back filling has to be done in a manner that it is restored to the normal ground level. A complete mine closure plan with afforestation/ re-vegetation component with year wise details submitted to the SEIAA within six months and strictly implemented.	 Reclamation as per progressive Mine closure plan approved by IBM is being done. Reclamation is being done through Plantation. In FY 19-20 till September'19, 300 nos. of plantation was done in the area of 0.20 Ha rea at dump and gap filling was done as per approved mine plan.

4	The project proponent shall prepare wild life	• Tata Steel has deposited Rs. 2,88,57,000/-
	conservation plan in consultation with DFO and adequate safety and mitigation measures	(Rupees Two crore eighty-eight Lakhs Fifty - Seven Thousand Only) to forest Department
	should be incorporated to protect the wild life, flora, fauna to mitigate adverse impact.	for implementation & management of Regional Wild Life Management Plan.
5	Shelter Belt i.e. Wind Break of 15m width consisting of at least 5 tiers around the lease facing the human habitation, school / agricultural land etc. (if any in the vicinity), in the safety zone / backfilled & reclaimed areas around voids & roads shall be raised. Green belt development and selection of plant species shall be as per CPCB guidelines. Density of the trees has to be around 2500 plants per hectare. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. Help & guidance of local DFO may be sought in the matter. Details of year-wise afforestation programme including rehabilitation of mined out area shall be submitted to the SEIAA, Odisha within six months.	Development of green belt and reclamation is being adhered in accordance with Approved Progressive Mine Closure Plan. Plantation photographs is attached as Annexure- 2
6	The applicant (Project Proponent) will take necessary measures for prevention, control and mitigation of Air Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned by him in Form-1, Final EIA reports and Environment Management Plan (EMP) in compliance with the prescribed statutory norms and standards.	 As the entire mineable resource has been depleted, no further mining activities is being undertaken within the lease hold area. However, subgrade mineral dump will be rehandled and low grade material will be recovered in the future as per mine plan . Hence, at present there is no Air Pollution, Noise Pollution and Land pollution could be observed which emanates from Manmora Mn Mine. Further, to control the air pollution during dry seasons, water sprinkling by mobile water tanker is being done.

7	The applicant will take necessary steps for socio-economic development of the people	• The company deploys the Tata Steel Rural Development Society (TSRDS) for socio-
	of the area on need based assessment for	economic development of the area on need
	providing employment, education, health	based assessment by providing employment,
	care, drinking water and sanitation, road and	education, health care, drinking water and
	communication facilities etc. after a detailed	sanitation.
	primary socio-economic survey.	
8	The applicant will comply to the points,	• Most of the commitments made during the
	concerns and issues raised by the people during public hearing on 01.02.2010 in	Public Hearing, have been complied
	accordance with the commitments made by	
	him thereon.	
9	The project proponent shall take necessary	
	safeguard measures to ensure that there is no	• The Tailing dam has been designed by M/s.
	leaching from the tailing pond.	WAPCOS Ltd. a Central Govt. organization
		having expertise in designing and construction
		of such dams. Adequate safeguard measures
		have been taken to prevent any leaching from the tailing dam. No spill or leaching incidents
		have taken place to date.
10	The decanted water from the tailing pond	• The slime is stored in the zero discharge slime
	shall be re-circulated and there should be	pond. The decanted water from the slime pond
	zero discharge from the tailing pond.	is completely recycled back to beneficiation
		plant within the Joda East Iron Mine ensuring
11	The applicant will take statistomy cleanance /	zero outside discharge.
11	The applicant will take statutory clearance / approval / permissions from the concerned	• All required statutory clearances/ approvals/ permissions from the concerned authorities in
	authorities in respect of his project as and	respect of the project have been obtained.
	when required.	
12	For post environment clearance monitoring,	• Last Half yearly compliance report for the
	the applicant will submit half-yearly	year 2019-20 in respect of the stipulated terms
	compliance report in respect of stipulated	and conditions of the EC is being submitted
	terms and conditions of Environment	herewith to the Regional Office of the
	Clearance to the State Environmental Impact Assessment Authority (SEIAA), Orissa on 1 st	Ministry of Environment and Forests, Bhubaneswar vide letter no:
	June & 1 st December of each calendar year.	MD/ENV/199/116/19_dated_20.05.2019_and 1
	June & 1 st December of each calendar year.	MD/ENV/199/116/19 dated 20.05.2019 and the same has been uploaded in Tata Steel

13	The core zone should be monitored intensively with nos. of stations as prescribed by CPCB, Delhi. The detailed methodology adopted for analysis of samples shall be clearly indicated.	 Due to small lease area and non-operative mine, one ambient air monitoring station has been identified at the stack yard which will active during manual processing of sub-grade and mineral reject of manganese ore. The detailed methodology for analysis of samples are furnished below- a. PM₁₀ : Avg. Flow rate not less than 1.1 m³ / min b. PM _{2.5} : Avg. Flow rate not less than 1.1 m³ / min c. SO₂ : Improved West Gaeke & Ultraviolet Flouroscence d. NOx : Jacob & Hochhelser modified (Na-Arsenite) and Gas Phase Chemilminescence e. CO : Non dispersive Infrared Spectroscopy & f. Mn : Colorimetric method
14	The proponent shall submit base line data on flora and fauna and CSR activities carried out within three months to the SEIAA.	• The base line data on flora & fauna and the list of CSR activities already carried out in the area have been submitted to SEIAA vide our letter No. MD/ENV/519/116/2011, dated: 07/10/2011.
15	The following shall be implemented viz (a) dump run-off should be diverted into a settling pond (b) adequate rain water harvesting and ground water recharging facilities should be developed in the core zone (c) attempt should be made to achieve zero water balance.	 Waste dump had become inactive and therefore the slopes have been stabilized by plantation to prevent soil erosion. Catch drains and a garland drain has been provided along the entire dump slope which emanates at low lying part to sedimentation pit. Further, the catch drains and sedimentation pits are periodically de-silted and maintained properly. Rain water harvesting and ground water recharge facilities have been made at the mine site.

16	Maintenance of roads through which transportation are undertaken shall be carried out by the project proponent regularly at its own cost.	• All the haul roads are made up of morrum & compacted. Regular repair is being done by dozer & grader after spreading the layer of morrum over it. Water sprinkling arrangement
17	Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of near human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records shall be submitted to SEIAA, Odisha.	 is adequate for suppressing the road dust. The AAQ (fugitive dust) being monitored at one location (near stack yard) twice in a week. Data on ambient air quality monitoring for every month is being submitted to State Pollution Control Board. Abstract of the monthly monitoring data on ambient air quality is enclosed as Annexure-3. There has been no mining activity at Manmora Mn. Mines during the period April'19 to Sept'19 therefore, no fugitive dust emission monitoring has been carried out.
18	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	• The mineral handling is only by manual means during dry season only for manual processing (sorting and sizing) and screening of available sub grade and mineral rejects available at pit head. So, water sprinkling over the area is sufficient to allay the dust generation.
19	Transportation shall be done by covering the trucks by tarpaulin or other suitable mechanism so that no spillage of ore / dust takes place.	• The trucks are being covered with tarpaulin during dispatch of manganese ore from mine to Ferro Alloys Plant and Railway Siding located at Joda.
20	Rain Water Harvesting shall be undertaken to recharge the ground water source.	• Rain water harvesting pond has been made at the side of the mining lease under expert consultation of M/s. KRG Foundation, Chennai, to recharge the ground water.
21	Monitoring of ground and surface water quality shall be regularly conducted and records should be maintained and data shall be submitted regularly to the SEIAA.	• The ground water quality at existing well outside the lease hold area and surface water quality is being monitored and the analysis results are enclosed as Annexure-4 .

22	The proponent shall ensure that no silt originating due to mining activity is transported in the surface water course. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo-textile matting or other suitable material and thick plantation of native trees and shrubs shall be carried out at the dump slopes. Dump shall be protected by retaining wall.	 Waste dump had become inactive and therefore the slopes have been stabilized by plantation to prevent soil erosion. Catch drains and a garland drain has been provided along the entire dump slope which emanates at low lying part to sedimentation pit. Further, the catch drains and sedimentation pits are periodically de-silted and maintained properly. The retaining wall of 710 mtr. has been provided at the toe of the waste dump.
23	Trenches/ garland drains shall be constructed at foot of dumps to arrest silt from being carried to water bodies. Adequate check dams shall be constructed across the seasonal/ perennial nallahs (if any) flowing through the ML area and silts be arrested. De-silting at regular intervals shall be carried out.	• Catch drains and garland drains are covering the entire dump slope at toe part. Similarly, a garland drain with settling pit has been provided near the railway track and causeway near railway culverts for directing the flow of surface run-offs after settling.

24	Provision shall be made for the housing of labourers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may in the form of temporary structures to be removed after the completion of the project. Occupational health and safety measures for the workers including identification of work related hazards, training on malaria eradication, HIV and healthy effects on exposure to mineral dust etc. shall be carried out. The proponent shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring of exposure to respirable mineral dust on the workers shall be conducted and record maintained including health record of workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required. Occupational Health Center shall be establiched near the mine itself	 Housing facilities for the employees has been provided within a centralized camp at Joda East beyond the mining lease hold area. The production of finished ore will be continued by manual screening and processing of sub-grade mineral and mineral rejects already available at pit head during dry season only. Due to this temporary nature of job, the laborers from our Joda West Manganese Mine will be deployed at the mine. Hence, Periodical Medical Examination of employees (departmental & contractual) are conducted as per prescribed norms of Mines Rule, 1955 at Joda West Mn. Mine covering the workers identified for Manmora. The initial and periodical examination includes blood haematology, blood pressure, detailed cardiovascular assessment, neurological examination etc. All chest radiographs are being classified for detection of pneumoconiosis, diagnosis and documentation made in accordance to ILO
	followed by follow up action wherever	of pneumoconiosis, diagnosis and
26	The Environmental Clearance is subject to Forest Clearance under Forest (Conservation) Act, 1980.	• Forest clearance over the entire forest area of 9.373 Ha within the lease has been granted along with FC of Joda East Iron Mine vide letter no. F. No. 8-32/1993-FC (vol-II), dated 24.09.2007.
27	The mining operation shall be restricted to above ground water table and it should not	• Mining is not intersecting the ground water as the ground water being at lower level in

	intersect the ground water table.	comparison to existing maximum quarry depth. No further mine development will be in place due exhaustion of mineable resource.
28	The top soil shall be temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long (not more than 3 years). The top soil shall be used for land reclamation and plantation.	• No top soil was generated during April'19 to Sept'19 because there was no mine development work undertaken due to exhaustion of mineable resource.
29	The fund earmarked for the environment protection measures shall be judiciously utilized. Under no circumstances this funds shall be diverted for other purposes. Year- wise expenditure for this fund should be reported to the SEIAA, Odisha.	 Funds allocated for environmental management are spent only for environment related purposes and not diverted to any other purpose. The utilization of environment management for the FY 19-20 was Rs 580,328. (Monitoring-Rs.4,59,328/- & Plantation-Rs.1,21,000/-) against the annual budget of Rs. 5,00,000/- Moreover, where replacing the loose boulder retaining wall with cemented retaining wall at strategic points in the cost included in mining operation.
30	The critical parameters in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharge water shall be monitored {[TDS, DO, pH and Total suspended solids (TSS)}. The monitored data shall be uploaded on the website of the company sa well as displayed on a display board at the project site at a suitable location near main gate of the company in public domain. The Circular No. J-20012/1/2006-IA.II(M), dated 27.05.2009 issued by MoEF which is available on the website of Ministry <u>www.envfor.nic.in</u> shall also be referred in this regard for its compliance.	 The critical parameters in the Ambient Air Quality are being analyzed. The monthly average of analysis is enclosed as Annexure- IV: AAQ monitoring report. There is no blasting operation being carried out within lease hold area as there is no mine developmental work due to exhaustion of mineable resource. There is no generation of mine drainage water as the mine is working at high hill slope area and does not intersects the ground water table. The monitoring data has been displayed on a board near entrance of the mine.
31	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water) required for the project.	• Water required for water sprinkling and drinking water during dry season is being supplied from Joda West Manganese Mine which has got the surface water drawl permission from competent authority.
32	The above mentioned stipulated conditions shall be complied in time bound manner. Failure to comply with any of the conditions mentioned above may result withdrawal of	• All the conditions mentioned above are complied.

this environmental clearance and attract
penal action under the provisions of
Environmental Protection (EP) Act, 1986.

Annexure-A EC compliance as per circular no. Z-11013/57/2014-IA.II(M) dated:29th Oct 2014

S.No.	Condition	Compliance Status
А	The Project Authority shall adopt Best filming Practice for	Noted and is complied
	the given mining conditions. In the mining area, adequate	
	number of check dams, retaining walls/structures, garland	
	drains and settling ponds should be provided to arrest the	
	wash – off with rain water in catchment area.	
В	The natural water bodies and or streams which are	Noted & is complied
	flowing in and around the village should not be disturbed.	
	The Water Table should be nurtured so as not to go down	
	below the pre-mining period. In case of any water scarcity	
	in the area, the Project Authorities have to provide water	
	to the villagers for their use. A provision for regular	
	monitoring of water table in open dug well located in	
	village should be incorporated to ascertain the impact of	
	mining over ground water table.	
С	The illumination and sound at night at project sites disturb	
	the villages in respect of both human and animal	Not Applicable
	population. Consequent sleeping disorders and stress may	
	affect the health in the villages located close to mining	
	operations. Habitations have a right to darkness and	
	minimal noise levels at night. The Project Proponents	
	(PPs) must ensure that the biological clock of the villagers	
	is not disturbed by orienting the floodlights/ masks away	
	from the noise levels well within the prescribed limit's for day/night hours.	
D	The Project Authority shall make necessary alternative	Not Applicable
D	arrangements, where required, in consultation with the	Not Applicable
	State Government to provide alternate areas for livestock	
	grazing. In this context, Project Authority should	
	implement the directions of the Hon'ble Supreme Court	
	with regard to acquiring grazing land. The sparse trees on	
	such grazing ground, which provide mid- which provide	
	mid – day shelter from the scorching sun should be	
	scrupulously guarded against felling lest the cattle	
	abandon the grazing ground or return home by noon.	
Е	Where ever blasting is undertaken as part of mining	
	activity, the Project Authority shall carry out vibration	Not Applicable
	studies well before approaching any such habitats or other	11
	buildings to evaluate the Zone of influence and impact of	
	blasting on the neighbourhood. Within 500 meters of such	
	sites vulnerable to blasting vibrations, avoidance of use of	
	explosives and adoption of alternative means of mineral	
	extraction, such as ripper/dozer combination/rock	
	breakers/ surface miners etc. should be seriously	
	considered and practiced wherever practicable. A	
	provision for monitoring of each blast should be made so	
	that the impact of blasting on nearly habitation and	
	dwelling units could be ascertained, The covenant of lease	
	deed under Rule 31 of MCR 1960 provides that no mining operations shall be carried out within 50 meters of public	
	works such as public roads and buildings of inhabited sites	
	except with in prior permission from the Competent	
	Authority.	
F	Main haulage road in the mine should be provided with	Not Applicable
-	permanent water sprinklers and other roads should be	
	regularly wetted with water tankers fitted with	
	sprinklers. Crusher and material transfer points should	
	invariably be provided with Bag filters and or dry	

Annexure-A EC compliance as per circular no. Z-11013/57/2014-IA.II(M) dated:29th Oct 2014

	logging system. Belt- conveyors should be fully covered to avoid air borne dust.	
G	The Project Authority shall ensure that the productivity of agricultural crops is not affected due to mining operations. Crop Liability Insurance Policy has to be taken by the PP as a precaution to compensate for any crop loss. The impact zone shall be 5km from the boundary of mine lease-area for such insurance policy. In case, several mines are located in a cluster, the Associations of owners of the cluster mines, formed inter-alia, to sub- serve such an objective, shall take responsibility for securing such drop Liability Policy.	Not Applicable
Н	In case any village is located within the mining leasehold which is not likely to be affected due to mining activities during the life of mine, the Expert. Appraisal Committee (EAC) should consider the proposal of Environmental Clearance (EC) for reduced mining area. The Mining lease may be executed for the area for which EC is accorded. The mining plan may also be accordingly revised and required stipulations under the MMDR Act, 1957 rind MCR, 1960 met.	Not Applicable
I	Transportation of the minerals by road passing through the village shall not be allowed. A 'bypass' road should be constructed (say, leaving a gap of at least 200 meters) for the purpose of transportation of the minerals so that the impact of sound, dust and accidents could be mitigated. The PP shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the Project. No road movement should be allowed on existing village road network without appropriately increasing the carrying capacity of such roads.	Not Applicable
J	Likewise, alteration or re-routing of foot paths, pagdandies, cart roads, and village infrastructure/public utilities or roads (for purposes of land acquisition for mining) shall be avoided to the extent possible rind in case such acquisition is inevitable, alternative arrangements shall be made first and then only the area acquired. In these types of cases, Inspection Reports by site visit by experts may be insisted upon which should be done through reputed Institutes.	Not Applicable
K	As CSR activities by Companies including the Mining Establishments has become mandatory up to 2% of their financial turn-over, Socio Economic Development. of the neighbourhood Habitats could also be planned and executed by the PPs more systematically based on the 'Need based door to door survey' by established Social Institutes/Workers on the lines as required under TOR. "R&R Plan/compensation details for the Project affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SC's /ST's and other weaker sections of the society in the study area, a need based sample survey, family wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out	Noted & is complied

Annexure-A EC compliance as per circular no. Z-11013/57/2014-IA.II(M) dated:29th Oct 2014

whether the village located in the mine lease area will be	
shifted or not. The issues related to shifting of village	
including their R&R and socio-economic aspects should	
be discussed in the EIA Report."	

Annexure-1

Picture showing stone pitching at the embankment of Manmora slime dam



<u>Annexure-2</u>

Glimpses of plantation done at Manmora Manganese Ore Mines





Manmora Manganese Mines- AAQ

Apr 19

59.48 PM₁₀

32.07 PM_{2.5}

6.28 SO2

12.01 NOx

0.35 6

35.32 PM 10

20.43 7.58

11.91 NOx

0.27 8

49.46 PM₁₀

34.39 8.04 14.03 0.44 66.11 41.37 7.77

14.08 0.31 NOx

Month

Manmora Slime Dam

Near Rain Water Harvesting

PM₂₋₅

SO2

PM2.5

NOx

8

PM₁₀

PM2.5

SO2

8

Near Magazine SO2

Near Equipment Maintenance

AVERAGE AIR QUALITY REPORT (CORE ZONE)

Sep 19

33.70

								-												
5	Aug 19	Jul 19	Jun 19	May 19	Apr 19	Month			Sep 19	Aug 19	Jul 19	Jun 19	May 19							
22	31.50	41.20	40.50	34.50	59.00	PM10	Baneikela		48.78	47.87	52.49	65.79	55.87							
1	17.60	21.60	20.70	20.00	33.50	PM2.5			31.34	30.73	31.20	36,53	34.52							
5	4.85	5.90	5.35	5.00	7.70	SO2			5.38	4.83	5.96	5.93	5.16							
2	9.50	11.10	10.70	9.90	12.20	NOx			10.36	9.98	10.26	10.68	10.47							
	0.17	0.23	0.24	0.20	0.31	8		AVE	0.18	0.18	0.33	0.30	0.22							
2	34.50	42.90	43.00	40.70	55.05	PM10	Lohanda		51.96	48.67	33.70	60.88	49.83							
5	21.70	31.00	30.00	27.20	41.00	PM2.5		L	L	5	RAGE	32.72	28.91	19.96	31.40	30.24				
1	4.90	6.40	6.03	5.35	8.00	SO2		AIR	6.00	4.63	5.90	6.20	5.00							
1	9.40	11.0	10.0 5	9.70	11.0 5	NOx		QUAL	13.32	10.56	11.34	12.10	10.80							
	0.16	0.27	0.22	0.19	0.40	8		ITY F	0.30	0.21	0.23	0.25	0.20							
	36.80	47.40	43.50	39.70	47.55	PM ₁₀	Khuntpani		REPOR	47.09	51.26	45.22	54.16	52.23						
	19.00	25.00	23.20	20.00	29.00	PM2-5		AVERAGE AIR QUALITY REPORT (BUFFER ZONE)	26.37	25.83	22.98	32.40	33.22							
	5.00	6.30	5.90	5.45	7.75	SO2		FFER	7.14	4.92	7.34	5.63	5.17							
	10.00	10.90	11.70	10.50	12.90	NOx		ZONE	12.09	11.24	10.93	11.43	11.33							
	0.20	0.35	0.31	0.24	0.41	8			0.26	0.22	0.32	0.39	0.36							
	33.80	41.70	40.55	37.40	41.50	PM10	Joda Colony (VTC)		36.22	52.53	61.29	69.63	64.52							
	15.30	22.20	20.90	20.30	30.40	PM2-5			20.28	32.12	32.60	37.18	32.50							
	<4.0	<4.0	<4.0	<4.0	<4.0	SO2		00040	5,49	5.08	8.63	7.64	5.91							
	9.10	11.20	10.20	9.60	11.40	NOx		(VTC)	(VTC)	(VTC)	(VTC)	(VTC)	(VTC)	(VTC)		11.66	11.31	15.49	14.86	14.33
	0.19	0.37	0.29	0.22	0.45	8			0.25	0.23	0.38	0.36	0.29							
	-	<u> </u>	_	-		-		e 8												

	PM2.5	33.50		20.00	20.00	20.00 20.70 21.60	20.00 20.70 21.60 17.60
Baneikela	5 SO2	0 7.70	5.00	5.35		5.90	
la	NOX	12.20	9.90	10.70	11.10	9.50	
	со	0.31	0.20	0.24	0.23	0.17	
	PM ₁₀	55.05	40.70	43.00	42.90	34.50	Series Super-
-	PM2.5	41.00	27.20	30.00	31.00	21.70	10.27
Lohanda	SO2	8.00	5.35	6.03	6.40	4.90	5 50
	NOx	11.0 5	9.70	10.0 5	11.0	9.40	10.5
1	8	0.40	0.19	0.22	0.27	0.16	0.20
	PM ₁₀	47.55	39.70	43.50	47.40	36.80	29.70
Ķ	PM2-5	29.00	20.00	23.20	25.00	19.00	12.20
Khuntpani	SO2	7.75	5.45	5.90	6.30	5.00	4.95
2.	NOx	12.90	10.50	11.70	10.90	10.00	9.40
	8	0.41	0.24	0.31	0.35	0.20	0.14
	PMI ₁₀	41.50	37.40	40.55	41.70	33.80	33.20
Joda (PM2-5	30.40	20.30	20.90	22.20	15.30	14.20
Joda Colony (VTC)	SO2	<4.0	<4.0	<4.0	<4.0	<4.0	40
(VTC)	NOx	11.40	9.60	10.20	11.20	9.10	10.20
	8	0.45	0.22	0.29	0.37	0.19	0.22

Anexxure-3

Jurellar Lab-in-charge

Unit of measurement for all parameters except CO is µg/m³. Co is in mg/m³

Annexure 4

Regular monitoring of ground water level in and around Manmora Manganese Mine of existing well are regularly monitored. The detailed quality report is attached within. However, few additional locations are also monitored for water level and installed piezometers for the month of May 2019 and August 2019 are as follows:

Sr.	LOGATION	MONTH						
No.	LOCATION	May, 2019	August, 2019					
Exist	ing Dug Well Locations:							
1.	KAMAR JODA, Joda	6 m 20 cm	2 m 82 cm					
2.	BANAIKALA , Near NAC GATE	6 m 10 cm	3 m					
3.	KOMAR JODA in RUGUDI SAHI	11m 15cm	7m 85 cm					
4.	RAMJAN HUTTING, Joda	3m 50cm	1m 18cm					
5.	KHUNTPANI, NEAR SCHOOL, Joda	5m 85 cm	2m 16cm					
	Newly Constructed Piezometer Locations							
6	CHIEF OFFICE, Joda East Iron Mine	17m 04cm	15m 10cm					
7	RC GATE, Joda East Iron Mine	14m 59cm	9m 04cm					
8	Near MANMORA DUMP, Joda East Iron Mine	11m 25cm	8m 82cm					
9	Near Rainwater Harvesting Pond, Joda East Iron Mine							
10	RMP Office, Joda	4m 46cm	3m 84cm					

Rain Water Harvesting Structure Developed Manmora Manganese Mine, Tata Steel Ltd

