

The Member Secretary State Pollution Control Board, Odisha Paribesh Bhawan A/118, Nilakantha Nagar, Unit - VIII Bhubaneswar - 751012

MD/ ENV/ 347 /120/2019 Date: 25th September 2019

Sub: Environmental Statement of Khondbond Iron & Manganese Mine, TATA Steel Ltd. for 2018-19.

Dear Sir

Kindly find attach herewith the Environmental Statement in the prescribed format (FORM V) as per "Environmental (Protection) Amendment Rules 1992" of our Khondbond Iron & Manganese Mine for your kind perusal.

Thanking you,

Yours faithfully f: Tata Steel Limited

Head (Planning), OMQ

Encl: As above


Copy to: The Regional Officer,

State Pollution Control Board, At: Baniapata, College Road

Keonjhar - 758001, Odisha



ENVIRONMENT STATEMENT 2018-19





Khondbond Iron & Manganese Mine

KHONDBOND IRON & MANGANESE MINE TATA STEEL LIMITED

September 2019

FORM - V (See Rule -14)

ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31st MARCH, 2018

KHONDBOND IRON & MANGANESE MINE, TATA STEEL LIMITED

PART-A

1	Name and address of the owner/ occupier of the industry, operation or process		Mr Shirish Sekhar, Chief (Khondbond) Khondbond Iron & Manganese Mine TATA Steel Limited, Joda, Dist Keonjhar, Odisha – 758034 Mr Manish Kumar, Mines Manager (Khondbond) Khondbond Iron & Manganese Mine TATA Steel Limited, Joda, Dist Keonjhar, Odisha – 758034	
	Nominated Owner	:	Mr. Atul Bhatnagar, General Manager, OMQ division, Administrative Building, Noamundi Iron Mine, TATA Steel Limited PO.: Noamundi, DistWest Singhbhum Jharkhand – 833217 Mr T V Narendran, Managing Director & CEO, Tata Steel Ltd, PO: Jamshedpur, Dist.: East Singhbhum, Jharkhand-831001	
2	Industry Category	:	Opencast Iron & Manganese Mining & Processing & Dispatch Industry (Major)	
3	Production Capacity*	: Mine: 08 MTPA Iron Ore & Manganese :0.1MTP : Beneficiation & Dispatch: 08 MTPA Iron Ore		
4	Year of Establishment	:	1960	
5	Date of last Environmental Statement submitted.	;	25 th September 2018, vide letter no. MD/ENV/278/120/2018 for the year 2017-18	

^{*}As per Environmental Clearance

<u>PART-B</u> <u>Water and Raw Material Consumption</u>

(i) Water Consumption:

Consumption Head:	2017-18 (in cu.m/day) (Annual Average)	2018-19 (in cu.m/day) (Annual Average)
Process	NA	NA
Spraying in mine pit, services	159.24	122.56
Domestic	90.32	99.39
Name of the product	Process water consumption per product outpout (m3/MT)	
Iron Ore	NA	NA
Manganese Ore	NA	NA

This is a mechanised mine producing iron ore. The iron ore processing is dry crushing and screening only. Dust suppression at C&S plant is carried out through a scientific way using dry fog system, thus reducing the requirement of water to very minimum level.

ii) Raw Material Consumption

The following items have been consumed/utilized:

	Consumption of Raw Material			
Name of Raw Materials	During previous financial year (2017-18)	During current financial year (2018-19)		
High Speed Diesel	2036779 Litre	2281550 Litre		
Lubricants	30276 Litre	43531 Litre		
Grease	6948 kg	5421 kg		
Explosive of all types (Explosive, codex, detonator)	833283kg	1087585 kg		
Gas	7130 cum	13334 cum		
Tyres	165 nos.	63 nos.		
Drill rods	156 nos.	67 nos.		
Electricity Consumed	2491890 kwh	1775988 kwh		
Electricity Generated	NIL	NIL		

PART-C POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT (Parameters as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges	Percentage of variation from prescribed		
	8-1-((mass / day)	standards with reasons		
	The Khondbond Iron & Manganese Mine with the processing plant, the iron and manganese mine pits are separately been operated. The processing plant is under construction and shall be of zero effluent discharge unit; all the effluent generated from the processing of iron ore is collected from slime pond and recycled & reused by 100% in various activities including dust suppression and iron ore processing.				
a) Water	One sewage treatment platentire treated water is recycled back.	cled & reused for plantation	on and gardening purpose.		
	All the water quality results	of STP are attached herev	vith in annexure-1.		
	The Khondbond Iron & I processing plant & dispatch ambient, respirable is bee within limits.	unit. The air quality in th	e form of fugitive, dust fall,		
b) Air	All the dust generating points such as loading -unloading devices are equipped with dust arresting system such as dry fog, fixed & mobile water sprinklers, mist spray, dust extractors -bag filters, water scrubbers etc.				
	Three continuous ambient air quality monitoring stations with PM_{10} , $PM_{2.5}$, SOx , NOx , $(NO2 \& NO) \& CO$ parameters are continuously been monitored with online data connectivity at state Pollution Control Board server.				

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with reasons	
A Parameter State of the State		dense vegetation is also placed in all surrounding the area which tly reduced the pollution load.		
	The results of air quality i	monitoring is attached a	s annexure-2.	

PART-D HAZARDOUS WASTES

As specified under the Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016 and amendment thereof

	Total Quantity		
Hazardous Wastes	During previous financial year (2017-18)	During current financial year (2018-19)	
(a)From Process	i		
 Used Oil 	34502 Litre	14170 litre	
 Waste containing Oil 	Nil	0.5MT	
 Waste Used Batteries 	Nil	52 nos (1.56MT)	
ii) From Pollution Control Facility			
 Waste oil from oil & grease separation pit 	Nil (Included in process) All the Hazardous waste generated is disposed as per law.		
 Sludge from oil and grease separation pit 			

PART-E SOLID WASTES

Solid wastes from Khondbond Iron & Manganese Mine is been categories in two parts i.e. Overburden/rejects removed during mining operations and slime/tailings generated from beneficiation / processing of Iron Ore. All the materials overburden and tailings are stocked in designated place inside the mine. However, other solid waste is also being generated from mining and processing / beneficiation activity. Currently no slime/tailings generated as the process plant is under construction.

	Total Quantity		
Sources	During previous financial year (2017-18)	During current financial year (2018-19)	
a) From Process • From mining as Overburden	648901 Tonne	973570 Tonne	
• Rejects	404287 Tonne	644791 Tonne	
From OB Plant as Tailing	Not Applicable	Not Applicable	
b) From Pollution Control Facility	Not Applicable	Not Applicable	

c) i. Quantity recycled or reutilized within the unit	371881 Tonne	413877 Tonne
ii. Quantity sold General Office waste	Nil	Nil
iii. Quantity disposed Mining overburden	277020 Tonne	559693 tonne
• Rejects	Nil	Nil
Canteen & colony waste	Organic wastes are disposed off in dumps	Organic wastes are disposed off in dumps

PART-F

PLEASE SPECIFY THE CHARACTERISTICS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

The Khondbond Iron & Manganese Mine and processing / beneficiation generate hazardous waste mainly in the form of used oil. The used oil is being generated from HEMM maintenance, which are used in manning operations. The used oil is disposed to authorized agency for recycling and reuse. During handling and maintenance of HEMM, the oil-soaked materials (jute etc) is been kept and disposed in impervious pit. The hazardous waste such as used batteries is sold to authorized agency.

The other solid waste in the form of overburden, sub-grade mineral and slime/tailings are stocked in designated place.

PART-G

IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- Khondbond Iron & Manganese Mine is a star rated iron mine as per Sustainable Development Framework (SDF) has declared by Indian Bureau of Mines, Ministry of Mines, Govt. of India and has adopted various mineral conservation techniques such as blending of waste / subgrade materials, use of low-grade ore etc as per customer quality requirements.
- For conservation of natural resources, high efficiency HEMM are used with adequate maintenance so as to reduce the fuel consumption. Zero effluent discharge is been maintained.
- For ground water augmentation, various rain water harvesting structures are made, the capacity of pond ~ 47,793 m³/yr which will harvest the water through various RWH structures. Piezometers are also installed in mines.
- New Fleet Management System (FMS) for better and efficient working of the HEMM was introduced in the mines which significantly reduced diesel consumption.

PART-H

ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION

- Coir matting was done on fine stocks to prevent any erosion that can lead to pollution.
 Various toe wall, garland drains are made as per progressive mine plan & mine closure plan.
 Bio Toilets were also installed in area.
- Bio-gas plant for adequate disposal of canteen waste & reduction of LPG are installed.
- The check dams are strengthened with two additional RWH structure.
- For biodiversity conservation, a niche -nesting project implemented at Khondbond. Plantation of local species, development of local nursery at site in area various scientific studies such as Carbon Sequestration study, ground vibration study etc. done.
- Awareness programme such as World environment day, Biodiversity day, Swachhata pakhwada, Earth day was organised for creating awareness of people regarding conservation of Natural resources in year 2018-2019. It incurred the cost of ₹ 20 lakh.
- The above abatement measures have resulted in improvement of air and water quality, reduction in noise levels, and improvement greenery within the lease. In addition, Tata Steel Rural Development Society (TSRDS) is engaged in peripheral developmental activities in villages around the mine. The projects of the Society include irrigation and agricultural extension projects, plantation programmes, creation of SAVE FOREST groups, civic amenities development, medical care and health education, rural sports and skill development, rural cultural promotion, etc.

PART-I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

- Khondbond Iron & Manganese Mine of TATA Steel Ltd. is a captive mine and is certified for the Integrated Management System (ISO-9001:2015, ISO-14001:2015 & OHSAS-18001:2007 and SA:8000) from last two decades. The unit has obtained various prestigious accolades and is the only a star rated mine of Jharkhand State.
- The Company is having a full-fledged Environmental Management Department with personnel from different backgrounds to take care of all environmental aspects relating to mines of Tata Steel. This department has in house capabilities for monitoring various environmental parameters and suggesting to the management necessary abatement measures.
- Various awareness programs throughout the year conducted in the area which included celebration of World Environment Day, World Water Day, Mine Environment & Mineral Conservation Week, Word Bio-diversity Week, Annual Flower & Vegetable Show etc. In which environment conservation models, current & future proposals are made, environment messages through Nukkad natak, poems, slogans, swachhata drive is been done every year.
- All above efforts make the mine clean green and sustainable. In the year 2018-19, Rs 15.79 Cr are spent on various environmental activities from Noamundi Iron Mine.

ja or en jaga. 10

Manager (Environment), Khondbond

WATER QUALITY DATA 2018-19 Khondbond Iron & Manganese Mine (Annual Average)

Parameters	Surfac	Surface water Sewage Treatment Plant		Sewage Treatment Plant	
	Sona River Upstream	Sona River Downstream	Inlet WW-1	Inlet WW-2	Standard
рН*	7.42	7.48	7.11	7.24	5.5–9.0
TSS (mg/l)	41.00	37.00	203	12	100
BOD 5 days (mg/l)	2.425	3.00	124	8.36	30
COD (mg/l)	17.80	21.00	176.78	24.8	250
Oil & Grease	_	_	4.73	ND	10.0
Faecal Coliform	-		179	82.1	MPN/100 ml

AIR QUALITY DATA 2018-19 Annual Average Air quality of Khondbond Iron & Manganese Mine (Annual Average)

Pollutants	Concentration of pollutants (µg/m³)	Standards (μg/m³)
Near Helipad		
1. PM ₁₀	61.20	100
2. PM _{2.5}	34.40	60
3. SO ₂	5.59	80
4. NO _x	14.70	80
Near Manganese Mines		
1. PM ₁₀	53.67	100
2. PM _{2.5}	28.29	60
3. SO ₂	5.05	80
4. NO _x	14.10	80
Near 16-D		
1. PM ₁₀	57.63	100
2. PM _{2.5}	28.84	60
3. SO ₂	5.45	80
4. NO _x	12.45	80
Near Labour Colony		
1. PM ₁₀	57.75	100
2. PM _{2.5}	31.72	60
3. SO ₂	5.42	80
4. NO _x	13.08	80