

The Member Secretary State Pollution Control Board, Odisha Paribesh Bhawan A/118, Nilakantha Nagar, Unit - VIII Bhubaneswar - 751012

MD/ ENV/ 819 / 120 / 2020 Date: 21<sup>st</sup> September 2020

Sub: Environmental Statement of Manmora Manganese Mine, M/s Tata Steel Limited for 2019-20.

Dear Sir

Kindly find attach herewith the Environmental Statement in the prescribed format (Form V) as per "Environmental (Protection) Amendment Rules 1992" of our Manmora Manganese Mine for your kind perusal.

Thanking you,

Yours faithfully f: Tata Steel Limited

Head (Planning), OMQ

Encl: As above

Copy to: The Regional Officer, State Pollution Control Board, At: Baniapata, College Road Keonjhar - 758001, Odisha

#### TATA STEEL LIMITED

Mines Division Joda Keonjhar Odisha 758 034 India Tel 91 7440037036 Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001 Tel 91 22 66658282 Fax 91 22 66657724 Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

# ENVIRONMENTAL STATEMENT 2019-20

# **MANMORA MANGANESE MINE**

TATA STEEL LIMITED

SEPTEMBER 2019-20

#### FORM V [See Rule 14 of Environment (Protection) Rules, 1986]

### ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31<sup>st</sup> MARCH 2020

# <u>PART – A</u>

| (i)   | Name and Address of the Owner /       | : | MANMORA MANGANESE MINE                 |
|-------|---------------------------------------|---|--|
|       | occupier of the industry operation or |   |  |
|       | process.                              |   | Nominated Owner :-                     |
|       |                                       |   | Mr.T.V.Narendran.                      |
|       |                                       |   | Managing Director, M/s TATA Steel Ltd. |
|       |                                       |   | Jamshedpur, Dist- East Singhbhum       |
|       |                                       |   | Jharkhand – 831 001                    |
|       |                                       |   | Agent                                  |
|       |                                       |   | Sri, Rajesh Kumar                      |
|       |                                       |   | Chief (Ioda East Iron Mine). Ioda      |
|       |                                       |   | O M & O. TATA Steel                    |
|       |                                       |   | P.O.: Joda, Via : Joda                 |
|       |                                       |   | Dist : Keonjhar, Odisha – 758 034      |
|       |                                       |   |  |
| (ii)  | Industry Category                     | : | Opencast Mining                        |
| ļ     |                                       |   |  |
| (iii) | Production Capacity – Units           | : | 12,000TPA (Manganese Ore)              |
| (iv)  | Year of Establishment                 | : | 1956                                   |
| Ĺ     |                                       |   |  |
| (v)   | Date of the last environmental        | : | 25th Sept'2018                         |
|       | statement submitted                   |   |  |

### <u>PART – B</u>

# Water and Raw Material Consumption

1. Water Consumption m<sup>3</sup>/day

Process: Nil

Cooling: Nil

Domestic: Nil\*

\*Domestic water is not required within the lease area as the employees are residing at Joda East Township which is situated under Joda East land lease.

| Name of the Products | Process water consumption | Process water consumption per unit of product output |  |
|----------------------|---------------------------|--|--|
|                      | During the previous       | During the current                                   |  |
|                      | Financial year            | Financial year                                       |  |
|                      | (1)                       | (2)  |  |
| 1. Manganese Ore     | Nil                       | Nil  |  |

Remarks: Manganese Ore is produced by semi mechanized Mining method, which does not involve beneficiation and thus precludes the consumption of water.

# 2. Raw material consumption

| Name of the raw | Name of the product | Consumption of raw materials per unit |                        |  |
|-----------------|---------------------|---------------------------------------|------------------------|--|
| materials       |                     | During the previous                   | During the current     |  |
|                 |                     | Financial year 2018-19                | Financial year 2019-20 |  |
| Manganese Ore   | Manganese           | <u>Year 2018-19</u>                   | <u>Year: 2019 -20</u>  |  |
|                 | Ore                 | Production :-                         | Production :-          |  |
|                 |                     | NIL                                   | NIL                    |  |
|                 |                     | Despatch :-                           | Despatch :-            |  |
|                 |                     | NIL                                   | NIL                    |  |

Remarks : As the entire mineable resource has been depleted, no further mining activities shall be undertaken within the lease hold area is envisaged. However, the production of finished ore will be continued by manual screening and processing of sub-grade mineral and mineral rejects already available at pit head during dry season only

# <u> PART – C</u>

# Pollution discharged to environment / unit of output

(Parameter as specified in the Consents issued)

|  | Pollution | Quantity of pollutants<br>discharged I<br>(mass/day)   | Concentrations of<br>Pollutants in discharges<br>(mass/volume)   | Percentage of variation<br>from prescribed<br>standards with<br>reasons              |
|--|-----------|--|--|--|
| a.   | Water     | The process of Manganese Ore production includes blasting, remo<br>overburden, breaking and sizing of ore to required size and<br>transportation to the customer does not require consumption of<br>Thus, there is no process discharge from the mine. |  | des blasting, removal of<br>required size and then<br>e consumption of water.<br>ne. |
|  |           | The six month average surface water quality data is enclos <b>Annexure – I.</b> It shows that the concentrations of the pollutants ar within the permissible standards.  |  |  |
| b. Air Since this is an open cast Min<br>movement of vehicles in the<br>fugitive in nature and cannot<br>by sprinkling of water by r<br>barrier by plantation around |           | t Mine, the dust generat<br>a the haul roads, drilling<br>annot be quantified. The<br>by mobile tanker and<br>bund the residential are   | tion is mainly due to the<br>g activities etc., which is<br>e fugitive dust is allayed<br>development of green<br>a. |  |
|  |           | The monthly average am<br>– II. It shows that the con<br>permissible standards.  | nbient air quality data is<br>ncentrations of the pollu  | s enclosed as <b>Annexure</b><br>tants are well within the                           |

#### <u>PART – D</u> Hazardous Wastes

# [As specified under the Hazardous wastes (Management & Handling) Rules, 1989]

| Hazardous Wastes   | Total Q                               | Total Quantity                       |  |  |
|--|---------------------------------------|--------------------------------------|--|--|
|  | During the previous<br>Financial year | During the current<br>Financial year |  |  |
|  | <u>Year 2018-19</u>                   | <u>Year 2019-20</u>                  |  |  |
| (i) From Process<br>Waste Oil (in Ltrs.)<br>Used Oil (in Ltrs.)<br>Cotton Waste (in Kgs) | Nil*                                  | Nil*                                 |  |  |
| Duster (in Nos.)<br>Filters (in Nos.)  |                                       |                                      |  |  |
| (ii) From pollution control facilities   | Nil                                   | Nil                                  |  |  |

\* The mine has no facility for maintenance of equipment deployed at the mine itself. Viewing the close proximity and same management control, the equipment of Manmora Mn. Mine are being maintained at Joda East Iron Mine

### <u> PART – E</u>

### **Solid Wastes**

|    |   | Total Q                               | uantity                              |
|----|---|---------------------------------------|--------------------------------------|
|    |   | During the previous<br>Financial year | During the current<br>Financial year |
|    |   | <u>Year : 2018-19</u>                 | <u>Year : 2019-20</u>                |
| a. | From Process<br>(Overburden rejects)  | Nil                                   | Nil                                  |
| b. | From pollution control<br>facilities  | Nil                                   | Nil                                  |
| c. | <ol> <li>Quantity recycled or re-<br/>utilized within the unit</li> <li>Sold</li> </ol> | Nil                                   | Nil                                  |
|    | 3. Disposal   | Nil<br>Nil                            | Nil<br>Nil                           |

# <u>PART – F</u>

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- **Characterization of Hazardous Waste:** -The composition of hazardous wastes like Waste Oil & used oil are Hydrocarbons, lead and used acids. The composition of the solid wastes (Overburden and rejects) contains lateritic morrum, shale and quartzite.
- Disposal Practice:-
  - SOLID WASTES -The overburden is systematically and scientifically dumped on a geologically barren area and the same will be reclaimed by plantation after being declared inactive.

The mine has no facility for maintenance of equipment deployed at the mine itself. Viewing the close proximity and same management control, the equipment of Manmora Mn. Mine are being maintained at Joda East Iron Mine.

- WASTE OIL -The waste oil generated at various sources is collected in leak proof barrels and then is kept on an impervious floor with oil catch pit. It is also ensured that the caps of the barrels remain intact and horizontal. The storage area is properly fenced and caution board displayed. During transfer of waste oil to barrels, a trough is placed underneath in order to prevent land contamination due to oil spillage. Then at a fixed interval, these barrels are returned to Joda East Mines Stores for final disposal through auction to the authorized party.
- USED COTTON WASTES The used cotton wastes generated at various locations are kept in designated barrels and at a fixed interval; these wastes are handed over to the Joda East Iron Mine stores Dept. for handing it over to authorized party for disposal.
- Provision of impervious pit for collection of oily waste in the workshop premises in addition to the existing practice of collection at specified barrels.

# <u> PART – G</u>

Impact of pollution abatement measures taken on conservation of natural resources and on the cost of production.

1. All the haul roads in the mining area are made up of morum & compacted. Regular repair is being done by dozer & grader after spreading the layer of sweat morum over it.

2. 800 nos. of saplings of various forestry species were planted covering an area of 1.5 hectare within and nearby the leasehold area of Manmora Manganese mines with a survival rate of 85% during the year 2019-20. (Gap Filling).

3. In addition, Tata Steel Rural Development Society also undertakes the peripheral development activities with a large magnitude.

4. An amount of ₹ 2.4 lakhs was spent as a part of Manpower Engagement in the Environment Department in the year 2019-20.

5. To maintain tailing disposal system, the company has incurred an expenditure of  $\mathbf{R}$  40.00 lakhs.

6. An amount of  $\mathbf{R}$  4.60 lakhs was spent towards monitoring of various environmental parameters.

7. To generate awareness among the employees and their families about environment, World Environment Day was celebrated at Joda. During 2019-20 an amount of  $\gtrless$  20 lakh was spent on this account.

8. Environment Management Department is in function to manage regular environmental monitoring jobs and to ensure operation of environmental safeguards. The administrative expenditure of the department for year 2019-20 was ₹5.80 lakhs

#### <u> PART – H</u>

Additional measures / investment proposal for environmental protection, abatement of pollution, prevention of pollution.

a. Garland drains and toe wall maintenance around the OB dump and tailing dam slopes to check and channelize surface run-off.

b. Gap filling plantation of forestry species shall be done over the inactive waste dump and tailing dam slopes.

#### <u> PART – I</u>

Any other particulars for improving the quality of environment:

- 1. Top soils generated during excavation were utilized for dump slope plantation.
- 2. Measures taken to control Air Pollution :-
- Water sprinkling on the haul road,
- 3. Measures taken to control Water Pollution :-
  - Construction of toe wall and garland drain along the dump slope to prevent surface run-off during monsoon.
- 4. Measures taken to control Noise & Ground Vibration :-
  - Thick plantation has been developed around the mines to provide a canopy cover
  - No drilling and blasting being carried out due to no operational mine.
- 5. Measures taken to control Land Degradation :-
  - Afforestation around the non-active dump and tailing dam slope for stabilization.
- 6. The mine is certified with ISO-14001 (Environment Management System)

Manager Enyfronment, Joda

#### Annexure –I

**Water Pollution:** Not applicable as there is no outside discharge of any industrial effluent.

Annexure -II

# <u>POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT</u> (Parameters as specified in the consent issued)

### Air Pollution:

Average Air Quality of FY' 2019-20:

# AIR QUALITY DATA 2019-20 Annual Average Air quality of Manmora Manganese Mine of FY'20

| Pollutants                  | Concentration of pollutants | Standards |  |  |  |  |
|-----------------------------|-----------------------------|-----------|--|--|--|--|
| Tonutants                   | <u>(μg/m³)</u>              | (µg/m³)   |  |  |  |  |
|                             | Manmora Slime Dam           |           |  |  |  |  |
| 1. PM <sub>10</sub>         | 100                         |           |  |  |  |  |
| <b>2.</b> PM <sub>2.5</sub> | 36.99                       | 60        |  |  |  |  |
| <b>3.</b> SO <sub>2</sub>   | 7.07                        | 80        |  |  |  |  |
| <b>4.</b> NO <sub>x</sub>   | 11.98                       | 80        |  |  |  |  |
| 5. CO                       | 0.31                        |           |  |  |  |  |
| N                           | Near Rain Water Harvesting  |           |  |  |  |  |
| 1. PM <sub>10</sub>         | 57.60                       | 100       |  |  |  |  |
| 2. PM <sub>2.5</sub>        | 34.08                       | 60        |  |  |  |  |
| <b>3.</b> SO <sub>2</sub>   | 7.55                        | 80        |  |  |  |  |
| <b>4.</b> NO <sub>x</sub>   | 12.68                       | 80        |  |  |  |  |
| 5. CO                       | 0.27                        |           |  |  |  |  |
|                             | Near Magazine               |           |  |  |  |  |
| 1. PM <sub>10</sub>         | 57.37                       | 100       |  |  |  |  |
| <b>2.</b> PM <sub>2.5</sub> | 34.08                       | 60        |  |  |  |  |
| <b>3.</b> SO <sub>2</sub>   | 7.89                        | 80        |  |  |  |  |
| <b>4.</b> NO <sub>x</sub>   | 12.38                       | 80        |  |  |  |  |
| 5. CO                       | 0.31                        |           |  |  |  |  |
| Near Equipment Maintenance  |                             |           |  |  |  |  |
| 1. PM <sub>10</sub>         | 63.19                       | 100       |  |  |  |  |
| <b>2.</b> PM <sub>2.5</sub> | 33.07                       | 60        |  |  |  |  |
| <b>3.</b> SO <sub>2</sub>   | 7.31                        | 80        |  |  |  |  |
| 4. NO <sub>x</sub>          | 13.70                       | 80        |  |  |  |  |
| 5. CO                       | 0.36                        |           |  |  |  |  |