

The Additional PCCF (C) Eastern Regional Office MoEF & CC, Govt. of India A/3, Chandrasekharpur Bhubaneswar–751 013 (Odisha) Email: roez.bsr-mef@nic.in

MD/ENV/ 60 /110/2021 Date: 27.05.2021

- Ref: Environmental Clearance letter no. J-11015/63/2008.IA.II(M) dated: 26.11.2010 & EC Letter No. J-11015/63/2008-IA.II (M) 18/01/2019.
- Sub: Half-yearly compliance status report of Environmental Clearance conditions for the period October'20 March'21 in respect of Katamati Iron Mine, Tata Steel Ltd.

Dear Sir,

Kindly find attached herewith submitting the six monthly compliance report as on date in respect of the stipulated Environmental Clearance conditions of Katamati Iron Mine, Tata Steel Ltd. for the period from **October'2020 - March'2021** as per EIA Notification, 2006. Also for the same period vide office memorandum no. Z-11013/57/2014-IA.II (M), dated 29.10.2014, is also attached herewith as Annexure -1. The same has been mailed in soft copy of the report to your good office on email: roez.bsr-mef@nic.in for your ready reference.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavor for further improve upon our Environmental Management practices.

Thanking you,

Yours faithfully, f: M/s Tata Steel Limited

Amo

Chief (Mine Planning & Projects), OMQ

Encl. : As above

Copy to : The Chairman, Central Pollution Control Board, Southern Conclave, Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700107 (W. B.)

- : The Member Secretary, State Pollution Control Board, Parivesh Bhawan, A/118,
- Nilakantha Nagar, Unit VIII, Bhubaneswar 751012 (Odisha)
- : The Regional Officer, SPCB, College Road, Baniapata, Keonjhar 758001 (Odisha)

TATA STEEL LIMITED

Mines Division Noamundi 833 217 India Tel 91 9234301340 Fax 91 6596 290737 Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001 Tel 91 22 66658282 Fax 91 22 66657724 Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com



Compliance

to

Environmental Clearance Conditions

of

Katamati Iron Mine

M/s. Tata Steel Limited

For the period: October 2020 - March 2021

(EC Letter No. J-11015/63/2008-IA.II (M) 26/11/2010 & EC Letter No. J-11015/63/2008-IA.II (M) 18/01/2019)

27th May, 2020

ENVIRONMENTAL CLEARANCE OF

KATAMATI IRON MINE OF TATA STEEL LIMITED

(October 2020 to March 2021)

(MoEF & CC Letter No. J-11015/63/2008.IA.II(M) DATED: 26/11/2010) FOR PRODUCTION OF 8 MTPA (ROM)

SI. N	D. EC Conditions	Compliance Status
Clea	ne of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 2 od of Compliance: October 2020 to March 2021	
	cific Conditions	
1.	The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board, Odisha and effectively implement all the conditions stipulated therein.	dated: 04.08.2010 & no. 11818 dated 18.7.2011
2.	Environment clearance is subject to grant of Forestry clearance. Necessary Forestry clearance under the Forest (Conservation) Act, 1980 for an area of 199.172 ha forestland involved in the project shall be obtained before starting mining operation in that area. No mining shall be undertaken in the forest area without obtaining requisite prior forestry clearance.	Being complied with. Katamati Iron Mine of TATA Steel has 403.3238 ha lease area, out of which 360.01 ha forest land & rest is non-forest. Katamati Iron Mine has already received the Stage -1 approval for 360.01 ha (including Sabik, RF & PF) vide F No. 8-01/2018-FC, dated 28 th August 2018.
3.	Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004, as may be applicable to this project.	Noted down. However, there is no National Park, Sanctuaries, Elephant corridor and tiger reserves within 10 Km radius of lease in the core zone & buffer zone.
4.	Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the Competent authority, as may be applicable to this project.	Clearance under the Wildlife Protection Act, 1972 is not applicable. However, a Site specific wildlife plan has been approved by Office of Principal Chief Conservator of Forest (Wildlife) and Chief Wildlife Warden: Odisha, Bhubaneswar vide letter no. 5842/1WL (C) SSP- 306/2011, dated 29 th August 2011. A copy of approval is enclosed as annexure-I.
5.	ground water table and it should not intersect the ground water table. In case of working below the ground water table, prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydro-geological study shall be carried out.	Currently, the mining operation is restricted above the ground water table and shall not intersect the ground water table, in case of working below prior approval from MoEF&CC & CGWA shall be obtained. For domestic and other purposes, the mine has applied for renewal of CGWA NOC (460m ³ /day) issued vide no. CGWA /NOC/ MIN/ ORIG/ 2018/4244, dated 15.11.2018.

Migule

No.	EC Conditions	Compliance Status
leara	of Project: Katamati Iron Mine, Tata Steel Ltd. ance Letter no.: J-11015/63/2008.IA.II (M), dated: 26 d of Compliance: October 2020 to March 2021	/11/2010
Speci	ific Conditions	
6.	The project proponent shall ensure that no natural watercourse and / or water resources shall be obstructed due to any mining operations. Adequate measures shall be taken for conservation and protection of the first order and the second order streams, if any, emanating from the mine lease area during the course of mining operation.	Complied with. No natural watercourse or water resources are obstructed due to mining operations. Further, no firs order and the second order streams are emanating from the mine lease area.
7.	The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	Generation of topsoil is very minimal because no fress area is being broken for mining and the top so generated, is being kept at the earmarked site(s) onl inside the mining lease area and is being subsequentl used for plantation & other vegetation & grassin activities.
8.	The sub grade material, if any shall be stacked at the earmarked sites.	Sub grade material is being stacked at the earmarke sites as per the approved mining plan.
9.	The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site (s) only and it should not be kept active for a long period of time and its phase-wise stabilisation shall be carried out. Partial backfilling proposed after cessation of mining. The maximum height of the OB dump (s) shall not exceed 30m having three terraces of 10m each and the overall slope of the dumps shall not exceed 27°. It shall be ensured that the OB dump(s) should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dumps. Monitoring and Management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.	Vegetation & grassing on slime dumps Vegetation & grassing on mine dumps Vegetation & grassing on mine dumps
10.	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, sub- grade, overburden and mineral dump(s) to prevent run off of water and flow of sediments directly into the Mahadev Nallah, Betlata Nallah, Baitarani River and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly de-	Garland drains with settling pits, have been made a along the OB dumps. Two settling ponds of adequa sizes have been constructed. At the end of ponds the garland drains are made to take care of run-off wat which are being de-silted regularly before, during an after the monsoon. There is no outside discharge of an industrial effluent. All the garland drains, settling pi and check dams of appropriate size, gradient and leng

SI. No	EC Conditions	Compliance Status
Clear	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 2 od of Compliance: October 2020 to March 2021	
Spec	cific Conditions	
	silted particularly after monsoon maintained properly. Garland drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed around the mine pit, overburden dumps and sub-grade and mineral dump(s) to prevent run off of water and flow of sediments into the Mahadev Nallah, Betlata Nallah, Baitarani River and other water bodies and slump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals	burden dump(s) to prevent run off of water and flow of sediments directly into water bodies. Photographs of to wall, garland drain and settling pits are attached. Wate Quality reports of Mahadev Nallah and Baitarini rive are attached as Annexure II.
11.	Dimension of retaining wall at the toe of the OB dump(s) and the OB benches within the mine to check run-off and siltation should be based on the rainfall data.	Complied with Yes the dimensions of the retaining wall and toe wall a the toe of dump is based on rainfall data and is constructed as per the IBM approved mine plan to check run-off and siltation.
12.	Trace Metals such as Ni, Co, As and Hg should be analysed in dust fall and soil samples for at least one year during summer, monsoon and winter seasons. If concentrations of these metals are found below the standards then with prior approval of MoEF&CC this specific monitoring could be discontinued.	Complied with We are monitoring trace metals in dust fall and soi samples. Results of soil and dust fall monitoring are attached herewith as annexure- III.
13.	Plantation shall be raised in an area of 370.155 ha including a 7.5m wide green belt in the safety zone around the mining lease, overburden dump(s), backfilled and reclaimed area, mine benches, around water body, roads etc. In consultation with the local DFO/Agriculture Department. The density of the tree should be around 2500 plants per hectare. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years	Plantation over an area of 370.155 ha shall be done at the end of mine life through progressive mine closure plan. However, both fencing and plantation over 7.5m wide area around the mining lease is in progress. Besides the above, concurrent reclamation and rehabilitation program have been proposed in the mining plan.

Manke

l. No.	EC Conditions	Compliance Status
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. ince Letter no.: J-11015/63/2008.IA.II (M), dated: 26 of Compliance: October 2020 to March 2021	5/11/2010
	fic Conditions	
		interval and the second seco
14.	The void left unfilled in an area of 11.2 ha shall be converted into water body. The higher benches of excavated void/mining pit shall be terraced and plantation done to stabilized the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out all along the excavated area.	Shall be complied with at the end of mine life. This being the activity at the end of mine life shall be taken up only after the exhaustion of Iron ore as pr mine plan.
15.	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and transfer point. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Regular water sprinkling is being done on the har roads, loading & unloading points for effective du suppression by mobile and fixed water sprinklers. Di fog system has also been provided at all transfer point crushing and screening unit. Photographs of Wat Sprinkling and dry fog system are attached. Ambient A Quality is being monitored regularly as per the norm stipulated in EC granted and the results are well with the prescribed limits. Apart from above three continuou ambient air quality monitoring stations are also installe and are working smoothly.

H:Amler

SL No.

EC Conditions

Compliance Status

Name of Project: Katamati Iron Mine, Tata Steel Ltd. Clearance Letter no.: J-11015/63/2008.IA.II (M), dated: 26/11/2010 Period of Compliance: October 2020 to March 2021

Specific Conditions

Here and the second sec	
The state of the second se	the second se
Notes and the second second	
	The second second
	And the second se
the second s	And the second

Mobile Water sprinkler at Katamati



CAAQMS station of Katamati

A new fixed water sprinkler line is also installed with 1.5km length for haul road dust reductions.



New additional 1km fixed water sprinkler line at Katamati

16.	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained.	Regular monitoring of the flow rate of Balijhor Nallah which is flowing outside of the mining lease area is carried out and record maintained regularly. The flow rate of Balijhore nala is enclosed as annexure-IV.
	in the last payment in an experiment of the field	Complied with. Suitable ground water augmentation measure in & around Katamati iron Mine has been implemented by check dams, toe wall, contours bunds etc.
17.		As the mine doesn't have any land for ground water recharge structures creations, as per kind suggestions of CGWA, Bhubaneshwar officials during site visit at adjacent mine; recharge on surrounding village can be also been done. Thus eight (08) number of new ponds constructed in and around mine lease in surrounding villages, specially at Kolahundala & Narayanpur Sana Barbil & Jamkundia Panchananpur & DandaGutu to augment the ground water. Deepening of old ponds is also taken up to facilitate for fishing and to provide water for agricultural purposes.

4. Amler

1.31

l. No.	EC Conditions	Compliance Status
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. nce Letter no.: J-11015/63/2008.IA.II (M), dated: 26/ of Compliance: October 2020 to March 2021	/11/2010
	fic Conditions	
		<section-header></section-header>
18.	Regular monitoring of ground water level and quality should be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in in each season) shall be carried out in consultation with the State Ground Water Board/ Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	Ground water quality and Ground water level are bein monitored periodically in and around the lease areas. At the monitoring results are being submitted to regulator agencies. The monitoring details are attached a annexure-V.
19.	Appropriate mitigative measures should be taken to prevent pollution of the Baitarani River in consultation with State Pollution Control Board.	Being complied with
20.	The Project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water required for the project. The ground water shall not be used for mining operations. Prior approval of Central Ground Water Authority shall be obtained for using ground water.	Complied with For domestic purpose only ground water withdraw permission as obtained from Central Ground Wate Authority. The mine has already applied for renewal of CGWA NOC issued vide CGWA /NOC/ MIN/ ORIG 2018/4244, dated 15.11.2018.

4:Amler

SI. No	EC Conditions	Compliance Status
Clea	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 2 od of Compliance: October 2020 to March 2021	26/11/2010
	cific Conditions	
		Being complied with
21.	Suitable rain water harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	Due to hilly topography and land constraints rainwate harvesting structure are made combinedly for Noamund & Katamati Iron Mine at Noamundi colony area as pe hydrogeology study. As the doesn't have any non-fores area for development of rainwater harvesting (RWH structures, various RWH structures are been made in and around mine in surrounding villages. However, the mine collects all the surface runoff water during monsoon in mine pit and uses for dust suppression and other measures.
		Complied with Katamati is an operation mine and all the mined mineral is transported to adjacent Noamundi Processing Plant, by heavy capacity dumpers. Over loading of trucks is restricted to prevent spillage of material. Emission checks for all the vehicles are carried out half yearly. Effective water sprinkling is done on haul roads to
22.	Vehicular emission shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.	control fugitive dust. A wheel washing facility has been installed at exit gate of mine to arrest and control the fugitive emission from mineral transportation.
		Wheel washing facility at Katamati Mines
23.	daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Complied with Blasting is carried out during daytime only. Controlled Blasting is carried out for control of ground vibrations and to arrest fly rocks, as per the recommendations of CIMFR, Dhanbad.
24.	Drills shall either be operated with Dust extractors or equipped with water injection system.	Drills have been provided with dust suppression system.

1 Amler

51. No.	EC Conditions	Compliance Status
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. ance Letter no.: J-11015/63/2008.IA.II (M), dated: 26 d of Compliance: October 2020 to March 2021	/11/2010
	ific Conditions	
		Wet drilling at Katamati Mines
		The mineral handling plants at Noamundi area is equipped with high efficiency dust suppression systems.
25.		Mist type dust suppression measures in process plant
	Mineral handling plant shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Water jet with mist water spray in Katamati
		Moreover, loading and unloading areas including transfer points have been provided with dust suppression facilities. However, in mobile screening & crushing adequate dust control measure are made
1		Image: Constraint of the system of the sy
26.	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for workshop and wastewater generated during mining operation.	Being complied with. Two Sewage Treatment Plan (STP) of 50 KLD each and an Two Effluent Treatment Plant (ETP) of 10 KLD each are already installed in common colony area at Noamundi which are working smoothly.

4. Aule

I. No	EC Conditions	Compliance Status
Clear	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 2 od of Compliance: October 2020 to March 2021	1
Spec	cific Conditions	Adapter of a strength
		For the common workshops and all other areas and o trap is installed with collection system. No wastewater is being generated from mining operations.
		Sewage Treatment Plant of common colony at Noamundi
27.	Pre-placement of medical examination and periodical examination of the workers engaged in the project shall be carried out and record maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Initial medical examination and periodical examination of the workers engaged are being conducted & record maintained. The schedule of Periodical Medical Examination is once in every 2 years for the employees of age more than 40 years and once in 5 years for the employees of age less than 40 years.
28.	Effective safeguard measure shall be taken to ensure that the RSPM levels in the area are well below the prescribed standards.	Effective safeguard measure like Mobile & Stationary water sprinkling, dust suppression systems at loading & unloading point etc. have been provided to minimize fugitive dust emission.
29.	The height of stack shall be as per the prescribed standards/ guidelines.	Katamati Iron Mine has small capacity DG sets used for area illumination. The height of the stack is as per standards. The DG sets are used for area illumination & emergency power backups.
30.	Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn shall be periodically monitored at specific locations in both surface water downstream and in ground water at lower elevations from mine area, in consultation with the SPCB, Odisha and State Ground Water Board. Suitable treatment measures shall be undertaken in case levels are found to be higher than permissible limits.	Trace metals are being monitored periodically both of surface water and ground water and the monitoring reports are being sent to pollution control board regularly. The monitoring details of surrounding nallahs are attached as annexure-II.
31.	Occupational health programme encompassing identification of hazardous, ranking of the risks, plan to handle such risk should be prepared and implemented effectively.	The mine is certified to both ISO 14001 & ISO45001 .Under ISO 45001 & DGMS guidelines, hazard identification, risk assessment and measures to minimise risk have been established and are implemented for all activities.
32.	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora and fauna namely elephant, sloth bear etc.	Complied with. Site specific wildlife plan has been approved by Office of Principal Chief Conservator of Forest (Wildlife) and Chief Wildlife Warden: Odisha, Bhubaneswar vide

Hifmler

Sl. No.	EC Conditions	Compliance Status
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. ance Letter no.: J-11015/63/2008.IA.II (M), dated: 26 d of Compliance: October 2020 to March 2021	5/11/2010
	ific Conditions	
Spec	Found in the study area. Action plan for conservation of flora and fauna prepared shall be implemented in consultation with the state forest and Wildlife Department. All the safeguard measures brought out in the Wildlife Conservation plan prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar.	letter no. 5842/1WL (C) SSP-306/2011, dated 29 th August 2011. On compliance of this, various fund Rs. 1.22 Cr fo Implementation of the Item of Work prescribed fo Project Impact Area in the Site Specific Wild Life Conservation Plan and Rs. 80.66 lakhs fo Implementation of Regional Wildlife Management Plan Rs. 20 lakhs to Forest Department towards construction of Anti-Depression camp building/ barracks were also made. of Rs 10 lakhs in CORPUS fund, Rs. 2 lakhs in SSWLCP have also been deposited Apart from above an employment of 10 local youth on nearby villages have also been provided for patrollin the jungle – forest area and fire protection incidents.
33.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Currently it's been not applicable.
34.	Digital processing of the entire lease area using remote sensing technique shall be carried out regularly once in three years for monitoring land use pattern and report submitted to Ministry of Environment and Forests and its Regional Office, Bhubaneswar.	The digital processing of entire lease area is bein carried out regularly. The current land use pattern made by M/s Geo Consultants Pvt. Ltd. the authorize agency by ORSAC, Bhubaneshwar in august 2018. Th land use land cover change map as on date is attached a annexure-VI.
35.	The critical parameters such as RSPM (Particulate matter with size less than 10 miocron i.e., PM10) and NOx in the ambient Air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored (TDS, DO, PH, and total suspended Solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The circular No. J-20012/1/2006-IA.II(M) dated: 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	minutes and the date of same is continuously uploade in Pollution Control Board server.

4:Amles

Sl. No	EC Conditions	Compliance Status
Clean	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: od of Compliance: October 2020 to March 2021	
	cific Conditions	
		First monitoring data display in public domain at Katamati
36.	A final Mine closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	The mine has approved mine plan & progressive mine closure plan from IBM, Ministry of Mines, GoI. The mine plan and final progressive closure plan shall be submitted to MoEF&CC before 5 years in advance of final closure of mine for approval

SI. No.	· EC Conditions	Compliance Status
Clear	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 2 d of Compliance: October 2020 to March 2021	
Gener	cal Conditions	
1.	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Being complied with. We are operating as per the approved mining technology and scope of working mentioned in Environmental Clearance granted to us.
2.	No change in the calendar plan including excavation, quantum of iron ore and waste produced should be made.	Being complied with.
3.	At least four ambient air quality- monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e., PM_{10}) and, NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Ambient Air Quality monitoring is regularly being carried out at four different stations within the core zone, which were located in consultation with the visiting officers of State Pollution control Board, Bhubaneswar. The ambient air quality reports are being submitted to Regional office, MoEF&CC, Bhubaneswar half yearly and to SPCB, Bhubaneswar monthly. Various parameters such as PM ₁₀ , PM _{2.5} , SOx, NOx, CO are also been monitored for every 15 minutes and the online data is continuously updated at State Pollution Control Board server. The data is same is also been displayed using electronic display board in public domain

4: Aules

11

4.	Data on ambient air quality [RSPM (Particulate matter with size less than 10micron i.e., PM ₁₀) and, NOx] should be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the State Pollution Control Board/ Central	Image: Station & data connectivity of Katamati MineRSPM (Particulate matter with size less than 10 microni.e., PM10) and, NOx in ambient air are being monitoredas per standard guidelines and the reports are submittedto Regional office, MoEF&CC, Bhubaneswar halfyearly and SPCB, Odisha monthly. Ambient Air QualityReport is attached as Annexure-VII.
	Pollution Control Board once in six months.	Effective water sprinkling is being done on haul roads and at loading and unloading points. Dust suppression systems in the drills have been provided for functioning effectively.
5.	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	
6.	Measures should be taken for control of noise levels below 85dBA in the work environment. Workers engaged in operations of HEMM etc. should be provided with ear plugs/ muffs.	High noise areas are earmarked and people working there are provided with ear protection equipment. All the HEMM's cabin is air conditioned so that there won't be any noise pollution.
7.	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap and retention ponds should be installed before discharge of workshop effluents.	
er-J	Amlel	12/

8.	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed	Adequate dust masks are provided to employees engaged in dusty areas. PME of company and contractor employees are organized regularly to observe any contractions due to exposure to dust and other occupational hazards. Employees also undergo Lung Function Tests during the Periodical Medical Examination. The employees are also given regular awareness training on safety and health aspects as part of implementation process of ISO:45001 systems.
9.	A separate Environment Management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organisation	Complied with. A separate environmental management cell is in place with people having relevant qualification on environmental science. Organization has adequate environmental reporting system for adequate decision making.
10.	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.	Funds allocated for environmental management are spent only for environment related purposes and not diverted to any other purpose. Expenditure details of environmental protection measures during 2020-21 at Katamati Iron Mine are enclosed as annexure-IX.
11.	The Project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This is a running mine. No specific date of start of land development work can be assigned. However, the copy of the Environmental Clearance has been sent to the Regional Office, MoEF&CC, Bhubaneswar for necessary information.
12.	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities should extend full co-operation to the officer (s) of the Regional Office by furnishing the requisite data/ information/ monitoring reports	We extend full co-operation to the officers of the Regional Office during their visit and furnish the required data, Information and monitoring reports. MoEF&CC officials has made the kind visit of the mine on 21 st May 2020.
13.	The Project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, the respective Zonal office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar, the respective zonal officer of Central Pollution Control Board and the State Pollution Control Board.	Six monthly compliance reports are being submitted regularly on the status of implementation of the stipulated environmental safeguards to the MoEF&CC, its Regional Office Bhubaneswar, Central Pollution Control Board Kolkata and State Pollution Control Board, Bhubaneswar. Further, the six monthly compliance reports along with the monitoring results is being uploaded on Tata Steel's website www.tatasteelindia.com and updated periodically.
14.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while	Complied with

H. Juke

	processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
15.	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.	Noted.
16.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Bhubaneswar by email	The environmental statement for financial year 2018-19 has been submitted to the State Pollution Control Board on vide letter no. MD/ENV/811/120/2020 dated: 16.09.2020 and the same had been hosted on Company's website www.tatasteelindia.com. Further, compliance status on environmental clearance conditions was also sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar by e-mail on 18.09.2020.
17.	The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	Details of Environment Clearance with regard to Katamati Iron Mine were published both in English and Hindi in local newspapers. The copy of the newspaper advertisement was sent to the Regional Office, MoEF&CC, Bhubaneswar. Advertisements are enclosed as Annexure X.

ENVIRONMENTAL CLEARANCE OF

KATAMATI IRON MINE OF TATA STEEL LIMITED

(October 2020 to March 2021)

(MoEF & CC Letter No. J-11015/63/2008.IA.II(M) DATED: 18/01/2019) FOR PRODUCTION OF 08 MTPA (ROM)

Sl. No.	EC Conditions	Compliance
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. ance Letter no.: J-11015/63/2008.IA.II (M), dated: 13 d of Compliance: October 2020 to March 2021	8/01/2019 – EC amendment w.r.t. ROM.
Specifi	c Conditions	
1.	This Environmental Clearance will not be operation till such time the project proponent complies with all the statutory requirements and judgements of Hon. Supreme Court dated the 2 nd August 2017 in writ petition (civil) no. 114 of 2014 in the matter of common cause vs union of India and Ors.	A payment of Rs 82,70,48,782.00/- is made as per demand notice no. 4140/ mines dated 02.09.2017. A copy of intimation is enclosed as Annexure 1. The Project Proponent is complying with all the statutory requirements and judgements of Hon. Supreme Cour dated the 2nd August 2017 in writ petition (civil) no 114 of 2014 in the matter of common cause vs union of

4. Aprila

SI. No	EC Conditions	Compliance
Nam Clea	e of Project: Katamati Iron Mine, Tata Steel Ltd. rance Letter no.: J-11015/63/2008.IA.II (M), dated: 1	8/01/2019 - FC amendment w r.t. POM
Peric	od of Compliance: October 2020 to March 2021	orom 2019 Le amendment w.r.t. KOWI.
pecif	ic Conditions	
		India and Ors.
2.	Department of Mining & Geology, State Government shall ensure that mining operation shall not commence till the entire compensation levied, for illegal mining paid by the Project Proponent through their respective Department of Mining & Geology in strict compliance of judgment of Hon'ble Supreme Court dated the 2 nd August 2017 in Writ Petition (Civil) No. 114 of 2014 in the matter of Common Cause versus Union of India and Ors.	A payment of Rs 82,70,48,782.00/- is made as per demand notice no. 4140/ mines dated 02.09.2017. A copy of intimation is enclosed as Annexure 1. The Project Proponent is complying with all the statutory requirements and judgements of Hon. Supreme Court dated the 2nd August 2017 in writ petition (civil) no 114 of 2014 in the matter of common cause vs union of India and Ors.
		Complied.
3.	Monitoring of Ambient Air Quality to be carried out based on the 2009 Notification, as amended from time to time by the Central Pollution Control Board.	Ambient Air Quality monitoring is regularly being carried out at core & buffer zone, which were located in consultation with the State Pollution Control Board. The monthly monitoring report of same is been submitted regularly. The data of PM10, PM2.5, SOx, NOx, CO etc is been submitted online. The data of monitoring is displayed in public domain by using electronic board.
		Complied.
		Effective water sprinkling is being done on haul roads and at loading and unloading points. Dust suppression systems in the drills have been provided for functioning effectively.
4.	The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUCC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain 'PUC certificate for all the vehicles from authorized pollution testing centre. Washing of all transport vehicle should be done inside the mining lease.	Water mist water spray & fixed sprinklers at Katamati mine High pressure mobile water sprinkler of 50kL procured & used for water sprinkling in haul roads.
		Water sprinkler in Katamati mine
		Vehicles having valid PUC certificate are only allowed in mines for any operations. The existing HEMM also
N	Aule	15/1

Sl. No.	EC Conditions	Compliance
Cleara	of Project: Katamati Iron Mine, Tata Steel Ltd. ance Letter no.: J-11015/63/2008.IA.II (M), dated: 18 d of Compliance: October 2020 to March 2021	3/01/2019 – EC amendment w.r.t. ROM.
Second Second	c Conditions	
		undergoes periodic PUC checks internally from authorized centres. A wheel washing facility has been installed at exit gate
		of mine to arrest and control the fugitive emission from mineral transportation.
		Wheel washing facility at Katamati Mines
5.	The activities and budget earmarked for Corporate Environmental Responsibility (CER) shall be as per Ministry's O.M No 22-65/2017-IA. II (M) dated 01.05.2018 and the action plan on the activities proposed under CER shall be submitted to the Regional Office of the Ministry and State Pollution Control Board.	As per the Ministry's O.M No 22-65/2017-IA. II (M) dated 01.05.2018, CER cost is a percentage of capital cost. Whereas for the EC granted on 18.01.2019, no capital expenditure was involved. Therefore we had not considered any CER budget cost post grant of the EC dated 18.01.2019. Further as per Ministry's O.M No 22-65/2017-IA. II (M) dated 30.09.2020, the allocation of funds under CER is no more applicable. We wish to state here that the mine has been implementing the various EMP measures and developmental activities under CSR heads on a regular basis.

H-Aples

LIST OF ANNEXURES

KATAMATI IRON MINE

Annexure 1	Copy of SSWLCP letter
Annexure 2	Surface water quality reports from Oct 2020 to March 2021
Annexure 3	Dust fall and soil quality reports
Annexure 4	Flow rate of balijhore nallah
Annexure 5	Ground water level and quality reports Oct 2020 to March 2021
Annexure 6	Land use
Annexure 7	Air quality reports
Annexure 8	Workshop analysis report
Annexure 9	Environment Expenditure
Annexure 10	Copy of advertisements

ANNEXURE - I

PRINCIPAL CHIEF CONSERVATOR OF FORESTS (WILDLIFE) AND CHIEF WILDLIFE WARDEN: ORISSA: BHUBANESWAR-751012.

Memo No. 5842- /1WL(C) SSP-306 /2011 BUSH BHUEANES WAR Dated, Bhubaneswar the g th August, 2011.

The Chief Conservator of Forests (Nodal), 1, SFP 2011 O/O the Principal Chief Conservator of Forests, Orissa, 29 Bhubaneswar.

Sub: Approval of Site Specific Wildlife Conservation Plan of M/S TATA Steel Limited for Katamati Iron Ore Mine, Barbil, Dist Keonjhar, Orissa of Keonjhar Forest Division.

I am directed to inform you that the Site Specific Wildlife Conservation Plan of M/S TATA Steel Limited, Katamati Iron Mine of Keonjhar Forest Division in the District of Keonjhar, Orissa has been approved by the Principal Chief Conservator of Forests(WL) & Chief Wildlife Warden, Orissa with financial forecast of Rs.205.00 lakh for the following activities.

> 1.For activities to be implemented by User agency in project area- Rs.83.00 Lakh

2. For activities to be implemented by the DFO, Keonjhar Division in the Project impact area-Total:Rs.205.00 Lakh

Various activities in the lease hold area will be executed by the User Agency themselves under the guidance of D.F.O., Keonjhar Division. Rs.122.00 Lakhs may be deposited with the Divisional Forest Officer, Keonjhar Division under CAMPA for implementation of various activities within the project impact area.

Encl: Two Nos. of approved S.S. WL Conservation Plan.

ALA

Approved by Principal C.C.F. (WL), Orissa, Bhybaneswar.

Conservator of Forests (WL).

Contd..2

Memo No. 5843 / Dt. 89.08.2011.

Copy forwarded to the Divisional Forest Officer, Keonjhar Division for information & necessary action with reference to Memo No.751 dt.17.03.2011 of RCCF., Rourkela Circle.

Encl: One No. of approved S.S. WL Conservation Plan

Conservator of Forests (WL).

Memo No. <u>5844</u> /Dt. <u>99.08.2011</u>. Copy forwarded to the Regional Chief Conservator of Forests, Rourkela Circle for information & necessary action with reference to his Memo No.749 dt.17.03.2011.

Conservator of Forests (WL).

Memo No.5\$ 45 /dt. .08.2011.

Copy forwarded to M/S TATA Steel Limited, Katamati Iron Mine, Barbil, Dist Keonjhar, Orissa for information & necessary action.

Conservator of Forests (WL).



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization

Recognized By Ministry of Environment & Forests (MoEF), New Delhi Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of India Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark **TEST REPORT**

	a		0.1	0 1 × 1 × 2000 0000 1000 0000				ge 1 of 1
	Issued To :			Sample Inward No.		N-11/8/16-13&14	Analysis Start	23.11.2020
M/s Katamati Iron Mines		Inwar	Inward Date		0	Analysis End	28.11.2020	
(M/s	(M/s TATA Steel Limited)		Refere	Reference		00132460/962	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
80			Refere	nce Date	15.05.202	0	Sample Categor	w Water
	Sample Name Sample Source Surface Water Jojo Nallah		201 - 1000 CT 4000	Sample Particulars ample Code-SW-3 & 4		Location Co-or at: 22°7'40.96"N, Lo at: 22°8'07.02"N, Lo	dinates . ng: 85°28'07.81''E	Quantity Received 2.0 Ltr & 250 ml
1	Sample Collected By Anacon Representative Mr. K. Pandey			Sampling Date 17.11.2020	Not Mentioned 1. Jojo Nallah			Location Jpstream (SW-3) Downstream (SW-4)
				TES	ST RESUL	TS		
	-		Measurement		Standards as p		er Tes	t Result
S.N.	0.050.0	Test Parameter		Jnit Test M		IS 2296:1992 Class C	SW-3	SW-4
1	Biological '	Testing 1.Water	•			13 ⁰⁰		
	Total Colife	1000	MPN/100ml	18 1622	. 1001	5000		-

1	Total Coliform	MPN/100ml	IS 1622 : 1981	5000	<2	<2
п	Chemical Testing 1.Wate	er			-	14
2	pH value	-	IS 3025 (Part 11): 1983	6.0 to 9.0	7.28 at 25°C	7.39 at 25°C
3	Colour	Hazen units	IS 3025 (Part 4): 1983	300	1	1
4	Dissolved Oxygen	mg/l	IS 3025 (Part 38) :1989	4.0	6.2	
5	Total Sugmanded Collid (on		/l IS 3025 (Part 17):1984	-	BDL(DL-10)	BDL(DL-10)
6	BOD (3 days at 27°C)	mg/l	IS 3025 (Part 44):1993	3.0	BDL(DL-2)	2.30
7	Chemical oxygen demand	mg/l	IS 3025 (Part 58) :2006		BDL(DL-4)	15
8	Total Dissolved Solids mg/l		IS 3025 (Part 16): 1984	1500	240	248
9	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	1.5	BDL(DL-0.05	BDL(DL-0.05
10	Chloride (as Cl)	mg/l	IS 3025 (Part 32):1988	600	64.13	61.26
11	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24): 1986	400	7.26	10.37
12	Nitrate (as NO ₃)	mg/l	IS 3025 (Part 34) : 1988	50	6.22	6.62
13	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.5	BDL(DL-0.1)	BDL(DL-0.1)
14	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	BDL(DL-0.005)	BDL(DL-0.005)
15	Phenolic compounds (as C6H5OH)	mg/l	IS 3025 (Part 43):1001	0.005	BDL(DL-0.001)	BDL(DL-0.003)
16	Anionic Detergent	mg/l	IS 13428 : 2005 Annex K	1.0	BDL(DL-0.01)	BDL(DL-0.01)
Ш.	Chemical Testing 2. Res	sidues In Water	- · · · · · · · · · · · · · · · · · · ·		000(00 0.01)	0000(01-0.01)
17	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	0.5	0.16	0.15
18	Cadmium (as Cd)	mg/l	IS 3025 (Part 41): 1992	0.01	BDL(DL-0.001)	BDL(DL-0.001)
19	Selenium (as Se)	mg/l	IS 3025 (Part 2): 2019	0.05	BDL(DL-0.001)	BDL(DL-0.001)
20	Arsenic (as As)	mg/l	IS 3025 (Part 37): 1988	0.2	BDL(DL-0.01)	BDL(DL-0.01)
21	Lead (as Pb)	mg/l	IS 3025 (Part 47): 2003	0.1	BDL(DL-0.001)	BDL(DL-0.001)
22	Zinc (as Zn)	mg/l	IS 3025 (Part 2): 2019	15	BDL(DL-0.1)	BDL(DL-0.1)
23	Hexa Chromium (as Cr ⁴⁶)	mg/]	IS 3025 (Part 2) :2019	0.05	BDL(DL-0.03)	BDL(DL-0.03)
24	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994		BDL(DL-0.0005)	BDL(DL-0.0005
25	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019		BDL(DL-0.003)	BDL(DL-0.003)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report, • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. REMARKS : As requested by the client, sample was tested for above parameters only.

Verified By Authorized Signatories Rhakus Joy Millini shashikant Satdeve Hanching Law Swati Shrivastava P -Pooja Katahne Dr.(Mrs.) Anupa Tankhiwale Dr. (Mrs.) S.D. Garway Technical Manager Sr. Chemist Technical Manager Sr. Technical Manager Head Office : 60, Bajlprabhu Nagar, Nagpur - 440031 India. Ph. No. 93/2404924, Email : support @anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in, Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Quality Manager Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization

TEST REPORT

Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET

		1.31				age 1 of 1
the second se					Analysis Start	23.11.2020
	Inward Date	6	23.11.2020		Analysis End	30.11.2020
imited)	Reference		W.O 300013246	0/962		
	Reference D	ate	15.05.2020		Sample Catego	water
	rce Sam		nple Particulars Sample		Condition Quantity Receiv	
1. Mine Pit 2. Sur	face Runoff	Sampl	e Code-SW-5 & 6	Sealed & Id	ce Preserved	2.0 Ltr & 250 ml
Collected By	Samplin	g Date	Sampling Time		Sampling Loo	the second s
ntative Mr. K. Pandey	17.11.	2020	Not Mentioned			
	Mines imited) Sample Sour 1. Mine Pit 2. Surf Collected By	Mines imited) Inward Date Reference Sample Source 1. Mine Pit 2. Surface Runoff Collected By Samplin	Mines imited) Sample Inward No. Inward Date Reference Date Sample Source Samp 1. Mine Pit 2. Surface Runoff Samp Collected By Sampling Date	Sample Inward No. 2020/MON-11/8/1 Inward Date 23.11.2020 Reference W.O 3000132461 Reference Date 15.05.2020 Sample Source Sample Particulars 1. Mine Pit 2. Surface Runoff Sample Code-SW-5 & 6 Collected By Sampling Date Sampling Time	Mines imited) Sample Inward No. Inward Date 2020/MON-11/8/16-15&16 Mines imited) Inward Date 23.11.2020 Reference Date 15.05.2020 Sample Source Sample Particulars Sample Code-SW-5 & 6 Sealed & J Sample Date Sample Code-SW-5 & 6 Collected By Sampling Date Sampling Time ntative Mr. K. Pandey 17.11.2020 Not Mentioned 1. Kat	Mines imited) Sample Inward No. Inward Date 2020/MON-11/8/16-15&16 23.11.2020 Analysis Start Mines imited) Inward Date 23.11.2020 Analysis End Reference Sample Source W.O 3000132460/962 Sample Category Sample Source Sample Particulars Sample Code-SW-5 & 6 1. Mine Pit 2. Surface Runoff Sample Code-SW-5 & 6 Sended & Ice Preserved Collected By Sampling Date Sampling Time Sampling Low

S.		Measurement	Test Method	Standards as per	Test F	Result
N.	Test Parameter	Unit		IS 2296:1992 Class C	SW-5	SW 6
1	Biological Testing 1.Wat	er				
1	Total Coliform	MPN/100ml	IS 1622 : 1981	5000	<2	<2
п	Chemical Testing 1.Wate	er 🧯				
2	pH value	-	IS 3025 (Part 11): 1983	6.0 to 9.0	7.32 at 25°C	7.39 at 25°C
3	Colour	Hazen units	IS 3025 (Part 4): 1983	300	2	2
4	Dissolved Oxygen	mg/l	IS 3025 (Part 38) :1989 IS 3025 (Part 17) :1984	4.0	6.3	6.2
5	Total Suspended Solid (as (TSS)	mg/l		-	BDL(DL-10)	BDL(DL-10)
6	BOD (3 days at 27°C)	mg/l	1S 3025 (Part 44):1993	3.0	BDL(DL-2)	BDL(DL-2)
7	Chemical oxygen demand	mg/l	IS 3025 (Part 58) :2006	·	8	12
8	Total Dissolved Solids (TDS)	mg/l	IS 3025 (Part 16) : 1984	1500	218	238
9	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	1.5	BDL(DL-0.05)	BDL(DL-0.05)
10	Chloride (as Cl)	mg/l	IS 3025 (Part 32):1988	600	64.06	72.93
11	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24): 1986	400	13.99	8.32
12	Nitrate (as NO ₃)	mg/l	IS 3025 (Part 34) : 1988	50	11.14	9.52
13	Fluoride (as F)	mg/l	IS 3025 (Part 60): 2008	1.5	0.40	0.42
14	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	BDL(DL-0.005)	BDL(DL-0.005
15	Phenolic compounds (as C6H5OH)	mg/l	IS 3025 (Part 43):1001	0.005	BDL(DL-0.001)	BDL(DI -0.001)
16	Anionic Detergent	mg/l	1S 13428 : 2005 Annex K	1.0	BDL(DL-0.01)	BDL(DL-0.01)
ш	Chemical Testing 2. Re	sidues In Water				000000
17	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	0.5	. 0.14	0.18
18	Cadmium (as Cd)	mg/l	IS 3025 (Part 41): 1992	0.01	BDL(DL-0.001)	BDL(DL-0.001)
19	Selenium (as Se)	mg/l	IS 3025 (Part 2): 2019	0.05	BDL(DL-0.001)	BDL(DL-0.001)
20	Arsenic (as As)	mg/l	IS 3025 (Part 37): 1988	0.2	BDL(DL-0.01)	BDL(DL-0.01)
21	Lead (as Pb)	mg/l	IS 3025 (Part 47): 2003	0.1	BDL(DL-0.001)	BDL(DL-0.001)
22	Zine (as Zn)	mg/l	IS 3025 (Part 2): 2019	15	BDL(DL-0.1)	BDL(DL-0.1)
23	Hexa Chromium (as Cr ⁺⁶)	mg/l	IS 3025 (Part 2) :2019	0.05	BDL(DL-0.03)	BDL(DL-0.03)
24	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994		BDL(DL-0.0005)	BDL(DL-0.0005
25	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019		BDL(DL-0.05)	BDL(DL-0.05)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. REMARKS : As requested by the client, sample was tested for above parameters only.

erified By Authorized Signatories 01 for Rhakup Shashikant Satdeve a Uner 1 Swati Shrivastava Pooja Kathane Dr.(Mrs.) Anupa Tankhiwale Dr. (Mrs.) S.D. Garway Technical Manager Sr. Chemist Technical Manager Sr. Technical Manager Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 937/204924, Email Supportigenation.mr Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Quality Manager Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in

You may also visit us at www.anaconlaboratories.com



144

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
Recognized By Ministry of Environment & Forests (MoEF), New Delhi
Approved by : Food Safety & Standards Authority of India under FSS Act;
Bureau of Indian Standards (BIS), Agricultural & Processed Food Products Export Development Authority (APEDA);
Export inspection council (EIC); AGMARK.

TEST REPORT

Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Katamati Iron Mines Inward Date		22/02/2021 W.O 3000132460/962		Page 1 of 1 Analysis Start Analysis End Sample Category	22/02/2021 27/02/2021 Water	
	ce Water Mahadev Nallah	0.054	ADD 10055-55	articulars ie-SW-1 & 2	SW-1; Lat: 22	ocation Co-or %6'42.61"N, I %6'39.52"N, I	dinates .ong: 85°28'8.97"E .ong: 85°28'10.41"E	Quantity Received 2.0 Ltr & 250 ml
An	Sample Collected By acon Representative Mr. K.	Pandey		pling Date 02/2021	Sampling Time 3.10 pm	1.Mahadev	Sampling Loca Nallah (Murga Nallah	
			7	TE	ST RESULTS	The second s	and the second	э. Э
S.N.	Test Parameter	Measur Ui		Test l	Viethod	Standards as j IS 2296:199 Class C	2 SW-1	SW 2
1	Biological Testing 1.Wat				the property of			
1	Total Coliform	MPN/1	00ml	18 16	22:1981	5000	<2	(2
	Chemical Testing 1.Water	r						
2	pH value		-	IS 3025 (P	art 11): 1983	6.0 to 9.0	7.43 at 25°C	7.34 at 25°C
3	Colour		lazen inits		Part 4) : 1983	300	1	1
4	Dissolved Oxygen		ng/l		art 38) :1989	4.0	6.2	6.1
5		Total Suspended Solid (as TSS) mg			art 17) :1984		BDL(DL-10) BDL(DL-10)
6	BOD (3 days at 27°C)		ng/l		art 44) :1993	3.0	BDL(DL-2)	BDL(DL-2)
7	Chemical oxygen demand		ng/l		rt 58) :2006		BDL(DL-4)	BDL(DL-4)
8	Total Dissolved Solids (TE	08) 1	ng/l		art 16) : 1984	1500	234	246
9	Copper (as Cu)	1	ng/l		Part 2): 2019	1.5	BDL(DL-0.0	5) BDL(DL-0.05
10,	Chloride (as Cl)		ng/l		art 32) :1988	600	67.99	71.88
11	Sulphate (as SO ₄)	1	ng/l	IS 3025 (P	art 24) : 1986	400	7.26	10.11
12	Nitrate (as NO ₃)	1	ng/l	IS 3025 (F	art 34): 1988	50	8.34	7.08
13	Fluoride (as F)	1	ng/l		art 60) : 2008	1.5	BDL(DL-0.1) BDL(DL-0.1)
14	Cyanide (as CN)	. 1	ng/l	IS 3025 (Pa	art 27) : 1986	0.05	BDL(DL-0.00	5) BDL(DL-0.005
15	Phenolic compounds (as C6H5OH)		ng/l		art 43) :1001	0.005	BDL(DL-0.00	01) BDL(DL-0.001
16	Anionic Detergent		ng/l	IS 13428 : 3	2005 Annex K	1.0	BDL(DL-0.0	1) BDL(DL-0.01)
Ш	Chemical Testing 2. Re							
17	Iron (as Fe)	mg/l			urt 2): 2019	0.5	0.21	0.19
18.	Cadmium (as Cd)	mg/l		IS 3025 (Par		0.01	BDL(DL-0.00	1) BDL(DL-0.001
19	Selenium (as Se)	mg/l			art 2): 2019	0.05	BDL(DL-0.00	
20	Arsenic (as As)	mg/l			rt 37): 1988	0.2	BDL(DL-0.0	1) BDL(DL-0.01)
21	Lead (as Pb)	mg/l			rt 47) : 2003	0.1	BDL(DL-0.00	
22	Zinc (as Zn)	mg/l			art 2): 2019	15	BDL(DL-0.1	
23	Hexa Chromium (as Cr ⁺⁶)	mg/l			art 2) :2019	0.05	BDL(DL-0.0	3) BDL(DL-0.03)
24	Mercury (as Hg)	mg/l		IS: 3025 (Pa			BDL(DL-0.00	
25	Manganese (as Mn)	mg/l		IS 3025 (P	art 2): 2019		BDL(DL-0.0	

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full withent prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-peristable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL Indicates detection limit of instrument/method and shall be considered as 'absent'. **REMARKS**: As requested by the client, sample was tested for above parameters only.

Verified By

Saugh Swati Shrivastava Shashikant Satdeve

Authorized Signatories swale, Dr. (Mrs.) S.D. Garway Kathan Quality Manager

QAA

Laboracomical ManagerP-34, 3SrFOoderBack, 5 Star Industrial Estate, MIDC Butibori, Nperhmical Manager Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

RESS FOR BETTER ENVIRONMENT & HEALTH

ANACON LABORATORIES PVT. LTD.

14.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Cartifled
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

TEST REPORT

27022021/01-2	dated	27/02/2021	Page	1 of 1	
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		2021/MON-21/60-30 & 31 22/02/2021 W.O 3000132460/962 15 05 2020	Analysis Start Analysis End Sample Category	22/02/2021 27/02/2021 Water	
mple Source Jojo Nallah	Sample Particulars Sample Code-SW-3 & 4	Location Co-or SW-3; Lat: 22°7'40.96"N, Lo	dinates ong: 85°28'07.81"E	Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Time 3.30 pm		ocation stream (SW-3) wnstream (SW-4)	
	nes ed) mple Source Jojo Nallah ted By	ted By Sample Inward No. Inward Date Reference Reference Date Sample Particulars Sample Code-SW-3 & 4 Sampling Date	sample Inward No. 2021/MON-21/60-30 & 31 ness Inward Date 22/02/2021 Reference W.O 3000132460/962 Reference Date 15.05.200 mple Source Sample Particulars Jojo Nallah Sample Code-SW-3 & 4 Sampling Date Sampling Time	Sample Inward No. 2021/MON-21/60-30 & 31 Analysis Start Inward Date 22/02/2021 Analysis End id) Reference W.O 3000132460/962 Sample Category mple Source Sample Particulars Location Co-ordinates Jojo Nallah Sample Code-SW-3 & 4 SW-3; Lat: 22°8'07.02"N, Long: 85°28'07.81"E ted By Sampling Date Sampling Time Mr. K. Pandey 17/02/2021 3 30 nm	

	Test Parameter	Measurement		Standards as per	Test Result		
S.N.		Unit	Test Method	IS 2296:1992 Class C	SW-3	SW-4	
1	Biological Testing 1.Water						
1	Total Collform	MPN/100ml	IS 1622 : 1981	5000	<2	<2	
п	Chemical Testing 1.Water						
2	pH value	-	IS 3025 (Part 11) : 1983	6.0 to 9.0	7.32 at 25 ⁰ C	7.45 at 25°C	
3	Colour	Hazen units	IS 3025 (Part 4) : 1983	300	1	1	
4	Dissolved Oxygen	mg/l	IS 3025 (Part 38) :1989	4.0	6.0	6.1	
5	Total Suspended Solid (as TSS)	mg/l	IS 3025 (Part 17) :1984		BDL(DL-10)	BDL(DL-10)	
6	BOD (3 days at 27°C)	mg/l	IS 3025 (Part 44) :1993	3.0	BDL(DL-2)	BDL(DL-2)	
7	Chemical oxygen demand	mg/l	IS 3025 (Part 58) :2006		BDL(DL-4)	BDL(DL-4)	
8	Total Dissolved Solids (TDS)	mg/l	IS 3025 (Part 16) : 1984	1500	244	252	
9	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	1.5	BDL(DL-0.05	BDL(DL-0.05	
10	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	600	66.05	58.28	
11	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	400	8.29	11.66	
12.	Nitrate (as NO ₃)	mg/l	IS 3025 (Part 34) : 1988	50	6.51	6.83	
13	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.5	BDL(DL-0.1)	BDL(DL-0.1)	
14	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	BDL(DL-0.005)	BDL(DL-0.005)	
15	Phenolic compounds (as C6H5OH)	mg/l	IS 3025 (Part 43) :1001	0.005	BDL(DL-0.001)	BDL(DL-0.001)	
16	Anionic Detergent	mg/l	IS 13428 : 2005 Annex K	1.0	BDL(DL-0.01)	BDL(DL-0.01)	
ш	Chemical Testing 2. Residues	In Water					
17	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	0.5	0.18	0.14	
18	Cadmium (as Cd)	mg/l	IS 3025 (Part 41): 1992	0.01	BDL(DL-0.001)	BDL(DL-0.001)	
19	Selenium (as Se)	mg/l	IS 3025 (Part 2) : 2019	0.05	BDL(DL-0.001)	BDL(DL-0,001)	
20.	Arsenic (as As)	mg/l	IS 3025 (Part 37) : 1988	0.2	BDL(DL-0.01)	BDL(DL-0.01)	
21	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.1	BDL(DL-0.001)	BDL(DL-0.001)	
22	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	15	BDL(DL-0,1)	BDL(DL-0,1)	
23	Hexa Chromium (as Cr ^{±5})	mg/l	IS 3025 (Part 2) :2019	0.05	BDL(DL-0.03)	BDL(DL-0.03)	
24	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994		BDL(DL-0.0005)	BDL(DL-0.0005	
25	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	(BDL(DL-0.05)	BDL(DL-0.05)	

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. **REMARKS** : As requested by the client, sample was tested for above parameters only.

жC

Verified By

5 Augh Swati Shriyastaya Shashikant Satde

Authorized Signatories Khiwale Pani othan Dr. (Mrs.) S.D. Garway Quality Manager

LaborBeongianOversagerP-34, 35: Contribute, 5 Star Industrial Estate, MIDC Butibori, Neutrinal Manager Email: support@anacon.in; Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified

Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/27022021/01-24 dated 27/02/2021 Page 1 of 1 Sample Inward No. 2021/MON-21/60-32 & 33 Analysis Start 22/02/2021 Issued To : M/s Katamati Iron Mines **Inward Date** 22/02/2021 Analysis End 27/02/2021 (M/s TATA Steel Limited) Reference W.O.- 3000132460/962 **Reference** Date 15.05.2020 Sample Category Water Sample Particulars Sample Name Sample Source Quantity Received Sample Condition 2.0 Ltr & 250 ml Surface Water 1. Mine Pit 2. Surface Runoff Sample Code-SW-5 & 6 Sealed & Ice Preserved Sample Collected By Sampling Date Sampling Time Sampling Location Katamati Mine Pit Water (SW-5) 1. 17/02/2021 Anacon Representative Mr. K. Pandey 4.10 pm KIM-Surface Runoff Water (SW-6) 2 TEST RESULTS

S.		Measurement		Standards as per	Test Result		
N. Test Parameter		Unit Test Method		IS 2296:1992 Class C	SW-5	SW-6	
I	Biological Testing 1.Water		and an advantage of the second second			74	
Ĩ	Total Coliform	MPN/100ml	IS 1622 : 1981	5000 .	~2	<2	
П	Chemical Testing 1. Water						
2	pH value		IS 3025 (Part 11) : 1983	6.0 to 9.0	7.37 at 25°C	7.39 at 25°C	
3	Colour	Hazen units	IS 3025 (Part 4) : 1983	300	2	2	
4	Dissolved Oxygen	mg/l	IS 3025 (Part 38) :1989	4.0	6.1	6.0	
5	Total Suspended Solid (as TSS)	mg/l	IS 3025 (Part 17) :1984	·	BDL(DL-10)	BDL(DL-10)	
6	BOD (3 days at 27°C)	mg/l	IS 3025 (Part 44) :1993	3.0	BDL(DL-2)	BDL(DL-2)	
7	Chemical oxygen demand	mg/l	IS 3025 (Part 58) :2006		BDL(DL-4)	BDL(DL-4)	
8	Total Dissolved Solids (TDS)	mg/l	IS 3025 (Part 16) : 1984	1500	220	234	
9	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	1.5	BDL(DL-0.05)	BDL(DL-0.05)	
10	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	600	67.02	69.94	
11	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	400	14.77	12.69	
12	Nitrate (as NO ₃)	mg/l	IS 3025 (Part 34) : 1988	50	11.38	11.01	
13	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.5	0.37	0.41	
14	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	BDL(DL-0.005)	BDL(DL-0.005)	
15	Phenolic compounds (as C6H5OH)	mg/l	IS 3025 (Part 43) :1001	0.005	BDL(DL-0.001)	BDL(DL-0.001)	
16	Anionic Detergent	mg/l	IS 13428 : 2005 Annex K	1.0	BDL(DL-0.01)	BDL(DL-0.01)	
ш	Chemical Testing 2. Residues	In Water					
17	Iron (as Fc)	mg/l	IS 3025 (Part 2) : 2019	0.5	0.16	0.19	
18	Cadmium (as Cd)	mg/l	IS 3025 (Part 41): 1992	0.01	BDL(DL-0.001)	BDL(DL-0.001)	
19	Selenium (as Se)	mg/l	IS 3025 (Part 2) : 2019	0.05	BDL(DL-0.001)	BDL(DL-0.001)	
20	Arsenic (as As)	mg/l	IS 3025 (Part 37) : 1988	0.2	BDL(DL-0.01)	BDL(DL-0.01)	
21	Lead (as Pb) *	mg/l	IS 3025 (Part 47) : 2003	0.1	BDL(DL-0.001)	BDL(DL-0.001)	
22	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	. 15	BDL(DL-0.1)	BDL(DL-0.1)	
23	Hexa Chromium (as Cr ⁺⁶)	mg/l	IS 3025 (Part 2) :2019	0.05	BDL(DL-0.03)	BDL(DL-0.03)	
24	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994		BDL(DL-0.0005)	BDL(DL- 0.0005)	
25	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019		BDL(DL-0.05)	BDL(DL-0.05)	

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. REMARKS : As requested by the client, sample was tested for above parameters only.

Verified By

rog Swati Shrivastava Shashikant Satdeve Technical Manage Sr. Chemist

Authorized Signatories Pooia Kathane chnica Man

Dr. (Mrs.) S.D. Garway Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur-441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Annexure-3

TEST REPORT



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS): Agridultural & Processed Food Products Export Development Authority (APEDA);
 Export Inspection council (EIC); AGMARK.

÷

DUST FALL MONITORING REPORT FOR THE MONTH OF JANUARY-2021

Report No.: AN/MC/TS-JE	Date: 04/02/2021		
	MIL IZ .	W. O. No. 3000132460/962 15.05.2020	
Name and Address of Industry:-	M/s Katan (M/s TAT		
Sample Description/Type	Dust Fall	Sample Ref. No.:-	2021/Mon-12-1/DF/-1
Sample Drawn By:-	Anacon Representativ	e	

		1 2 2	Analysis Results
Sr. No.	Parameters	Unit	01.01.2021 to 31.01.2021
		12	DF-1
1.	Nickel as Ni	%	0.019
2.	Cobalt as Co	%	0.08
3.	Mercury as Hg	%	< 0.001
4.	Arsenic as As	%	< 0.001
5.	Iron as Fe	%	1.5

Total Dust Fall for the month of January-2021 is 1.6 Ton/km²/month.

For ANACON LABORATORIES PVT.LTD.

Verified by

dine 4 ku Shashikant Satdeve

(Sr. Chemist)

Authorized Signatory

Dr. (Mrs.) S.D. Garway (Quality Manager)

AHAC MALAS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butloori, Negour - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anscon Laboratories charleh our rertationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@enscon.in.



- ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (McEF), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

	Collected By entative Mr K. Pandey	g Time : 3.30 pm 1 Kg Sampling Location S1-Mines Area				
Sample Name		Date : 18/12/2020	Quantity Received			
M/s Katamati Iron Mines (M/s TATA Steel Limited)	Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Soil		
issued To :	Inward Date	23/12/2020	Analysis End	28/12/2020		
Fest Report No. : ALPL/3112202	0/321 dated 31.12.2020 Sample Inward No.	2020/MON-12/10/S-1	Page 1 of 1 Analysis Start	24/12/2020		

S.N.	Test Parameter	Measurement Unit	Test Method	Test Result
1	Colout	-	Visual	Brown
2	Type of soil		pH meter	Neutral
3	pH (1.2.5 Aq. Estraci) at 25 ⁶ C		Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	6.73 a 25°C
4	Testure	27	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	Sandy Joann
3	Bolk density	g/gm3	18 2720 (Part 29)	1.396
6	Electrical Conductivity (1:2.5 Aq. Estract)	pusiem	Method Marrial, Soil testing in India (Department of agriculture & corporation, Govt of India)	216,4
7	Moisture Content	*	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	11.82
8	Water soluble Chloride (as Cl)	mp%g	Method Marnal, Soil testing in India (Department of agriculture & corporation, Govt of India)	5728
0	Water soluble Sulphate (as SO ₄)	mpKg	Method Manual, Soil testing in India (Department of agriculture & corporation, Gost of India)	1694
10	Water soluble Potassium (as K)	mgKg	Method Marnal, Soil testing in India (Department of agriculture & corporation, Govt of India)	573
u.	Available Phosphorms (as P)	Kghee	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	438
12	Available Nitrogen (as N)	Kg/hec	Method Marual, Soil testing in India (Department of agriculture & corporation, Govt of India)	361
13	Total Organic matter		Method Manuel, Soil testing in Itojia (Department of agriculture & corporation, Gost of India)	2,41
14	Teta Organiz Carbon	- N	Method Marinal, Soil testing in India (Department of agriculture & corporation, Govt of India)	1.27
15	Available iron (Fe)	mpKg	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	2.96
16	Total Nickel (Ni)	mg/Kg	Method Manual, Soli testing in India (Department of agriculture & corporation, Govt of India)	Absent
17	Mercury (Hg)	96	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	Absent
16	Total Cobalt (Co)	mø/Kg	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	Absent
19	Total Arsenic (As)	mpKg	Method Manual, Soil testing in India (Department of agriculture & corporation, Govt of India)	Absent

NOTES:
Please see watermark 'Original Test Report to confirm the authenticity of this report.
Results shall be referred to tasted sample(s) and applicable to tasted parameters only.
Test report shall not be reproduced except in full without prior written approval of Anacon Labs.
Liability of Anacon Labs is limited to involced amount only.
Non-peristrable and peristrable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise
might is equivalent to 'prin'.

Remarks:As requested by the client, sample was tested for above parameters only.

Verified By 3586 Shashikant Satdeve Sr.Chemist

Minisgosh Fande Technical Manager

Authorized Signatory Law Dr. (Mrs.) S.D. Garway Quality Manager

ANACOMULUS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Bullbon, Nagpur - 441 122. Email : support@anacon.in

20

Thanks for your faith and trust in our services. We at Anecen Laboratories cherish our melationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@anacon.in.

Flow Rate of Balijhor Nalla

(October 2020 – March 2021)

Parameters	Oct- 20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21
BOD mg/l	1.45	1.9	1.80	1.60	1.70	1.50
CPCB Limit (30 mg/l)	1110	119	1.00	1.00		2100
TSS mg/l	35.80	12.60	14.9	24.50	19.60	29.60
CPCB Limit (100 mg/l)	00100	12100	1 119	21100	19100	25100
Flow Rate Cum/hr	88.3	29.4	30.8	41.06	35.33	54.55

ANALYSIS OF WATER QUALITY Sample collected from Balijhore Nalla

*There is no any industrial effluents discharge from the mine.

Manager (Environment)

Ground Water Level (October 2020 – March 20210)

Ground Water level details for Post-monsoon (November) & Winter (January)

Katamati Iron Mine, M/s Tata Steel Limited

EC condition no. (xviii), vide no. J-11015/63/2008-IA.II (M) dated 26th November, 2010.

(xi) Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring {at least four times in a year - pre-monsoon (April- May), monsoon (August), post-monsoon (November) and winter (January); once in each season} shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to mining activity, necessary corrective measures shall be carried out.

Katamati Iron Mine of M/s Tata Steel Limited is an operational opencast captive iron mine. Regular monitoring of ground water level in and around the mine lease of existing well is regularly been done in desired frequency. The detailed quality report is attached herewith. The Katamati Iron Mine has received NOC from CGWA for ground water withdrawal of 460m³/day recently vide letter no. CGWA/NOC/MIN/ORIG/2018/4244, dated 10th Oct 2018.

As per recent hydro-geological study & regulatory approval, few additional locations are also incorporated along with proposed piezometers in the area. Monitored water level for of area for the month of November 2020 and January 2021 are as follows:

SI.	Location	Month			
No.	Location	November 2020	January 2021		
Exis	sting Dug Well Locations:				
1.	Mahadevnasa Village, Near Pond	1 m 80 cm	1 m 47 cm		
2.	Dalafiri Sahi (well-2) Near Road	2 m 40 cm	2 m 45 cm		
3.	Tata Sponge – Galuri Sahi	5 m 20 cm	6 m 40 cm		
4.	Murga, Near Temple	1 m 70 cm	1 m 78 cm		
5.	Dalagiri-1, Near Road	6 m 80 cm	6 m 90 cm		
New F	Piezometer Locations:				
6	Murga Village, Near Security Gate	16 m 20 cm	16 m 11 cm		
7	Near pit office, Katamati Iron Mine	35 m 00 cm	43m 10 cm		
8	Near METSO Office, Katamati Mine	-	59 m 00 cm		



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) & Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

Test Report No. : Al	PL/30112020/01-3	3 dated	30.11.2020	Pa	age 1 of 3
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No. Inward Date Reference Reference Date	2020/MON-11/8/14-3 23.11.2020 W.O 3000132460/962 15.05.2020	Analysis Start Analysis End Sample Catego	30.11.2020
Sample Name Ground Water	Sample Source Dugwell	Sample Particu Sample Code-G		Co-ordinates , Long: 85°29*10.54"E	Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Da 18.11.2020			pling Location lev Nasha Village

TEST RESULTS

s.N.	Test Parameter	Measurement Unit	Test Method	Requiren IS 1050 (Drinking Wate Including Am	Test Result		
ē.,			- 1 - sc	Acceptable Limit	Permissible Limit #		
1	Biological Testing 1.Water						
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent	
Ш	Chemical Testing 1.Water						
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.40 at 25°C	
3	Tu:bidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.5	
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1	
5	Odour		IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable	
6	Taste	-	IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable	
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)	
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	222	
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.24	
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)	
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	34.49	
12	Total Alkalinity (as CaCO3)	mg/l	IS 3025 (Part 23) : 1986	200	600	128	
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	178.36	
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	44.69	
ĺ5	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	16.23	
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	11.66	
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	7.44	
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001	
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)	

Verified By

Khakus

Swati Shrivastava

Technical Manager

For

Authorized Signatories sall Chie

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

40 Dr. (Mrs.) S.D. Garway Quality Manager ANACOMLARS

CINAL

* Head Office : 60, Bajiprabhu Nagar, Negpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326950081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconiaboratories.com

Branches : Maharashtra | Chhattisgarh | Madhya Pradesh | Jharkhand | Delhi

Pooja Kathane

Technical Manager





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET & NABL Approved by : I Food Safety & Standards Authority of India Under FSS Act I Bureau of Indian Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

Test Report No. : ALP	L/30112020/01-3		dated 30.11.2020	Pa	age 2 of 3
Issued To :	2 × 1	Sample Inward No.	2020/MON-11/8/14-3	Analysis Start	23.11.2020
M/s Katamati Iron Mines (M/s TATA Steel Limited)		Inward Date	23.11.2020	Analysis End	30.11.2020
		Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Catego	gory Water
Sample Name Sample Source Ground Water Dugwell		Sample Particul Sample Code-GV		Co-ordinates , Long: 85°29'10.54"E	Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Da 18.11.2020			pling Location ev Nasha Village

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	ent as per 0 : 2012 r Specifications) endment No. 2	Test Result
			x	Acceptable Limit	Permissible Limit "	1
п	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	1.0	No relaxation	0.21
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/i	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANgr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/l' is equivalent to 'ppm'.

Boll-Below detection limit

Charles detection limit of instrument/method and shall be considered as 'absent'.

Angr RES-30 & 40 : Inhouse validated method.

Verified By

VAT-Shashikant Satdeve Sr. Chemist

No Sonali Gharpure Technical Manager

Authorized Signatory

191

Dr. (Mrs.) S.D. Garway Quality Manager

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIC Buttlori, Nagur - 4H1122, Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconiaboratories.com







ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

Accredited by Quality Council of India by -NABL * ANABL * ANAB

TEST REPORT

fest Report No. : ALI	PL/30112020/01-3		dated 30.11.2020	F	Page 3 of 3	
Issued To :		Sample Inward No.	2020/MON-11/8/14-3	Analysis Star	t 23.11.2020	
M/s Katamati Iron Mines (M/s TATA Steel Limited)		Inward Date	23.11.2020	Analysis End	30.11.2020	
		Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Categ	ory Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particula Sample Code-GW			Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Dat 18.11.2020	e Sampling Time Not Mentioned	1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (npling Location dev Nasha Village	

TEST RESULTS

S.N.	Test Parameter	Test Parameter Measurement Tes	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
•	R. *			Acceptable Limit	Permissible Limit "	
ц	Chemical Testing 2. Residues In Water					
34	Pesticide Residues					
. i	Alpha-HCH	μg/1	ANgr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii.	Beta HCH	μg/1	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03
iii	Delta- HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03
iv	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03
v	Aldrin / Dieldrin	μg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03
vi	Atrazine	μg/l	ANgr RES-29	2	 No relaxation 	BDL(DL-0.03
vii	Butachlor	μg/l	ANgr RES-29	125	No relaxation	BDL(DL-0.03
viii	Chlorpyrifos	μg/l	ANgr RES-28	30	No relaxation	BDL(DL-0.03
ix	DDT and its Isomers	μg/l	ANgr RES-28	1	No relaxation	BDL(DL-0.03
х	Gamma - HCH (Lindane)	μg/1	ANgr RES-28	2	No relaxation	BDL(DL-0.03
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANgr RES-29	30	No relaxation	BDL(DL-0.03
xii	Endosulphan	μg/l	ANgr RES-28	0.4	No relaxation	BDL(DL-0.03
xiii	Ethion	μg/1	ANgr RES-29	3	No relaxation	BDL(DL-0.03
xiv	Isoproturon	μg/l	ANgr RES-29	9	No relaxation	BDL(DL-0.03
xv	Malathion	μg/1	ANgr RES-29	· 190	No relaxation	BDL(DL-0.03
xvi	Methyl Parathion	μg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03
xvii	Monocrotophos	μg/l	ANgr RES-29	1	No relaxation	BDL(DL-0.03
xviii	Phorate	µg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANor RES-28, 29, 30 & 40 : Inh use validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Ve Sonali Gharpure

Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway RATOR Quality Manager

ANAC WLABS

GINALS

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Olfer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



00

ANACON LABORATORIES PVT. LTD.

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

TEST REPORT

Fest Report No. : ALI	PL/30112020/01-4		dated 30.11.2020	1	Page 1 of 3
Issued To :		Sample Inward No.	2020/MON-11/8/14-4	Analysis Star	t 23.11.2020
M/s Katamati Iron Mines (M/s TATA Steel Limited)		Inward Date	23.11.2020	Analysis End	30.11.2020
		Reference Reference Date	Ŵ.O 3000132460/962 15.05.2020	Sample Categ	gory Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particula Sample Code-GW			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Da 18.11.2020		1000	npling Location alafiri-2 Village

TEST RESULTS

-		1		Requiren IS 105		
S.N.	Test Parameter	Measurement Unit	Test Method	(Drinking Wate Including Am	Test Result	
				Acceptable Limit	Permissible Limit "	
I	Biological Testing 1.Water			1. S.		·/
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
П	Chemical Testing 1.Water		21 (F			
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.28 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.6
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour		IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	238
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.21
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
41	Chloride (as Cl)	mg/l	IS 3025 (Part 32):1988	250	1000	38.43
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	134
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	152.88
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	36.85
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	14.79
16	Sulphate (as SO ₄)	mg/l	1S 3025 (Part 24) : 1986	200	400	9.85
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	8.69
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	. 0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

akus 6% Swati Shrivastava Technical Manager

Pooja Kathane Technical Manager

Authorized Signatories 200

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

10

Dr. (Mrs.) S.D. Garway Quality Manager

ANAC OMLARS

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) & Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

Fest Report No. : ALF	L/30112020/01-4		dated 30.11.2020		Page 2 of 3	
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No.	2020/MON-11/8/14-4	Analysis Star	rt 23.11.2020	
		Inward Date	23.11.2020	Analysis End	30.11.2020	
		Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Cate	ory Water	
		Sample Particu Sample Code-G			Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Da 18.11.2020			mpling Location alafiri-2 Village	

TEST RESULTS

S.N.	Test Parameter	Test Parameter Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
		1.1		Acceptable Limit	Permissible Limit "	
п	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	1.0	No relaxation	0.11
. 21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
. 23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as AI)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	 No relaxation 	BDL(DL-0.001
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	. mg/l	1S 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2): 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANgr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

"map" is equivalent to "ppm".

Below detection limit OL- Indicates detection limit of instrument/method and shall be considered as "absent".

ANOT RES-30 & 40: Inhouse validated method.

Verified By

1 hashikant Satdeve Sr. Chemist

Q. Sonali Gharpure Technical Manager

Authorized Signatory

yan

Dr. (Mrs.) S.D. Garway Quality Manager

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab ; FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagour - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com

ANAC MUASS



99

ANACON LABORATORIES PVT. LTD.

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

TEST REPORT

Test Report No. : ALP	L/30112020/01-4		dated 30.11.2020	· · · ·	Page 3 of 3	
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No. Inward Date Reference Reference Date	2020/MON-11/8/14-4 23.11.2020 W.O 3000132460/962 15.05.2020	Analysis Star Analysis End Sample Categ	30.11.2020	
		Sample Particul Sample Code-GV			Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Dat 18.11.2020	e Sampling Time Not Mentioned		npling Location alafiri-2 Village	

TEST RESULTS

S.N.	Test Parameter	Test Parameter Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit "	
п	Chemical Testing 2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	μg/I	ANgr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	μg/l	ANqr RES-28	0.04	* No relaxation	BDL(DL-0.03)
iii	Delta- HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03)
N.	Aldrin / Dieldrin	μg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	μg/l	ANgr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	μg/l	ANqr RES-28	. 30	No relaxation	BDL(DL-0.03)
ix	DDT and its Isomers	μg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	μg/l	ANgr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANgr RES-29	30	No relaxation	BDL(DL-0.03)
- xii	Endosulphan	μg/l	ANgr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANgr RES-29	3	No relaxation	BDL(DL-0.03)
·xiv	Isoproturon	µg/l	ANgr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	μg/l	ANgr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANgr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	μg/l	ANgr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANar RES-28, 29, 30 & 40 : Inhouse validated method.

Inhouse validated method. REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

70 Sonali Gharpure Technical Manager

Authorized Signatory

1au

Dr. (Mrs.) S.D. Garway Quality Manager

ANAC MLAUS

GINAL

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698946450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



00

ANACON LABORATORIES PVT. LTD.

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

Agricultural & Process Food Products Export Development Authority (APEDA) & Export inspection council (EIC) & Agmark

Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS)

TEST REPORT

į	Test Report No. : ALI	est Report No. : ALPL/30112020/01-5			lated 30.11.2020		Page 1 of 3		
	Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No.	202	20/MON-11/8/14-5	Analysis St	Analysis Start Analysis End		
			Inward Date	23.	11.2020	Analysis E			
			191 (0.5.5) / (0.5.5)		O 3000132460/962 05.2020	Sample Ca	Sample Category		
ľ	Sample Name Ground Water	Sample Source Dugwell	Sample Particul Sample Code-GV		Location Co-o Lat: 22°6'28.03"N, Lon	- Eanne		ntity Received Ltr & 250 ml	
	Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 18.11.2020		Sampling Time Not Mentioned	5	Sampling Location Dalafiri-1 Village		

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requiren IS 1050 (Drinking Wate Including Am	Test Result						
		4		Acceptable Limit	Permissible Limit #						
I	Biological Testing 1.Water				A17						
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent					
II	Chemical Testing 1.Water										
2	pH value		IS 3025 (Part 11): 1983	6.5 to 8.5	No relaxation	7.32 at 25°C					
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.5					
'4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1					
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable					
6	Taste		1S 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable					
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1 .	BDL(DL-0.1)					
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	244					
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0,1)					
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL(DL-0.005)					
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	46.32					
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	136					
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	123.48					
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	39.98					
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	5.73					
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400 .	13.99					
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	8.32					
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001					
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)					

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/l' is equivalent to 'ppm'.

Result for test no. 7 is not relevant.

BDL- Below detection limit
DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By for Rhaken

Swati Shrivastava Technical Manager

Pooja Kathane Technical Manager

Authorized Signatories

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

Jan Dr. (Mrs.) S.D. Garway Quality Manager AMAC JNLABS

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



ANACON LABORATORIES PV

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET & NABL Approved by : I Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS)

Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

Test Report No. : ALPL/30112020/01-5 dated 30.11.2020 Page 2 of 3 Sample Inward No. 2020/MON-11/8/14-5 Issued To : Analysis Start 23.11.2020 M/s Katamati Iron Mines Inward Date 23.11.2020 Analysis End 30.11.2020 (M/s TATA Steel Limited) Reference W.O.- 3000132460/962 Sample Category Water Reference Date 15.05.2020 Sample Name Sample Source Sample Particulars Location Co-ordinates Quantity Received Ground Water Dugwell Sample Code-GW-3 Lat: 22°6'28.03"N, Long: 85°28'37.84"E 2.0 Ltr & 250 ml Sample Collected By Sampling Date Sampling Time Sampling Location Anacon Representative Mr. K. Pandey 18.11.2020 Not Mentioned Dalafiri-1 Village

TEST RESULTS

Ś.N.	Test Parameter	Measurement Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Ame	Test Result					
1				Acceptable Limit	Permissible Limit "					
п	Chemical Testing 2. Residues In Water									
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.15				
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)				
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05				
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.000				
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	* No relaxation	BDL(DL-0.001				
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001				
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01				
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)				
28	Lead (as Pb)	mg/l	IS 3025 (Part 47): 2003	0.01	No relaxation	BDL(DL-0.001				
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)				
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)				
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)				
32	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANgr RES-30	0.1	No relaxation	BDL(DL-0.03)				
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)				

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm', • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent', • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

hun shikant Satdeve Sr. Chemist

Sonali Gharpure Technical Manager

Authorized Signatory

ian Dr. (Mrs.) S.D. Garway Quality Manager

ANACOMLOS

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122, Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in. Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

Agricultural & Process Food Products Export Development Authority (APEDA) & Export inspection council (EIC) & Agmark

Accredited By Quality Council of India by - NABET & NABL Approved by : Second Safety & Standards Authority of India Under FSS Act Search Indian Standards (BIS)

TEST REPORT

Test Report No. : ALPL/30112020/01-5 dated 30.11.2020 Page 3 of 3 2020/MON-11/8/14-5 Sample Inward No. Analysis Start 23.11.2020 Issued To : M/s Katamati Iron Mines Inward Date 23.11.2020 Analysis End 30.11.2020 (M/s TATA Steel Limited) Reference W.O.- 3000132460/962 Sample Category Water 15.05.2020 **Reference** Date Sample Name Sample Source Sample Particulars Location Co-ordinates Quantity Received Ground Water Dugwell Sample Code-GW-3 Lat: 22°6'28.03"N, Long: 85°28'37.84"E 2.0 Ltr & 250 ml Sample Collected By Sampling Date Sampling Time Sampling Location Anacon Representative Mr. K. Pandey 18.11.2020 Not Mentioned Dalafiri-1 Village

TEST RESULTS

S.N.	Test Parameter	Measurement . Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Am	Test Result						
			<i>E</i>	Acceptable Limit	Permissible Limit "						
п	Chemical Testing 2. Residues In Water										
34	Pesticide Residues										
i	Alpha-HCH	μg/1	ANgr RES-28	0.01	No relaxation	BDL(DL-0.01					
ii	Beta HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03					
ili	Delta- HCH	μg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03					
iv	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03					
v	Aldrin / Dieldrin	μg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03					
vi	Atrazine	μg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03					
vii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03					
viii	Chiorpyrifos	μg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03					
is.	DDT and its Isomers	μg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03					
х	Gamma - HCH (Lindane)	μg/1	ANqr RES-28	2	No relaxation	BDL(DL-0.03					
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANgr RES-29	30	No relaxation	BDL(DL-0.03					
xii	Endosulphan	μg/i	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03					
xiii	Ethion	μg/1	ANgr RES-29	3	No relaxation	BDL(DL-0.03					
xiv	Isoproturon	µg/l	ANgr RES-29	9	· No relaxation	BDL(DL-0.03					
XV	Malathion	μg/1	ANgr RES-29	190	No relaxation	BDL(DL-0.03					
xvi	Methyl Parathion	μg/1	ANgr RES-29	0.3	No relaxation	BDL(DL-0.03					
xvii	Monocrotophos	µg/l	ANgr RES-29	1	No relaxation	BDL(DL-0.03					
xviii	Phorate	<u>µg/l</u>	ANgr RES-29	2	No relaxation	BDL(DL-0.03					

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By No Sonali Gharpure Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway Quality Manager

AMAC MLAS

NAL

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372260079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

Accredited By Quality Council of India by - NABET & NABL

TEST REPORT

Test Report No. : ALPL/30112020/01-6 dated 30.11.2020 Page 1 of 3 Sample Inward No. 2020/MON-11/8/14-6 Issued To : Analysis Start 23.11.2020 M/s Katamati Iron Mines **Inward Date** 23.11.2020 Analysis End 30.11.2020 (M/s TATA Steel Limited) W.O.- 3000132460/962 Reference 15.05.2020 Sample Category Water **Reference** Date Sample Name Sample Source Sample Particulars Location Co-ordinates Quantity Received Ground Water Dugwell Sample Code-GW-4 Lat: 22°5'58.80"N, Long: 85°28'14.13"E 2.0 Ltr & 250 ml Sample Collected By Sampling Date Sampling Time Sampling Location Anacon Representative Mr. K. Pandey 18.11.2020 Not Mentioned Village Nr. Tata Sponge

TEST RESULTS

\$.N.	Test Parameter	Measurement Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Am	Test Result	
4.4		*		Acceptable Limit	Permissible Limit "	1
I	Biological Testing 1.Water					
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
п	Chemical Testing 1.Water		· · · · · · · · · · · · · · · · · · ·			
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.33 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	. 5	0.6
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	·Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	268
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.32
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	64.06
12	Total Alkalinity (as CaCO3)	mg/l	IS 3025 (Part 23) : 1986	200	600	148
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	176.4
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	52.53
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	10.98
16	Suiphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	12.44
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	10.82
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
• 19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES:
Please see watermark "Original Test Report" to confirm the authenticity of this report.
Results shall be referred to tested sample(s) and applicable to tested parameters only.
Test report shall not be reproduced except in fall without prior written approval of Anacon Labs.
Liability of Anacon Labs is limited to invoiced amount only.
Non-peristable ample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.
Test report is a DL- Below detection limit of DL- Indicates detection limit of instrument/method and shall be considered as "absent"

Verified By

FOG Rhaff Swati Shrivastava Technical Manager

Pooja Kathane

Technical Manager

Authorized Signatories

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

ANACONLABS

Dr. (Mrs.) S.D. Garway Quality Manager

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may abo visit us at www.anaconlaboratories.com





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (McEF), New Delhi

Accredited By Quality Council of India by -NABET & NABL Approved by : Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

es* Report No. : ALPL/30112020/01-6			dated 30.11.2020	F	Page 2 of 3		
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No. Inward Date Reference Reference Date	2020/MON-11/8/14-6 23.11.2020 W.O 3000132460/962 15.05.2020	Analysis Star Analysis End Sample Categ	30.11.2020		
Sample Name Ground Water	Sample Source Dugwell	Sample Particular Sample Code-GW-			Quantity Received 2.0 Ltr & 250 ml		
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 18.11.2020	Sampling Time Not Mentioned	2152.053	pling Location te Nr. Tata Sponge		

TEST RESULTS

s.:	Test Parameter	Measurement Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Am	Test Result			
				Acceptable Limit	Permissible Limit "			
п	Chamical Testing							
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.15		
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)		
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)		
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005		
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001)		
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001		
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)		
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)		
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001		
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)		
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)		
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)		
32	Polynuclear aromatic hydrocarbon (PAH)	µg/1	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)		
33	Mineral Oil .	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)		

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

rollen Λ Shashikant Satdeve Sr. Chemist

(Che Sonali Gharpure Technical Manager

Authorized Signatory yan

Dr. (Mrs.) S.D. Garway Quality Manager

Head Office : 60, Bajlprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

PL/30112020/01-6		dated 30.11.2020	Pa	Page 3 of 3		
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited) Sample Name Ground Water Sample Source Dugwell		2020/MON-11/8/14-6 23.11.2020 W.O 3000132460/962 15.05.2020	Analysis End	30.11.2020		
				Quantity Received 2.0 Ltr & 250 ml		
	Sampling Date 18.11.2020	Sampling Time Not Mentioned	and the second	pling Location		
	Mines mited) Sample Source	mited) Reference Reference Date Sample Source Dugwell Sample Code-GW lected By Sampling Date	Sample Inward No. 2020/MON-11/8/14-6 Inward Date 23.11.2020 Reference W.O 3000132460/962 Reference Date 15.05.2020 Sample Source Sample Particulars Location Co- Lat: 22°5'58.80"N, Lo lected By Sampling Date Sampling Time	Sample Inward No. 2020/MON-11/8/14-6 Analysis Start Mines Inward Date 23.11.2020 Analysis End mited) Reference W.O 3000132460/962 Sample Catego Sample Source Sample Particulars Location Co-ordinates Dugwell Sample Code-GW-4 Lat: 22°5'58.80"N, Long: 85°28'14.13"E tected By Sampling Date Sampling Time Sampling Time		

TEST RESULTS

- S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result				
				Acceptable Limit	Permissible Limit "					
п	Chemical Testing 2. Residues In Water		1							
34	Pesticide Residues									
i	Alpha-HCH	μg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)				
ii	Beta HCH	μg/l	ANqt RES-28	0.04	No relaxation	BDL(DL-0.03				
illi	Delta- HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03				
iv	Alachlor	μg/l	ANqt RES-28	20	No relaxation	BDL(DL-0.03				
v	Aldrin / Dieldrin	μg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03				
vi	Atrazine	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03				
vii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03				
viii	Chlorpyrifos	μg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03				
ix	DDT and its Isomers	μg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03				
х	Gamma - HCH (Lindane)	μg/l	ANgr RES-28	2	No relaxation	BDL(DL-0.03				
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03				
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03				
xiii	Ethion	μg/l	ANgr RES-29	3	No relaxation	BDL(DL-0.03				
xiv	Isoproturon	μg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03				
XV	Maiathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03				
xvi	Methyl Parathion	μg/l	ANgr RES-29	0.3	No relaxation	BDL(DL-0.03				
xvii	Monocrotophos	μg/l	ANgr RES-29	1	No relaxation	BDL(DL-0.03				
xviii	Phorate	μg/1	ANgr RES-29	2	No relaxation	BDL(DL-0.03				

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Authorized Signatory

Sonali Gharpure Technical Manager

Jyan Dr. (Mrs.) S.D. Garway Quality Manager ANAC ONLARS

GINAL

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Olfer (8698945450) Email : support@anacon.in. Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconiaboratories.com



ANA

ANACON LABORATORIES PVT. LTD.

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

TEST REPORT

Accredited by Quality Council of India by - NABET & NABL Approved by : Second Safety & Standards Authority of India Under FSS Act & Bureau of India Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA)

1	est Report No. : ALPL/30112020/01-7			dat	ed 30.11.2020	- 101	Page 1 of 3		
	M/s Katamati Iron Mines (M/s TATA Steel Limited)				MON-11/8/14-7	Analysis Start		23.11.2020	
199					And the second		sis End	30.11.2020	
					2020	Sample Category		Water	
1					Sample Condition Scaled & Ice Preserved		Quantity Receive d 2.0 Ltr & 250 ml		
			Sampling Dat 18.11.2020	e	Sampling Time Not Mentioned		Sampling Location Nr. Metso Plant		

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requiren IS 105 (Drinking Wat Including An	Test Result							
				Acceptable Limit	Permissible Limit "							
1	Biological Testing 1.Water											
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent						
п	Chemical Testing 1.Water											
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.53 at 25°C						
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.8						
4	Colour -	Hazen units	IS 3025 (Part 4) : 1983	5	15	1						
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable						
6	Taste		IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable						
. •7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0,1)						
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	272						
. 9	Fluoride (as F)	mg/l	1S 3025 (Part 60) : 2008	1.0	1.5	0.31						
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)						
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	63.07						
12	Total Alkalinity (as CaCO3)	mg/l	IS 3025 (Part 23) : 1986	200	600	150						
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	170.52						
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	- 200	48.61						
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	11.93						
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	15.03						
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	6.34						
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)						
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)						

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report thall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.
Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/' is equivalent to 'ppm',
Result for test no. 7 is not relevant.

BLL-Below detection limit
DL-Indicates detection limit of instrument/method and shall be considered as 'absent'

Verified By

-5 Swati Shrivastava Technical Manager

Pooja Kathane Technical Manager

Authorized Signatories Linsale

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

1au

2% ANAC ONLASS

Dr. (Mrs.) S.D. Garway RATO Quality Manager

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (McEF), New Delhi

TEST REPORT

Test Report No. : ALPL/30112020/01-7 dated 30.11.2020 Page 2 of 3 Sample Inward No. 2020/MON-11/8/14-7 Analysis Start 23.11.2020 **Issued To:** M/s Katamati Iron Mines Inward Date 23.11.2020 Analysis End 30.11.2020 (M/s TATA Steel Limited) W.O.- 3000132460/962 Reference Sample Category Water **Reference Date** 15.05.2020 Sample Name Sample Source Sample Particulars Sample Condition Quantity Received Ground Water Borewell Sample Code-GW-5 Sealed & Ice Preserved 2.0 Ltr & 250 ml Sample Collected By Sampling Date Sampling Time **Sampling Location** Anacon Representative Mr. K. Pandey 18.11.2020 Not Mentioned Nr. Metso Plant

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Am	Test Result		
. 1	i			Acceptable Limit	Permissible Limit "		
. п	Chemical Testing 2. Residues In Water		and a state				
20	Iron (as Fe)	mg/l	1S 3025 (Part 2) : 2019	1.0	No relaxation	0.10	
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)	
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)	
23	Mercury (as Hg)	mg/l	1S: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005)	
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001)	
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001)	
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	 No relaxation 	BDL(DL-0.01)	
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)	
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)	
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)	
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)	
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)	
32	Polynuclear aromatic hydrocarbon (PAH)	μ g /l	ANqr RES-30	. 0.1	No relaxation	BDL(DL-0.03)	
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)	

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacoh Laks. • Liability of Anacoh Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed of fairer 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • mg/l' is equivalent to "ppm". • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

him LA. Shashikant Satdeve Sr. Chemist

(8) Sonali Gharpure Technical Manager

Authorized Signatory

yan

Dr. (Mrs.) S.D. Garway Quality Manager

. Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com







ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

TEST REPORT

Accredited By Quality Council of India by -NABET & NABL Approved by : I Food Safety & Standards Authority of India Under FSS Act I Bureau of India Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) A Agmark Jac. J. 20.11.0000 . . .

	Test Report No. : AL	PL/30112020/01-7		dated 30.11.2020			Page 3 of 3		
	Issued To :	18	Sample Inward No.	2020/MON-11/8/14-7	Anal	lysis Start	23.11.2020		
	M/s Katamati Iron Mines (M/s TATA Steel Limited)		Reference W.O 3000132460/962		Anal	lysis End	30.11.2020		
						Sample Category W			
	Sample Name Ground Water	Sample Source Borewell	Sample Particulars Sample Code-GW-5			Quantity Received 2.0 Ltr & 250 m			
	Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 18.11.2020	Sampling 7 Not Mentio	and the second se	Sampling Location Nr. Metso Plant			

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
<i>6</i> .		5	17	Acceptable Limit	Permissible Limit "	
п	Chemical Testing 2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	μg/l	ANgr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	μg/1	ANgr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	μg/l	ANgr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT and its Isomers	μg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	μg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANgr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	μg/l	ANgr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	μg/l	ANgr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	μg/l	ANgr RES-29	9	No relaxation	BDL(DL-0.03)
XV	Malathion	μg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	μg/l	ANgr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	μg/l	ANgr RES-29	1	' No relaxation	BDL(DL-0.03)
xviii	Phorate	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

De Sonali Gharpure Technical Manager

Authorized Signatory yan Dr. (Mrs.) S.D. Garway Quality Manager ANAC ONLABS

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122, Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labrap@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in . You may also visit us at www.anacontaboratories.com



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization

Recognized By Ministry of Environment & Forests (MoEF), New Delhi -Accredited By Quality Council of India by - NABET & NABL Approved by : Tool Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

TEST REPORT

est Report No. : ALP	L/30112020/01-8		dated	30.11.2020	Page 1 of 3			
Issued To :		Sample Inward No.	2020/MO	N-11/8/14-8	Analys	is Start	23.11.2020	
M/s Katamati Iron Mines (M/s TATA Steel Limited)				23.11.2020 W.O 3000132460/962		is End	30.11.2020	
	k	Reference Date	15.05.202		Sampl	e Category	Category Water	
Sample Name Ground Water	Sample Source Borewell	Sample Particu Sample Code-G	00111-00	Sample Condition Sealed & Ice Preserved			ity Received tr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Da 18.11.2020	2277	Sampling Time Not Mentioned	Sampling Location Nr. Pit Office			

TEST RESULTS

S.1	N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	nent as per 00 : 2012 er Specifications) rendment No. 2	Test Result
•					Acceptable Limit	Permissible Limit "	
1	t I	Biological Testing 1.Water					
1		Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
I	1	Chemical Testing 1.Water	1		Contraction of the second	A	
2	2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.36 at 25°C
3	3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.4
4	1	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	5	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
. 8	3	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	256
9	9	Fluoride (as F)	mg/l	· IS 3025 (Part 60) : 2008	1.0	1.5	0.23
10	0	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation -	BDL(DL-0.005)
1	1	Chloride (as CI)	mg/l	IS 3025 (Part 32) :1988	250	1000	62.09
12	2	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	154
1.	3	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21): 2009	200	600	190.12
14	4	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	53.31
1;	5	Magnesium (as Mg)	mg/l	18 3025 (Part 46) : 1994	30	100	13.84
10		Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	16.07
ſ	7	Nitrate (as NO3)	mg/l	APHA Method 23rd Edition	45	No relaxation	9.62
,13	8	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	9	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/l' is equivalent to 'ppm'.

Result for test no. 7 is not relevant.

BDL-Below detection limit
DL-Indicates detection limit of instrument/method and shall be considered as 'absent'

Verified By

ARI Swati Shrivastava Technical Manager

Pooja-Kathane Technical Manager

Authorized Signatories

Dr.(Mrs.) Anupa Tankhiwale Sr.Technical Manager

Dr. (Mrs.) S.D. Garway Quality Manager

ANAC MILAT

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in · Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in

You may also visit us at www.anaconlaboratories.com



TEST REPORT

ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Daihi Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) & Agricultural & Process Food Products Export Development Authority (APEDA) & Export inspection council (EIC) & Agmark

fest Report No. : ALPL/3011	2020/01-8		dated 30.	11.2020	•	• Page 2 of 3	
Issued To :	Sam	ple Inward No.	2020/MON-	1/8/14-8	Analysis	Start	23.11.2020
M/s Katamati Iron Mines	Inwa	Inward Date 23.11.2020		Analysis	End	30.11.2020	
(M/s TATA Steel Limited)	1.000	rence rence Date	W.O 30001 15.05.2020	32460/962	Sample	Category	Water
	mple Source Sample Particulars Sample Condition Borewell Sample Code-GW-6 Sealed & Ice Preserved		- I		Received & 250 ml		
Sample Collected I Anacon Representative Mr.		Sampling Dat 18.11.2020		Sampling Time Not Mentioned		Sampling I Nr. Pit C	

TEST RESULTS

S.N.	Test Parameter	Test Parameter Measurement Unit	Test Method	Requirem IS 1050 (Drinking Wate Including Ame	Test Result	
		-		Acceptable Limit	Permissible Limit [#]	
п	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.11
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	. 0.01	No relaxation	BDL(DL-0.001
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2): 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

(H Unin Shashikant Satdeve Sonali Gharpure Technical Manager

Authorized Signatory

yaw de Dr. (Mrs.) S.D. Garway

Quality Manager

ANACOMLAR

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Mob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in

You may also visit us at www.anaconlaboratories.com

A free

Sr. Chemist



ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Organization Recognized By Ministry of Environment & Forests (MoEF), New Delhi

TEST REPORT

Accredited By Quality Council of India by - NABET & NABL Approved by : & Food Safety & Standards Authority of India Under FSS Act & Bureau of Indian Standards (BIS) Agricultural & Process Food Products Export Development Authority (APEDA) & Export Inspection council (EIC) & Agmark

Test Report No. : AL	11/30112020/01*0		dated 30.1			age 3 of 3	
Issued To :	041167	Sample Inward No.	2020/MON-1	1/8/14~8	Analysis Start	23.11.2020	
M/s Katamati Iron Mines		Inward Date 23.11.2020		Analysis End	30.11.2020		
(M/s TATA Steel L	imited)	Reference Reference Date	W.O 300013 15.05.2020	2460/962	Sample Catego	ory Water	
Sample Name Ground Water Borewell Sample Collected By Anacon Representative Mr. K. Pandey		Sample Particular Sample Code-GW	S33 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sample Condition aled & Ice Preserved		Quantity Received 2.0 Ltr & 250 ml	
		Sampling Date 18.11.2020		ampling Time lot Mentioned	Sampling Location		

TEST RESULTS

S.N.		Test Parameter Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
ж.				Acceptable	Permissible Limit "	
п	Chemical Testing 2. Residues In Water		× .			
34	Pesticide Residues					
i	Alpha-HCH	μg/l	ANgr RES-28	0.01	No relaxation	BDL(DL-0.01
ii	Beta HCH	μg/1	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03
iii	Delta-HCH	μg/l	ANqt RES-28	0.04	No relaxation	BDL(DL-0.03
iv	Alachlor	μg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.0)
v	Aldrin / Dieldrin	µg/1	ANgt RES-28	0.03	No relaxation	BDL(DL-0.03
vî	Atrazine	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03
vii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.0
viii	Chlorpyrifos	μg/1	ANgr RES-28	30	No relaxation	BDL(DL-0.0
ix	DDT and its Isomers	μg/l	ANgr RES-28	1	No relaxation	BDL(DL-0.0.
х	Gamma - HCH (Lindane)	µg/l	ANgr RES-28	2	 No relaxation 	BDL(DL-0.0
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANgr RES-29	30	No relaxation	BDL(DL-0.0.
xii	Endosulphan	μg/l	ANgr RES-28	0.4	No relaxation	BDL(DL-0.0
xiii	Ethion	μg/l	ANgr RES-29	3	No relaxation	BDL(DL-0.0
xiv	Isoproturon	μg/l .	ANgr RES-29	9	No relaxation	BDL(DL-0.0
XV	Malathion	μg/l	ANgr RES-29	190	No relaxation	BDL(DL-0.0
xvî	Methyl Parathion	μg/l	ANgr RES-29	0.3	No relaxation	BDL(DL-0.0
xvii	Monocrotophos	μg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.0.
xviii	Phorate	µg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.0)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANgr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

(Ne Sonali Gharpure Technical Manager

. 1

Authorized Signatory

D Dr. (Mrs.) S.D. Garway

ANACOMUAN

Dr. (Mrs.) S.D. Garway Quality Manager

Head Office : 60, Bajiprabhu Nagar, Nagpur - 440033 India. Ph. No. 9372404924, Email : support@anacon.in Lab : FP 34-35, Food Park, 5 Star Estate, MIDC Butibori, Nagpur - 441122. Nob. No. 9373287475, Email : labngp@anacon.in Support Help Lines : Technical (9373287475) Email : labngp@anacon.in, Offer (8698945450) Email : support@anacon.in, Accounts Division (9326960081, 9372960079) Email : accounts@anacon.in You may also visit us at www.anaconlaboratories.com





 An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified

TEST REPORT

Test Report No. :	ALPL/27022021/0	1-16	dated 27/02/2021		Page 1 of 3
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No. Inward Date Reference Reference Date	2021/MON-21/60-22 22/02/2021 W.O 3000132460/962 15.05.2020	Analysis Start Analysis End Sample Category	22/02/202 27/02/202 Water
Sample Name Sample Source Ground Water Dugwell Sample Collected By Anacon Representative Mr. K. Pandey		Sample Particulars Sample Code-GW-1	Location Co-ordinates Lat: 22°6'20.26"N, Long: 85°29'10.54"E	Quantity Received 2.0 Ltr & 250 ml Sampling Location Mahadev Nasha Village	
		Sampling Date 17/02/2021	Sampling Time 10.20 am		

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requiren IS 1050 (Drinking Wate Including Am	Test Result	
•				Acceptable Limit	Permissible Limit #]
1	Biological Testing 1.Water					
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
П	Chemical Testing 1.Water					
2	pH value	-	IS 3025 (Part 11): 1983	* 6.5 to 8.5	No relaxation	7.43 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10): 1984	1	5	0.3
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6.	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	220
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.21
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	35.94
12	Total Alkalinity (as CaCO3)	mg/l	IS 3025 (Part 23) : 1986	200	600	124
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21): 2009	200	600	168.78
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	42.68
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	15.21
16.	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	12.44
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	8.17
18	Phenolic compounds (as C ₅ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise, • 'mg/l' is equivalent to 'ppm', • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By Sugh Swati Shrivastava Technical Manager

Sal In Khi Dr. (Mrs.) S.D. Garway Quality Manager Pooja Kathane Technical Manager

Authorized Signatories

ICIN

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Bullborl, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our renationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : A	LPL/27022021/01-	-16	dated 27/02/2021		Page 2 of 3
Issued To : M/s Katamati Iro (M/s TATA Steel		Sample Inward No. Inward Date Reference	2021/MON-21/60-22 22/02/2021 W.O 3000132460/962	Analysis Start Analysis End	22/02/2021 27/02/2021
		Reference Date	15.05.2020	Sample Category	Water
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity Received 2.0 Ltr & 250 ml	
Ground Water	Dugwell	Sample Code-GW-1	Lat: 22°6'20.26"N, . Long: 85°29'10.54"E		
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 17/02/2021	Sampling Time 10.20 am	Sampling Location Mahadev Nasha Village	

CEVER STRATE	RESU	1 12:61
1.001	KESU	1.1.3

S.N.	Test Parameter	Test Parameter Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit *	
п	Chemical Testing 2. Residues In Water					***
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.24
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	1S: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.0005
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2): 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

Shashikant Satdeve

Sr. Chemist

Sonali Gharpure Technical Manager

Authorized Signatory

ANACANLABS

Dr. (Mrs.) S.D. Garway Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butlbori, Nagpur - 441 122. Email : support@anecon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our rerlationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





 An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); · Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. :	ALPL/27022021/0	1-16	dated 27/02/2021	Page 3 of 3		
Issued To : M/s Katamati Iro (M/s TATA Steel	i Iron Mines Inward Date 22/02/2021 teel Limited) Reference W.O 3000132460/962		2021/MON-21/60-22 22/02/2021 W.O 3000132460/962 15.05.2020	Analysis Start Analysis End Sample Category	22/02/202 27/02/202 Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Location Co-ordinates Lat: 22°6'20.26'N, Long: 85°29'10.54"E	Quantity I 2.0 Ltr &		
Sample Co Anacon Representa	llected By tive Mr. K. Pandey	Sampling Date 17/02/2021	Sampling Time 10.20 am	Sampling I Mahadev Nas		

S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2	
•		COLUMN .		Acceptable Limit	Permissible Limit *	1
п	Chemical Testing 2. Residues In Water			2	-AL	
34	Pesticide Residues		and the second sec			
i	Alpha-HCH	μg/l	ANqr RES-28	· 0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
ili	Delta- HCH	μg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03
iv	Alachlor	μg/1	ANqr RES-28	20	No relaxation	BDL(DL-0.03
v	Aldrin / Dieldrin	μg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03
vi	Atrazine	μg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03
vii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03
viii	Chlorpyrifos	μg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03
ix	DDT and its Isomers	μg/1	ANqr RES-28	1	No relaxation	BDL(DL-0.03
x	Gamma - HCH (Lindane)	μg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03
xii	Endosulphan	μg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03
xiii	Ethion	μg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03
xiv	Isoproturon	μg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03
XV	Malathion	µg/1	ANqr RES-29	190	No relaxation	BDL(DL-0.03
xvi	Methyl Parathion	μg/l	ANqr RES-29	. 0.3	No relaxation	BDL(DL-0.03
xvii	Monocrotophos	μg/1	ANqr RES-29	1	No relaxation	BDL(DL-0.03
xviii	Phorate	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced anount on except parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced anount on except parameters only. • Test report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANgr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By (1) Sonali Gharpure Technical Manager

Authorized Signatory Dr. (Mrs.) S.D. Garway Quality Manager AMAC MLARS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Bullbori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories charish our reristionship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA); · Export inspection council (EIC); AGMARK.

TEST REPORT

Fest Report No. : A	LPL/27022021/01-1	7	dated 27/02/2021	Page 1 c	of 3
Issued To : M/s Katamati Iro (M/s TATA Steel		Sample Inward No. Inward Date Reference Reference Date	2021/MON-21/60-23 22/02/2021 W.O 3000132460/962 15.05.2020	Analysis Start 22/02/ Analysis End 27/02/ Sample Category Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Location Co-ordinates Lat: 22°5'38.35"N, Long: 85°28'48.92"E	Quantity Re 2.0 Ltr & 2	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 17/02/2021	Sampling Time 10.40 am	Sampling Location Dalafili-2 Village	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
•				Acceptable Limit	Permissible Limit #	
1	Biological Testing 1.Water					
1	Éscherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
11	Chemical Testing 1.Water					
2	pH value	-	IS 3025 (Part 11): 1983	6.5 to 8.5	No relaxation	7.32 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.8
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste		IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
7.	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16): 1984	500	2000	234
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) · 2008	1.0	1.5	0.24
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as CI)	mg/l	IS 3025 (Part 32) :1988	250	1000	40.19
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	128
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	151.32
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	34.92
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	15.59
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	10.63
17.	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	8.84
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the nuthenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

Such Swati Shrivastava Technical Manager

Authorized Signatories tyklingle

Pooja Kathane

Technical Manager

Dr. (Mrs.) S.D. Garway MLABS Quality Manager

100

0

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our rerlationship.

We put in a lot of hard work to ensure that you have a scamese experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); · Export inspection council (EIC); AGMARK.

TEST REPORT

Issued To :		Sample Inward No.	2021/MON-21/60-23	Analysis Start	22/02/202
M/s Katamati Iron Mines (M/s TATA Steel Limited)		Inward Date	22/02/2021	Analysis End	27/02/202
(M/s TATA Steel	Limited)	Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity Received	
Ground Water	Ground Water Dugwell		Lat: 22°5'38.35"N, Long: 85°28'48.92"E	2.0 Ltr & 250 ml Sampling Location Dalafiri-2 Village	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 17/02/2021	Sampling Time 10.40 am		

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit "	
п.	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.14
21	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	1S 3025 (Part 2): 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	. 0.001	No relaxation	BDL(DL-0.0005
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28.	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	• mg/l	IS 3025 (Part 2): 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	μ g /l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/t' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent', • ANgr RES-30 & 40 : Inhouse validated method.

Verified By

3820 Shashikant Satdeve Sr. Chemist

Sonali Gharpure Technical Manager

Authorized Signatory

10 Dr. (Mrs.) S.D. Garway Quality Manager

ANAC MALARS

GINAL

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reriationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

TEST REPORT

Issued To : M/s Katamati Iron (M/s TATA Steel		Sample Inward No. Inward Date	2021/MON-21/60-23 22/02/2021	Analysis Start Analysis End	22/02/2021 27/02/2021
(Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Location Co-ordinates Lat: 22°5'38.35"N, Long: 85°28'48.92"E	Quantity Ro 2.0 Ltr & 2	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 17/02/2021	Sampling Time 10.40 am	Sampling Location Dalafiri-2 Village	

Requirement as per IS 10500 : 2012 Measurement (Drinking Water Specifications) S.N. **Test Parameter** Test Method **Test Result** Unit **Including Amendment No. 2** Acceptable Permissible Limit Limit" **Chemical Testing** п 2. Residues In Water 34 Pesticide Residues Alpha-HCH i ANgr RES-28 0.01 BDL(DL-0.01) $\mu g/l$ No relaxation Beta HCH ANor RES-28 ii µg/l 0.04 No relaxation BDL(DL-0.03) iii Delta-HCH µg/l ANqr RES-28 0.04 No relaxation BDL(DL-0.03) ANqr RES-28 iv Alachlor 20 No relaxation μg/1 BDL(DL-0.03) N Aldrin / Dieldrin ANgr RES-28 0.03 No relaxation µg/l BDL(DL-0.03) vi Atrazine ANgr RES-29 μg/1 2 No relaxation BDL(DL-0.03) Butachlou vii µg/l ANgr RES-29 125 No relaxation BDL(DL-0.03) viii Chlorpyrifes ANgr RES-28 30 µg/l No relaxation BDL(DL-0.03) ix. DDT and its Isomers ANgr RES-28 No relaxation $\mu g/l$ 1 BDL(DL-0.03) Gamma - HCH (Lindane) ANor RES-28 x ug/l 2 No relaxation BDL(DL-0.03) 2,4-Dichlorophenoxyacetic acid xi µg/l ANqr RES-29 30 No relaxation BDL(DL-0.03) xii Endosulphan µg/l ANqr RES-28 0.4 No relaxation BDL(DL-0.03) xiii Ethion ANgr RES-29 No relaxation BDL(DL-0.03) HQ/ 3 9 xiv Isoproturon μg/1 ANgr RES-29 No relaxation BDL(DL-0.03) XV Malathion ANqr RES-29 190 No relaxation µg/l BDL(DL-0.03) Methyl Parathion xvi ANgr RES-29 0.3 No relaxation BDL(DL-0.03) µg/1 xvii Monocrotophos ANqr RES-29 ug/l 1 No relaxation BDL(DL-0.03) xviii Phorate ANqr RES-29 2 No relaxation BDL(DL-0.03) µg/l

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to involced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mp]' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANgr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it - is fit for drinking purpose with respect to tested parameters.

Verified By 8 Sonali Gharpure Technical Manager

Authorized Signatory Dr. (Mrs.) S.D. Garway Quality ManagerANAC

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estats, MIDC Butibon, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reriationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified An ISO SUIT 2015, ISO 14001.2015, Characteristic Certained
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA); · Export inspection council (EIC); AGMARK.

TEST REPORT

	ALPL/27022021/01-	The second secon	000101001010000	Page 1 of 3		
ssued To :		Sample Inward No.	2021/MON-21/60-24	Analysis Start	22/02/202	
1/s Katamati Iron Mines M/s TATA Steel Limited)		Inwaru Date		· Analysis End	27/02/202	
		Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water	
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity Received		
Ground Water	Dugwell	Sample Code-GW-3	Lat: 22°6'28.03"N, Long: 85°28'37.84"E	2.0 Ltr & 2	50 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date	Sampling Time		Sampling Location	
		17/02/2021	11.10 am	Dalafiri-1 Village		

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	nent as per 00 : 2012 er Specifications) endment No. 2	Test Result
				Acceptable Limit	Permissible Limit "	
I	Biological Testing 1.Water					
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
п	Chemical Testing 1.Water					
2	pH value .		IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.36 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10): 1984	1	5	0.6
4	Colour	Hazen units	IS 3025 (Part 4): 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste		IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/1	IS 3025 (Part 16) : 1984	500	2000	240
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL(DL-0.005)
11.	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	48.57
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	132
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	120.28
14	Calcium (as Ca)	mg/l	1S 3025 (Part 40) : 1991	75	200	37.25
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	6.61
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	15.29
17	Nitrate (as NO3)	mg/l	APHA Method 23rd Edition	45	No relaxation	9.05
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

"mg/l" is equivalent to "ppm",
Result for test no. 7 is not relevant.

BDL- Below detection limit.
DL- Indicates detection limit of instrument/method and shall be considered as "absent".

Verified By Authorized Signatories sugh 6 1 an Khina Swati Shrivastava Pooja Kathane Dr. (Mrs.) S.D. Garway MLABS Cechnical Manager Technical Manager Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reriationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





- An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified An ISO 9001:2015, ISO 14001:2015, OhAS 1800 (Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); Export inspection council (EIC); AGMARK.

TEST REPORT

and the second se	ALPL/27022021/01-		27/02/2021	Page 2 d	
ssued To :		Sample Inward No.	2021/MON-21/60-24	Analysis Start	22/02/2021
1/s Katamati Iron Mines		Inward Date	22/02/2021	Analysis End	27/02/202
(M/s TATA Stee	Limited)	Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity Re	ceived
Ground Water	Dugwell	Sample Code-GW-3	Lat: 22°6'28.03"N, Long: 85°28'37.84"E	2.0 Ltr & 2	50 ml
	ollected By	Sampling Date	Sampling Time	Sampling Lo	
Anacon Represent	ative Mr. K. Pandey	17/02/2021	11.10 am	Dalafiri-1 Village	

S.N.	Test Parameter	Parameter Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
_				Acceptable	Permissible Limit [#]	
п	Chemical Testing 2. Residues In Water				(10) 	1
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.17
21	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	0.05	1.5	BDL(DL-0.03
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019	0.1	0.3	BDL(DL-0.05
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.000
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.00
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	0.01	No relaxation	BDL(DL-0.00
26	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.0
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.0
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.00
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2): 2019	5	15	BDL(DL-0.1
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1
32	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANqr RES-30	··	No relaxation	BDL(DL-0.03
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.00

NOTES: © Please see watermark "Original Test Report" to confirm the authenticity of this report. © Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. ● Liability of Anacon Labs is limited to invoiced amount only. ● Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. ● 'mg/l' is equivalent to 'ppm'. ● BDL-Below detection limit ● DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. ● ANgr RES-30 & 40 : Inhouse validated method.

Verified By 8

128 Shashikant Satdeve Sr. Chemist

Sonali Gharpure Technical Manager

Authorized Signatory

1 au Dr. (Mrs.) S.D. Garway Quality Manager

ANACONLABS GINALO

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibon, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reriationship. We put in a tot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified · Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA); · Export inspection council (EIC); AGMARK.

TEST REPORT

-

est R	eport No. : ALI	PL/27022021/01-	18	dated	27/02/2021			Page 3 c	of 3	
	d To : Katamati Iron	Mines .	Sample Inward Inward Date	No.	2021/MON-21/6 22/02/2021	0-24		alysis Start alysis End	22/02/2021 27/02/2021	
(M/s	(M/s TATA Steel Limited)		Kelefelice W.0 5000152400/902		60/962		Sample Category	Water		
			Reference Date		15.05.2020		Joan	upic Category	water	
	ple Name and Water	Sample Source Dugwell	Sample Partic		Lat: 22%	o-ordinates '28.03"N, 28'37.84"E		Quantity Re 2.0 Ltr & 2		
	Sample Colle	ected By	Sampling Da	ate		ng Time		Sampling Lo	ocation	
Anac		e Mr. K. Pandey	17/02/2021			0 am		Dalafiri-1 V		
1.01111		· · · · · · · · · · · · · · · · · · ·	1		T RESULTS	v un	-	D'alditit 1 1	IIIdee	
S.N.	Test Pa	Test Parameter		Measurement Unit Te		Requirement as p IS 10500 : 2012 (Drinking Water Specifi Including Amendment		: 2012 Specifications)	Test Result	
			100000			Acceptal Limit		Permissible Limit [#]	1	
п	Chemical Test 2. Residues In	Water							it.	
34	Pesticide Resid	ues			and the second	÷.				
i	Alpha-HCH		μg/l	,	ANqr RES-28	0.01		No relaxation	BDL(DL-0.0	
ii	Beta HCH		μg/l		ANgr RES-28	0.04		No relaxation	BDL(DL-0.0.	
iii	Delta- HCH		μg/l	1	ANgr RES-28	0.04		No relaxation	BDL(DL-0.0	
iv*	Alachlor		μg/l		ANgr RES-28	20		No relaxation	BDL(DL-0.0	
v	Aldrin / Dieldri	n	μg/l		ANqr RES-28	0.03		No relaxation	BDL(DL-0.0	
vi	Atrazine		µg/l		ANgr RES-29	2		No relaxation	BDL(DL-0.0	
vii	Butachlor		μg/l		ANgr RES-29	125		No relaxation	BDL(DL-0.0	
viii	Chlorpyrifos		μg/l	1	ANqr RES-28	30		No relaxation	BDL(DL-0.0	
ix	DDT and its lso		μg/l		ANgr RES-28	1		No relaxation	BDL(DL-0.0	
x	Gamma - HCH		μg/1		ANgr RES-28	2		No relaxation	BDL(DL-0.0	
xi		enoxyacetic acid	μg/l		ANgr RES-29	30		No relaxation	BDL(DL-0.0	
xii	Endosulphan		μg/1		ANgr RES-28	0.4		No relaxation	BDL(DL-0.0	
xiii	Ethion	•	μg/l		ANqr RES-29	3		No relaxation	BDL(DL-0.0	
xiv	Isoproturon		μg/l		ANgr RES-29	9		No relaxation	BDL(DL-0.0	
XV	Malathion		μg/l		ANgr RES-29	190		No relaxation	BDL(DL-0.0	
xvi	Methyl Parathio	on	μg/l		ANgr RES-29	0.3		No relaxation	BDL(DL-0.0	
xvii	Monocrotophos	8	μg/l		ANgr RES-29	1		No relaxation	BDL(DL-0.0	
wwitt	Phonete		1		ANI-DER 00	2		31 1	DDI (DI AA	

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/l' is equivalent to 'ppm'.

Result for test no. 7 is not relevant.

BDL- Below detection limit
DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

ANGR RES-28, 29, 30 & 40 :

ANqr RES-29

2

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

xviii Phorate

Sonali Gharpure **Technical Manager**

Authorized Signatory Dr. (Mrs.) S.D. Garway Quality Manager MAC MILARS

No relaxation BDL(DL-0.03)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

μg/l

Thanka for your faith and trust in our services. We at Anacon Laboratories charish our reriationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified An ISO 9001/2015, ISO 14001/2015, ORAXS 1800 (Cardined Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); Export Inspection council (EIC); AGMARK.

TEST REPORT

	ALPL/27022021/01-1		27/02/2021 -		Page 1 of 3	
Issued To : M/s Katamati Iron Mines		Sample Inward No.	2021/MON-21/60-25	Analysis Start	22/02/2021	
		Inward Date 22/02/2021		Analysis End	27/02/2021	
(M/s TATA Stee	l Limited)	Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water	
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity R	teceived	
Ground Water	Dugwell	Sample Code-GW-4	Lat: 22°5'58.80"N, Long: 85°28'14.13"E	2.0 Ltr & 2	250 ml	
Sample C	ollected By	Sampling Date	Sampling Time	Sampling L	ocation	
Anacon Representative Mr. K. Pandey		17/02/2021	11.30 am	Village Nr. Ta	r. Tata Sponge	

TEST RESULTS

S.N.	Test Parameter Measurement Unit	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
I	Biological Testing 1.Water					
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
п	Chemical Testing 1.Water					
2	pH value		IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.28 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.4
4	Colour	Hazen units	IS 3025 (Part 4): 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	264
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	0.29
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32):1988	250	1000	60.22
12	Total Alkalinity (as CaCO ₃).	mg/l	IS 3025 (Part 23) : 1986	200	600	142
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	168.78
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	51.22
15.	Magnesium (as Mg)	mg/l	IS 3025 (Part 46): 1994	30	100	9.92
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	13.48
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	11.01
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	. 0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. ● Liability of Anacon Labs is limited to invoiced amount only. ● Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. ● 'mg/l' is equivalent to 'ppm'. ● Result for test no. 7 is not relevant. ● BDL- Below detection limit ● DL- Indicates detection limit of instrument/incthod and shall be considered as 'absent'

Verified By **Authorized Signatories** P Ainale tuch Jain an a 0 Dr. (Mrs.) S.D. Garway MLABS Swati Shrivastava Pooja Kathane < Technical Manager Technical Manage Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anscon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories charish our reriationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



1.



ANACON LABORATORIES PVT. LTD.

An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABE
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export inspection council (EIC); AGMARK.

TEST REPORT

Fest Report No. : A	ALPL/27022021/01-	19 dated 2	27/02/2021		Page 2 of 3	
Issued To : M/s Katamati Ir (M/s TATA Steel		Sample Inward No. Inward Date Reference Reference Date	2021/MON-21/60-25 22/02/2021 W.O 3000132460/962 15.05.2020	Analysis Start Analysis End Sample Category	22/02/2021 27/02/2021 Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-4	Location Co-ordinates Lat: 22°5'58.80"N, Long: 85°28'14.13"E	. Quantity R 2.0 Ltr & 2		
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 17/02/2021	Sampling Time 11.30 am	Sampling L Village Nr. Ta		

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	ent as per 0 : 2012 r Specifications) endment No. 2	Test Result
25			Acceptable Limit	Permissible Limit #		
п	Chemical Testing 2. Residues In Water		6			
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.17
21	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.000
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	.0.01	No relaxation	BDL(DL-0.001
26.	Arsenic (as As)	mg/l	IS: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2): 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 ; Inhouse validated method.

Verified By 0 -3 3

Shashikant Satdeve Sr. Chemist

Sonali Gharpure Technical Manager

Authorized Signatory

Jan

0

ANACONLABS

GINAL

Dr. (Mrs.) S.D. Garway Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butlborl, Nagpur - 441 122. Email : support@anacon.ln

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our rerlationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





• An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL · Approved by : Food Safety & Standards Authority of India under FSS Act;

TEST REPORT

	LPL/27022021/01-1	T	27/02/2021	1	Page 3 of 3
Issued To : M/s Katamati Iron Mines (M/s TATA Steel Limited)		Sample Inward No.	2021/MON-21/60-25	Analysis Start	22/02/202
		Inward Date	22/02/2021	Analysis End	27/02/2021
(, Dunited)	Reference Reference Date	W.O 3000132460/962 15.05.2020	Sample Category	Water
Sample Name	Sample Source	Sample Particulars	Location Co-ordinates	Quantity R	leceived
Ground Water Dugwell Sample Collected By Anacon Representative Mr. K. Pandey		Sample Code-GW-4	Lat: 22°5'58.80"N, Long: 85°28'14.13"E	2.0 Ltr & 250 ml	
		Sampling Date	Sampling Time	Sampling I	ocation
		17/02/2021	11.30 am	Village Nr. Tata Sponge	

COLUMN COLUMN	C D DC	TTT P	C
LESI	FRES	ULI	

S.N.	Unit	The second second second second second	Test Method	IS 1050 (Drinking Wate	ent as per 0 : 2012 r Specifications) endment No. 2	Test Result
			Acceptable Limit	Permissible Limit [#]		
п	Chemical Testing 2. Residues In Water					
34	Pesticide Residues	500				
i	Alpha-HCH	μg/l	ANgr RES-28	. 0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03
iv	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03
v	Aldrin / Dieldrin	μg/1	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03
vi	Atrazine	μg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03
vii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03
viii	Chlorpyrifos	μg/l	ANgr RES-28	30	No relaxation	BDL(DL-0.03
ix	DDT and its Isomers	μg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03
x	Gamma - HCH (Lindane)	μg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03
xii	Endosulphan	μ g /l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03
xiii	Ethion	μg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03
xiv	Isoproturon	μg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03
XV	Malathion	μg/l	ANgr RES-29	190	No relaxation	BDL(DL-0.03
xvi	Methyl Parathion	μg/l	ANgr RES-29	0.3	No relaxation	BDL(DL-0.03
xvii	Monocrotophos	μg/l	ANgr RES-29	1	No relaxation	BDL(DL-0.03
xviii	Phorate	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in fall without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANgr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By 1/2

Sonali Gharpure

Technical Manager

Authorized Signatory yan Dr. (Mrs.) S.D. Garwaylac ANLARS Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reristionship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@anacon.in.





 An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); Export inspection council (EIC); AGMARK.

TEST REPORT

Issued To : M/s Katamati Iro (M/s TATA Stee		Sample Inward No. Inward Date Reference Reference Date	2021/MON-21/60-26 22/02/2021 W.O 3000132460/962 15.05.2020	Analysis Start Analysis End Sample Category	22/02/2021 27/02/2021 Water
Sample Name Ground Water	Sample Source Borewell	Sample Particulars Sample Code GW 5	Sample Condition		
	ollected By ative Mr. K. Pandey	Sampling Date 17/02/2021	Sampling Time 11.45 am	- Sampling L Nr. Metso	

	Test Parameter		TEST RESULTS	Requiren	nent as per 10 : 2012	
S.N.		Test Parameter Measurement Unit	Test Method	(Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit "	
I	Biological Testing 1.Water		and the second second			
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
п.	Chemical Testing 1.Water					
2	pH value		IS 3025 (Part 11): 1983	6.5 to 8.5	No relaxation	7.48 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10): 1984	1	5	0.6
4	Colour	Hazen units	IS 3025 (Part 4): 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste		IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	270
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0 .	1.5	0.34
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	64.11
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	146
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	166.84
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	45.78
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	12.75
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	16.67
17	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	6.51
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19-	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mgil' is equivalent to 'ppm'. • Result * for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'

Verified By Swati Shrivastava STIER Technical Manager

Authorized Signatories Dr. (Mrs.) S.D. Garway Poora Kathane Technical Manager

C 33

Quality Manager MLABS

GINALC

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our rerlationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





 An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified An ISO 90012015, ISO 140012016, OHSAS 160012001 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Delhil
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA); Export inspection council (EIC); AGMARK.

TEST REPORT

Analysis Start Analysis End	22/02/2021 27/02/2021
Quantity R ed 20Ltr & 2	
Sampling L	
	d 201 tr & 2

TEST RESULTS

s.n.		Measurement Unit	Test Method	(Drinking Wate	ent as per 0 : 2012 r Specifications) endment No. 2	Test Result
			a	Acceptable Limit	Permissible Limit "	
п	Chemical Testing 2. Residues In Water					2
20	Iron (as Fc)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.13
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS: 3025 (Part 48): 1994	0.001	No relaxation	BDL(DL-0.000
24	Cadmium (as Cd)	mg/l	IS: 3025 (Part 41): 1992	0.003	No relaxation	BDL(DL-0.001
25	Selenium (as Se)	mg/l	IS: 3025 (Part 56): 2003	· 0.01	No relaxation	BDL(DL-0.001
26	Arsenic (as As)	mg/l	1S: 3025 (Part 37): 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	. mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32.	Polynuclear aromatic hydrocarbon (PAH)	μg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-peristable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/t' is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By Shashikant Satdeve Sonali Gharpure Sr. Chemist Technical Manager

Authorized Signatory an Dr. (Mrs.) S.D. Garway

Quality Manager

ORATOR

ANACONLABS

CINAL

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our rerlationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@enacon.in.





 An ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 Certified Recognized By Ministry of Environment & Forests (MoEF), New Delhi Accredited By Quality Council of India by - NABET and NABL Approved by : Food.Safety & Standards Authority of India under FSS Act; · Agricultural & Processed Food Products Export Development Authority (APEDA); Export inspection council (EIC); AGMARK.

TEST REPORT

۰,

Issued To :	ALPL/27022021/01-	Sample Inward No.	2021/MON-2		ge 3 of 3 Analysis Start	22/02/2021
M/s Katamati Ir (M/s TATA Stee		Inward Date Reference	22/02/2021 W.O 30001	22460/062	Analysis End	27/02/202
	· · · · · ·	Reference Date	15.05.2020	32400/902	Sample Category	Water
Sample Name Ground Water	Sample Source Borewell	Sample Particulars Sample Code-GW-5	0	nple Condition d & Ice Preserved	Quantity Re 2.0 Ltr & 2	
10. Contract of the Contrac	ollected By ative Mr. K. Pandey	Sampling Date 17/02/2021	S	ampling Time 11.45 am	Sampling Lo Nr. Metso	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	ent as per 0 : 2012 r Specifications) endment No. 2	Test Result
				Acceptable Limit	Permissible Limit [#]	
п	Chemical Testing 2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	μg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	μg/l	ANgr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	· μg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03
iv.	Alachlor	μg/l	ANgr RES-28	20	No relaxation	BDL(DL-0.03
v	Aldrin / Dieldrin	μg/l	ANgr RES-28	0.03	No relaxation	BDL(DL-0.03
vi	Atrazine	μg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03
vii	Butachlor	μg/l	ANgr RES-29	125	No relaxation	BDL(DL-0.03
viii	Chlorpyrifos	μg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03
ix	DDT and its Isomers	μg/l	ANgr RES-28	1	No relaxation	BDL(DL-0.03
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03
xi	2,4-Dichlorophenoxyacetic acid	μg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03
xii	Endosulphan	μg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03
xiii	Ethion	μg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03
xiv	Isoproturon	μ g /l	ANqr RES-29	9	No relaxation	BDL(DL-0.03
XV	Malathion	μg/l	ANgr RES-29	190	No relaxation	BDL(DL-0.03
xvi	Methyl Parathion	μg/l	ANqr RES-29	. 0.3	No relaxation	BDL(DL-0.03
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03
xviii	Phorate	μg/l	ANgr RES-29	2	No relaxation	BDL(DL-0.03

NOTES:

Please see watermark "Original Test Report" to confirm the authenticity of this report.

Results shall be referred to tested sample(s) and applicable to tested parameters only.

Test report shall not be reproduced except in full without prior written approval of Anacon Labs.

Liability of Anacon Labs is limited to invoiced amount only.

Non-perishable and
perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

'mg/l' is equivalent to 'ppm'.

Result
for test no. 7 is not relevant.

BDL- Below detection limit
DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Angr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Authorized Signatory

Sonali Gharpure Technical Manager

Dr. (Mrs.) S.D. Garway Quality Managerawac MLABS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our reriationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



FOR BETTER ENVI ANACON LABORATORIES PVT. LTD. • ISO 9001.2015, ISO 14001.2015, ISO 45001.2018 Certified Recognized By Ministry of Environment & Forests (MoEF), New Defni Accredited By Quality Council of India by - NABET and NABL Approved by : Food Safety & Standards Authority of India under FSS Act; Agricultural & Processed Food Products Export Development Authority (APEDA); Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

TEST REPORT

Issued To : M/s Katamati Iro (M/s TATA Steel		Sample Inward No. Inward Date Reference	2021/MON-21/60-27 22/02/2021 W.O 3000132460/962	Analysis Start Analysis End	22/02/2021 27/02/2021
		Reference Date	15.05.2020	Sample Category	Water
Sample Name Ground Water	Sample Source Borewell	Sample Particulars Sample Code-GW-6	[5] A. S.	Quantity Ro 2.0 Ltr & 2	
Sample Co Anacon Representa	llected By tive Mr. K. Pandey	Sampling Date 17/02/2021	Sampling Time 12.20 pm	Sampling L Nr. Pit O	

			TEST RESULTS			
S.N.	Test Parameter	Measurement Unit	Test Method	IS 1050 (Drinking Wate	nent as per)0 : 2012 er Specifications) nendment No. 2	Test Result
•				Acceptable Limit	Permissible Limit #	
I	Biological Testing 1.Water		and the second			
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
. 11	Chemical Testing 1.Water				A.	
2	pH value	+	IS 3025 (Part 11): 1983	6.5 to 8.5	No relaxation	7.43 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.5
4	Colour	Hazen units	IS 3025 (Part 4): 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7.	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16): 1984	500	2000	252
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	• 1.0	1.5	0.21
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) :1988	250	1000	63.14
12	Total Alkalinity (as CaCO3)	mg/l	IS 3025 (Part 23) : 1986	200	600	150
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	176.54
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	49.66
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	12.75
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	15.03
17.	Nitrate (as NO ₃)	mg/l	APHA Method 23rd Edition	45	No relaxation	8.29
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm', • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'

Verified By Augh Swati Shrivastava Technical Manager

Authorized Signatories

Pooja Kathane

Technigal Manager

Dr. (Mrs.) S.D. Garway

Quality Manager CANLABS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@anacon.in.



FOR BETTER ENVIRONMENT & HEALTH

ANACON LABORATORIES PVT. LTD.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
 Recognized By Ministry of Environment & Forests (MOEF), New Delhi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA);
 Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

TEST REPORT

		LPL/27022021/01-		dated 27/02			Page 2 of 3	
	d To :		Sample Inwar		1/MON-21/60	-27	Analysis Start	22/02/2021
	Catamati Iro		Inward Date	22/	02/2021		Analysis End	27/02/2021
(M/s	TATA Steel	Limited)	Reference	W.0	0 300013246	0/962		
			Reference Dat	te 15.	05.2020		Sample Category	Water
	nple Name	Sample Source	Sample Pa	urticulars	Sample	Condition	Quantity I	Received
Gro	und Water	Borewell	Sample Co	de-GW-6	Sealed & I	ce Preserved	2.0 Ltr &	250 ml
	Sample Co	llected By	Samplin	g Date	Sampli	ing Time	Sampling 1	Location
Anac	on Represental	tive Mr. K. Pandey	17/02/		100000000000000000000000000000000000000	20 pm	Nr. Pit (
				TEST RE	and the second se	to pin	141.111	Since
s.n.	Test	Parameter	Measurement Unit		fethod	IS 10 (Drinking Wa	ement as per 500 : 2012 ater Specifications) mendment No. 2	Test Result
					- A	Acceptable Limit		
п	Chemical Te 2. Residues				A			
20	Iron (as Fe)		mg/l	IS 3025 (Pa	art 2): 2019	1.0	No relaxation	0.17
21	Copper (as C	u)	mg/l	IS 3025 (P	art 2): 2019	0.05	1.5	BDL(DL-0.03
22	Manganese (a		mg/l	IS 3025 (P	art 2): 2019	0.1	0.3	BDL(DL-0.0
23	Mercury (as I	Hg)	mg/l	IS: 3025 (Pa	art 48): 1994	0.001	No relaxation	BDL(DL-0.00
24	Cadmium (as	Cd)	mg/l	IS: 3025 (Pa	art 41) : 1992	0.003	No relaxation	BDL(DL-0.00
25	Selenium (as	Se)	mg/l		art 56) : 2003	0.01	No relaxation	BDL(DL-0.00
26	Arsenic (as A	s)	mg/l	IS: 3025 (Part 37): 1988 0.01			No relaxation	BDL(DL-0.0
27.	Aluminium (as Al)	mg/l	IS 15302 : 2003		0.03	0.2	BDL(DL-0.0
28	Lead (as Pb)		mg/l	IS 3025 (Part 47) : 2003		0.01	No relaxation	BDL(DL-0.00
29	Zinc (as Zn)		mg/l	IS 3025 (Part 2) : 2019		5	15	BDL(DL-0.1
30	Total Chromi	um (as Cr)	mg/l			0.05	No relaxation	BDL(DL-0.03
31	Boron (as B)	•	mg/l	IS 3025 (Pa	art 2) : 2019	0.5	2.4 ·	BDL(DL-0.1
32	Polynuclear a hydrocarbon		μg/l	Column -	RES-30 -	0.1	No relaxation	BDL(DL-0.03
33	Mineral Oil	10 B	mg/l	ANar	RES-40	. 0.5 .	No relaxation	BDL(DL-0.001

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm', • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANar RES-30 & 40 : Inhouse validated method.

Verified By 3 Shashikant Satdeve Sr. Chemist

8 Sonali Gharpure Technical Manager

Authorized Signatory Dr. (Mrs.) S.D. Garway

Quality Manager

ANAC MLARS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com . •

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



TEST REPORT

FOR BETTER ENVIRONMENT & HEALTH

ANACON LABORATORIES PVT. LTD. • ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified SO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
 Recognized By Ministry of Environment & Forests (MoEF), New Dethi
 Accredited By Quality Council of India by - NABET and NABL
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Agricultural & Processed Food Products Export Development Authority (APEDA);
 Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

Test Report No. : ALPL/27022021/01-21 dated 27/02/2021 Page 3 of 3 Issued To : Sample Inward No. 2021/MON-21/60-27 Analysis Start 22/02/2021 M/s Katamati Iron Mines **Inward Date** 22/02/2021 27/02/2021 **Analysis End** (M/s TATA Steel Limited) Reference W.O.- 3000132460/962 Sample Category Water **Reference** Date 15.05.2020 Sample Name Sample Source Sample Particulars Sample Condition Quantity Received Ground Water Borewell Sample Code-GW-6 Sealed & Ice Preserved 2.0 Ltr & 250 ml Sample Collected By Sampling Date Sampling Time Sampling Location Anacon Representative Mr. K. Pandey 17/02/2021 12.20 pin Nr. Pit Office TEST RESULTS Requirement as per IS 10500 : 2012 Measurement (Drinking Water Specifications) S.N. Test Parameter Test Method Test Result Unit Including Amendment No. 2 Acceptable Permissible Limit Limit" **Chemical Testing** п 2. Residues In Water 34 Pesticide Residues ANqr RES-28 Alpha-HCH ug/ 0.01 No relaxation BDL(DL-0.01) Beta HCH n µg/l ANqr RES-28 0:04 No relaxation BDL(DL-0.03) iii Delta- HCH µg/l ANqr RES-28 0.04 BDL(DL-0.03) No relaxation iv Alachlor ANqr RES-28 µg/ 20 No relaxation BDL(DL-0.03) Aldrin / Dieldrin Y ANqr RES-28 No relaxation µg/l 0.03 BDL(DL-0.03) vi Atrazine ANqr RES-29 µg/l 2 No relaxation BDL(DL-0.03) vii Butachlor ANqr RES-29 µg/1 125 No relaxation BDL(DL-0.03) viii Chlorpyrifos ANgr RES-28 $\mu g/l$ 30 No relaxation BDL(DL-0.03)

DDT and its Isomers ANqr RES-28 ix µg/l 1 No relaxation BDL(DL-0.03) Gamma - HCH (Lindane) x µg/l ANqr RES-28 2 No relaxation BDL(DL-0.03) 2,4-Dichlorophenoxyacetic acid ANqr RES-29 xi µg/l 30 No relaxation BDL(DL-0.03) xii Endosulphan ANqr RES-28 0.4 µg/1 No relaxation BDL(DL-0.03) xiii Ethion ANqr RES-29 No relaxation µg/l 3 BDL(DL-0.03) xiv Isoproturon ANqr RES-29 42/1 9 No relaxation BDL(DL-0.03) Malathion XV ANgr RES-29 190 112/1 No relaxation BDL(DL-0.03) Methyl Parathion xvi ANqr RES-29 µg/1 0.3 No relaxation BDL(DL-0.03) xvii Monocrotophos µg/1 ANqr RES-29 No relaxation BDL(DL-0.03) xviii Phorate µg/1 ANgr RES-29 No relaxation BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANgr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Authorized Signatory

Sonali Gharpure Technical Manager

Dr. (Mrs.) S.D. Garway ANAC INLABS Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com


Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Land Use LAND USE/LAND COVER MAP OF KATAMATI IRON MINES OF M/S TATA STEEL LTD * LECEND NLEW ROW . PASING PASING PASING PAR PAR PAR 100.00006 Secon SECON BECODENES GREETES SER -896298 96-1268 umus NAP PREPARED FOR THE YEAR ENDING ON 31.63.2028 Pagarak bar RES LITA SPEEL LITA (1000)-aun "Samarah, You Segahara Samitan d Provide los Las Constructivas de UN Constructivas de VISSO Antoneo Granto, Press Notes Notes Las Const In Notes Las Constructions de Visiona Pol Setter Serviçana apartanto a rene POLICE Colors

Land use/Land cover (Core Zone) – Katamati Iron Mine

Annexure-6



Land use/Land cover (Buffer Zone) – Katamati Iron Mine

		Ne	Near Pit Office	ffice			Near	Near Metso Plant	Plant	Near Metso Plant Near View Point		Nea	Near View Point	Point			Nea	Near Murga Gate	Gate	
Month	PM ₁₀	PM _{2.5}	SO2	NOx	8	PM10	PM _{2.5}	so,	NOX	8	PM ₁₀	PM _{2.5}	SO2	NOX	8	PM10	PM ₂₅	SO2	NOX	6
Oct 20	59.8	25.6	8.3	15.4	0.314	59.0	24.1	7.2	17.6	0.313	58.5	22.5	8.2	17.5	0.314	62.6	24.3	8.3	19.6	0.333
Nov 20	58.5	24.6	8.0	16.8	0.308	59.7	22.8	8.3 8.3	18.3	0.308	58.0	21.4	8.2	17.8	0.319	60.8	23.0	7.7	18.5	0.318
Dec 20	61.0	23.1	8.0	16.9	0.308	59.9	22.1	8.1	17.6	0.300	56.4	20.0	7.6	18.8	0.305	69.5	29.4	9.1	20.4	0.369
Jan 21	58.4	22.6	8.3	17.8	0.299	62.1	20.2	7.8	17.7	0.289	59.8	18.3	8.1	17.4	0.288	68.9	28.2	10.2	20.7	0.385
Feb 21	58.8	21.7	7.8	17.4	0.290	59.8	20.8	8.7	18.3	0.293	58.0	19.0	8.3	17.4	0.276	68.1	27.8	10.6	19.2	0.316
Mar21	61.2	21.1	8.9	17.7	0.288	61.0	21.6	8.6	18.5	0.290	55.4	17.8	7.9	16.3	0.282	68.9	24.5	9.8	17.7	0.314

AVERAGE AIR QUALITY REPORT (CORE ZONE)	KATAMATI IRON MINE
E ZONE)	

AVERAGE AIR QUALITY REPORT (BUFFER ZONE)

		Tar	Tankura Village	lage			Mira	Miralgara Village	fillage			Kita	Kitabeda Village	Miralgara Village Kitabeda Village			B	Balita Village	lage	
Month	PM10	PM2.5	so ²	NOX	8	PM10	PM _{2.5}	SO2	NOX	8	PM ₁₀	PM2.5	SO ²	NOX	8	PM 10	PM _{2.5}	SO2	NOX	8
Oct 20	51.1	19.4	7.9	11.2	0.243	52.3	21.5	6.8	7.8	0.217	50.5	21.7	7.1	15.6	0.289	57.2	20.8	7.9	15.9	0.281
Nov 20	52.5	17.3	7.4	10.2	0.233	55.2	20.3	6.5	9.0	0.207	51.5	20.6	7.9	16.5	0.3	55.8	20.6	7.4	16.7	0.296
Dec 20	58.7	20.5	8.1	15.2	0.286	57,4	19.9	7.8	14.9	0.272	56.7	21.5	8.4	17.2	0.303	57.6	21.4	8.1	17.0	0.303
Jan 21	55.0	18.0	7.7	12.3	0.254	49.5	15.6	6.7	13.2	0.228	49.7	17.2	7.8	17.2	0.263	53.6	20.5	10. 5	17.7	0.287
Feb 21	51.1	17.2	7.9	12.0	0.212	50.0	15.6	6.8	13.8	0.227	54.2	18.9	10.3	17.5	0.288	49.6	17.3	8.3	17.2	0.273
Mar21	54.5	17.4	8.0	12.0	0.215	50.2	15.5	6.9	14.3	0.199	51.1	17.9	9.2	16.8	0.272	46.0	16.8	8.0	15.6	0.205

Unit of measurement for all parameters except CO $% \mathcal{A}^{(m)}$ is up for all parameters except CO is $\mathcal{A}^{(m)}$. Co is in $\mathsf{mg/m}^{(m)}$

Manager (Environment)



K...

1.

ŧ.,

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified

- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export Inspection council (EIC); AGMARK,

TEST REPORT

Issued T	0 :	Sam	ple Inward No.	2021/MON-	36/24-1	Analysis	1 of 3 Start	25/03/2021
M/s Kata	amati Iron Mine TA Steel Limited)	Refe	ard Date erence	25/03/2021 W.O 3000	132460/962	Analysis Sample C		31/03/202 Waste Wate
		Refe	erence Date	15.05.2020		oampie (attegory	waste wate
	ample Name op Effluent Quality		ple Particulars ple Code-WW-1	s	Sample Condition ealed & Ice Preserved	1		y Received & 250 ml
Anacon R	Sample Collected By Representative Mr. Siddharti	na Patra	Sampling I 23/03/202	CAN BE AN A REAL PROPERTY OF A R	Sampling Time 9 35 am	Ec	Sampling I juipment N	Location laintenance
			TEST RESULTS					
S.N.	Test Parameter		surement	Test Method	Standards (Land Surfa		Test	Result
			Unit		Ennis Out in		2 1 4 C	2.42.53

S.N.	lest Parameter		Test Method	Land Surface	
		Unit	·	Water)	Equipment Maintenance
I	Chemical Testing 1.Water				
1	pH value	-	IS 3025 (Part 11): 1983	5.5 to 9.0	7.03 at 25°C
2	Oil & Grease	mg/l	IS 3025 (Part 39) : 1991	10	7.54
3	Total Suspended Solid (TSS)	mg/l	IS 3025 (Part 17): 1984	100	28
4	Ammonical Nitrogen (as N)	mg/l	IS 3025 (Part 34):1988	50	5.16
5	Total Kjeldahl Nitrogen (as N)	mg/l	IS 3025 (Part 34) : 1988	100	7.14 -
6	BOD (3 days at 27°C)	mg/l	IS 3025 (Part 44) :1993	. 30	6.28
7	Chemical Oxygen Demand	mg/l	IS 3025 (Part 58) :2006	250	21,46
8	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.2	BDL(DL-0.1)
9	Phenolic Compounds (as C6H3OH)	mg/l .	IS 3025 (Part 43) : 1992	1.0	BDL(DL-0.1)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/T is equivalent to 'ppm'. • BDL-Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. REMARKS : As requested by the client, sample was tested for above parameters only.

Verified By

Legh Swati Shrivastava Technical Manager

Authorized Signatory au

Dr. (Mrs.) S.D. Garway Quality Manager

ANAC INLASS

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com



19

20

21

Zinc (as Zn)

Total Chromium (as Cr)

Vanadium (as V)

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified

Bo Souri 2018, ISO Head Table 1, ISO Holdon 2010, ISO Head Table 1, ISO

TEST REPORT

	Report No. : ALPL/31032021/01 d To :	Sample Inwar		MON-36/24-1		Analysis Start	25/03/2021
M/s F	Catamati Iron Mine TATA Steel Limited)	Inward Date Reference Reference Dat	W.O.	3/2021 - 3000132460/90 5.2020	52	Analysis End Sample Category	31/03/2021 Waste Water
Wo	Sample Name rkshop Effluent Quality	Sample Partic Sample Code-V			Condition Ice Preserved		y Received & 250 ml
Anaco	Sample Collected By on Representative Mr. Siddhartha I		ling Date)3/2021	Samplin 9.35	g Time am	Sampling Equipment M	
			TEST RES	ULTS			
		Measurement			Standards (In Land	Test I	Result
S.N.	Test Parameter	Unit	Test N	lethod	Surface Water)	Equipment !	Maintenance
п	Chemical Testing 2. Residues In Water						
10	Iron (as Fe)	mg/l	IS 3025 (Pa	art 2): 2019	3.0	0.	
11	Copper (as Cu)	mg/l		art 2): 2019	3.0		DL-5)
12	Manganese (as Mn)	mg/l	and the second se	art 2): 2019	2.0		DL-0.1)
13	Mercury (as Hg)	mg/l	and the second se	S: 3025 (Part 48): 1994 0.01		BDL(D	the second s
14	Cadmium (as Cd)	mg/l	and the second se	art 41) : 1992	2.0		0L-0.1)
15	Selenium (as Se)	mg/l		(Part 56)	0.05		DL-0.1)
16	Lead (as Pb)	mg/l		rt 47) : 2003	0.1		DL-0.1)
17	Arsenic (as As)	mg/l		art 37) : 1988	0.2		L-0.05)
18	Nickel (as Ni)	mg/l	IS:13428:200)5(Annexure L)	3.0	BDL(1	DL-0.1)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'; • BDL-Below detection limit • DL-Indicates detection limit • DL-Ind

IS 3025 (Part 2) : 2019

IS 3025 (Part 2) : 2019

IS 3025 (Part 2): 2019

REMARKS : As requested by the client, sample was tested for above parameters only.

mg/l

mg/l

mg/l

fied By ashikant Satdeve Sr. Chemist

Authorized Signatory

5.0

2.0

0.2

ian

BDL(DL-5)

BDL(DL-0.1)

BDL(DL-0.1)

ANAC MIL

Dr. (Mrs.) S.D. Garway Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified

- Recognized By Ministry of Environment & Forests (MoEP), New Delhi
 Approved by : Food Safety & Standards Authority of India under FSS Act;
 Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
 Export Inspection council (EIC); AGMARK.

TEST REPORT

Issued To : M/s Katamati Iron Mine (M/s TATA Steel Limited)	Inwa Refer	de Inward No. rd Date rence rence Date	2021/MON-36/24-1 25/03/2021 W.O 3000132460/962 15 05 2020	Anal	ysis Start ysis End ple Category	25/03/202 31/03/202 Waste Wate
Sample Name Workshop Effluent Quality		le Particulars c Code-WW-1	Sample Condition Sealed & Ice Prese			ty Received & 250 ml
Sample Collected By Anacon Representative Mr. Siddhartha	Patra	Sampling Dat 23/03/2021	te Sampling Time 9.35 am		Sampling Equipment N	

Standards (In Test Result Measurement Test Parameter Test Method S.N. Land Surface Unit **Equipment Maintenance** Water) I **Biological Testing** 1.Water Faecal coliform MPN/100 ml IS 1622 : 1981 --94 1 Chemical Testing 1.Water I IS 3025 (Part 4): 1983 Colourless' 0 (Colourless) Colour Hazen units IS 3025 (Part 5): 2018 Odourless 3 Odour Agreeable Shall not exceed 5°C above the 25°C °C APHA Method Temperature 4 receiving water temperature IS 3025 (Part 26) : 1986 BDL(DL-0.1) 5 Free residual chlorine mg/l 1.0 Shall pass 850 6 Particulate size of SS Gravimetric Method <850 micron IS Sieve BDL(DL-0.1) 7 APHA Method Free Ammonia (as NH₃) mg/ BDL(DL-0.1) IS 3025 (Part 60) : 2008 8 Fluoride (as F) mg/l 2.0 9 IS 3025 (Part 29) : 1986 2.0 BDL(DL-0.03) Sulphide (as S) mg/l 10 Nitrate Nitrogen APHA Method 10 BDL(DL-2) mg/l 90% Survival of 11 Bio Assay Test % APHA 22nd Edition fish after 96 hours 92% in 100% effluent 12 Hexavalent Chromium (as Cr⁺⁶) IS 3025 (Part 2) : 2019 0.1 BDL(DL-0.01) mg/l 13 Dissolved Phosphate (as P) IS 3025 (Part 31) : 1988 5.0 BDL(DL-0.1) mg/l

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no.5 is not relevant. • BDL-Blow detection limit • DL-Indicates detection limit of instrument/method and shall be considered as 'absent'. REMARKS : As requested by the client, sample was tested for above parameters only.

Verified By Luch a Shashikant Satdeve Swati Shrivastava Technical Manager

Authorized Signatories

Pooja Kathane Technical Manager

Jans

Dr. (Mrs.) S.D. Garway Quality Manager

ANAC ONLAS


Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122. Email : support@anacon.in; Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over small on feedback@anacon.in.

Environmental Expenditure (2020-21)

SI. No.	Heads / Item	Expenditure (Lakhs)	
		Capital	Recurring
1.	Development & maintenance of office garden		08
2.	Development of nursery & sapling for plantation		1.5
3.	Tree Planation & maintenance in & around Katamati		5
4.	Environmental monitoring in & around Katamati		14.76
5.	CAAQMS maintenance & operation & display board		12.76
6.	Operation of mobile water sprinklers		72
7.	Operation of fixed water sprinklers on Haul road		8
8.	Installation of new fixed water sprinkler line	50	
9.	Cleaning of garland drain & settling pits		1.00
10.	Annual maintenance of dry fog system at METSO		12.00
11.	Toewall extension		03
12.	HEMM maintenance at mega center for Katamati		04
	Total	50	142.02
Environmental Expenditure for the year 2020-21 at Katamati Iron Mine =~1.92Cr			

Katamati Iron Mine, TATA Steel Ltd



kept her going. Sudha won the 3000m run at Sucha won the soum run at Guangzhou as Indian athletes put up a remarkable show at the sporting extravaganza. The runner from Rae Ba-

reilly said her confidence took a nosedive when she failed to recover from illness and even thought of giving up her sports career but the benefits of the government job kept her going.

"After getting a job in the Railways in Mumbai through the sports quota following good performance in several events I fell seriously ill for about one year." Sudha, on a visit to her home district after returning from China, said. "I had lost confidence during

Sudha Singh that phase but I think it was

the fright of losing the job which came to me. it motiwhich came to me. It moti-vated me to make another at-tempt and the journey that followed thereafter resulted in bringing accolades." Sudha, who has had her earlier train-ing in the K D Singh Babu stadium in Lucknow said that in her preliminary stages also said that she had never thought of making sports a career, leave alone winning a gold

"I rather started by competing in school events and that gradually resulted in me mak-ing sports a full time career." she said, adding that she nev-er guidance from any top ath-hte.


Success at the school level Success at the school level brought her to Lucknow and after finishing sixth in the steeplechase event in the 2006 inter-railways competition, she decided to make sport a full-time career. She had also won the gold in the Gawahard Wational Games in 2006 which she said started her golden journey in the world of athlet-les.

ics. She is hoping that her winning streak would continue and that she would be able to repeat her performance in 2012 London Olympics.

hy Super League match

jarat. At Dharamsala: Karnataka 254 (Amit Verma 76, 5 Binny 109, M Sharma 5-29, 5 Singh 2-11) vs nachai Pradesh 1/0 At Rajkot: Railways 233/4 (F Fazal 107, S Bangar 79 no. J Unatkot 2-39, K Makvana 2-67) vs Saurash-tra. At Chennal: Tamil Natu vs Bengal (No play). At Ghaziahad: 10 367 // Saurash-

UP 167 (P Chawla 49, S Rana 4-51 D Singh 3-25) vs Harvana 84/0 (N Saini 49 n.o. R Dewari 34 n.o)



ooms

committee members of inat in a decade-old corruption

th FIFA member, Trinidadian ack Warner, seen as a key fig-nglish hopes, was accused by amme of trying to sell World ets on the black market. England's tobbying effort is

arheaded by Cameron, it re-unclear whether Russian calster Vladimir Putin would Zurich for the final hours of ing

xecutive committee will cast series of ballots starting at al time Thursday until one ceived an absolute majority a admitted that the decision e votes for the 2018 and 2022 ats at the same time was a alsing the probability of coi ween bidders. red States delegation in Zu-

ing led by former President with Oscar-winning actor eman also part of the team, hopes of victory suffered a nesday when it was con-the Oceania Football Conè. ାଥମପ୍ଞାର ଅକଶିଷାଂଶ)

ାର୍ଟି ଜନ୍ମିଜନ୍ମି । ଟେଲିକମ ମତ୍ତଶାଳୟ

ୀର୍ଜିଜାରର ଶଲ୍ୟ ବିକିସା ବିକାଗରେ ମ୍ରଲ୍ୟବାନ କାଠ ରହିଥିବାର ପଧାନ, ପ୍ରଥିମା ସାହ, ଶରତ ସେଠା, ରାଙ୍କ ଶାଙ୍ଖା ଅବସ୍ଥା ପତାରି କୃଛିକା ସଙ୍କାଚ ଭୂଣାଁ, ଜମଳେଶ ସାଗର ଓ ବିଶ୍ୱାସସ୍ଥାତରୁ ଖବରପାଇ ଅତର୍ଜିତ ରାଜିନ୍ତ ।ଗ୍ୱାସାହିଳ କଥିବେ ଲାଗ ଚହିଛ ଥାରୋକ ସାହ ପିମୁଖ କଂଗ୍ରେସ ନେତ୍ୱରଣ ବଢ଼ାଉ କରାଯାଇଥିଲା । ସେଠାରୁ ୍ଦରିଥିଲେ । ଏହାଛଡ଼ା ବଡ଼ ଯୋଗନେକଥିଲେ । ୨୫ ସିସ୍ଟ ପଶରକାଠ (ପ୍ରାୟ କଟକରେ ଶଞ୍ଚାରେ ମିଳୁଛି ସରକାରୀ ଜମି 9 ୫ହନାର ଟଙ୍କା) ଓଆରଠ ୨ଟି ୮୫୩୬ ନୟର ବିଶିଷ୍ଣ ମ୍ୟାକ୍ ତତତ୍କ, ୧। ୧୨ (ସିଏନଏସ) : କଟଳ କମ୍ପ ସମ୍ମାନ ପାଇଁ କଟକ ଆୟୁଥିବା ସହରର ମନ୍ଦ୍ରାହାନ ଅଞ୍ଚଳରେ ସରକାରୀ । ମତାଂସଲ ଲୋକମାନେ ଏହି ଅସମାନିକ ନମି ଗୁଣ୍ଡ ପ୍ରତି ୩୦ ନକାର ଟଙ୍କାରେ । ବ୍ୟକ୍ତିଙ୍କ ହାରା ପ୍ରଭାବିତ ନେଉଛନ୍ତି । TATA STEEL ଇଥି ।ମଇଁରନରେ ମଇଗୁକୃଷକ କଳାର । କୃଷକ କଳାରରୁ ମକିତନଗରକୁ ଏକ କର୍ଗରେ ପ୍ରନାୟ ଅଞ୍ଚଳର ଅଗମାଜିକ । ରାସା ପଡିଛି । ଏହି ରାସାର ଭାରଣ ଅନ୍ତିସଭୋଗାଜମିତ୍ତର ହଥଲ୍ଲ କରି । ପାର୍ଶ୍ୱରେ ଭକ୍ତ କମି ରହିଛି । ସହରରେ ଭାରତ ସରକାରଙ୍କ ଜଙ୍ଗର ଓ ପରିବେଶ ମତ୍ରଶାକ୍ଷର ତିପି ସଂଖ୍ୟା ଏହାକୁ କିନ୍ତି କରୁଛନ୍ତି । ଏହି କାର୍ଯ୍ୟରେ । କାସ ଗୁହର ସଙ୍କଟ ନେଖା ଦେଇଥିବାରୁ J-11015/63/2008 - IA. II (M) ତା: ୨୬/୧୧/୨୦୧୦ ହାରା ତାଟା ୁନାୟ ପୋଇଁସାସ ସରକାରା କର୍ମାଚାରୀ ଷିତ୍ର ଲିମିଟେକର କାଟାମାଟି ଗଣ୍ଡିରୁ ବାର୍ଷିକ ୨.୦ ନିୟୃତ ଜନରୁ ୮.୦ ନିୟୃତ କଳ୍ପ ରୋଜଗାରକ୍ଷମ ବ୍ୟକ୍ତିମାନେ ିମେଇ ଅଭାସର ନିର୍ବାହନ ନିର୍ବାହନ କିନ୍ତି କରେ ଅନେ ସାହର ଟଟକୁ ଜନ୍ମାପଥର ଖନନର ଜତ୍ସାଦନ ନମଚା ଦଡ଼ାଇଟା ପାଇଁ ପରିବେଶ

ପ୍ରଧାନମନ୍ତ୍ରୀଙ୍କ....

(ପ୍ରଥମପ୍ରଥାର ଅକ୍ଲିଷ୍ଣାଶ) ନାଟି କହିଛନ୍ତି । ଟେଲିକମ ମକ୍ତଣାନୟ ିତର ଭୂଲପାଇଁ ପ୍ରଧାନମତ୍ତାଙ୍କୁ ହୋଷା ନରାଲବା ପିଜ କୁହେଁ କୋଇଁ କୋର୍ଟ ନ୍ଦୌଳକି । ଏନକିଓ ପକ୍ଷରୁ ଯୁକ୍ତି କର୍ଶାର ିଲିକ ପ୍ରଶ୍ମଳ ଜୁଖଣ କର୍ଷିଛରି ଟେଲିଜମ ମ୍ଲାଣାକ୍ରଣ ଏହାର ଫାରକକୁ ଆଇନ ମିକ୍ତଶାଳୟ ନିକଟକୁ ପଠାଇତା ଜାନକାଳ । ଏହାପରେ ଆଇନ ଗରଶାଳୟ ମତ୍ତା ଗୋଷା ନିକଟକ ାଠାଇକା ହରଳାଇ ଚେରେ ଟେଲିନମ ମରଣାଳୟ ଏହାନ୍ତ୍ର କାସ୍ୟିକାରୀ କରିକାହିଁ । ତବାବରେ ସର୍କିସିଟର ଜେନେରାଲ କହିଛଡିଯେ ସରକାର ନିର୍ଦ୍ଦେଶଙ୍କୁ ପିକ୍ଟ <u>ଇ</u>ପେ କାର୍ଯ୍ୟକାରି କରାଯାଇଜିକ ନାହିଁ ତାର ଚର୍ଜମା ହେବା ଦଳନାଇ । ଏହି ଅବସରରେ ଅନ୍ଧାଲିତ ନହିଛର୍ତ୍ତି ବିକାରପଟି ଲିଏସ୍ ସିଂଘରି ନିବାରପଟି ଏ.କେ. ଗାଙ୍ଗୁଲି କର୍ଚ୍ଚିଛନ୍ତି ଟେରିଜମ୍ ଡିଭାଗ ଏକ ଘରୋଡ଼ ଦ୍ୟବସାହିକ ପ୍ରତିଷ୍ଠାନ ଭାବେ କାର୍ଯ୍ୟ କଳିସାରିବଳୀହିଁ । ଅନ୍ୟପକ୍ଷରେ ଜେଲା ବେଳେ ଏ. ରାଜା ସେଲୁମ ଆବଶ୍ଚନ ମାନସାରେ ସିଏଜିଙ୍କ କେତେଳ ତଥ୍ୟ ଉପରେ ପୁଣ୍ଣ ନରିଥିଲେ । ତେବେ ଏହି ଜେରା ୨ବରେ ଶ୍ରା ରାଜା କହିଥିଲେ ସେ ନିଜକୁ ନଶେ ଖାଳନାୟକ ଭଳି ମନେ ବଭ୍ନକର୍ତ୍ତି । କିନ୍ତୁ ସେଇନି ନଲାବିକାକ୍ ଅବାଲତ ତାଙ୍କୁ ଇହିଅଲେ ।

ମଂକୁରୀ ପ୍ରହାନ କରାଯାଇଅଛି । ଏହି ପରିବେଶ ମଂକୁରୀର ନକଳ ରାଜ୍ୟ ହୋଇପଡିଛି । ଏହାଜୁ ସୁଯୋଗ ପ୍ରତୁଷଣ କିଣ୍ନଶ୍ୱ କୋଳି, ଓଡ଼ିଶାଳ ଅପିସ୍ ଓ କଳକ ଓ ପରିବେଶ ମନେକରି ଅସାମାଜିକ ଯୁଦକମାନେ ମନ୍ତର୍ଭାକରର website: http://envfor.nic.in ରେ ଜପଳଞ । ଏହାର ଫାଇନ୍ଦାନେଉଛନ୍ଥି ।

UNION PUBLIC SERVICE COMMISSION

BRIEF NOTICE

Admission Certificates to the admitted candidates have been issued by UPSC for the following two Recruitment Tests to be held on 12.12.2010.

44 posts of Assistant Public Prosecutors	From 10.00 A.M	
in Government of NCT of Delhi	to 12.00 Noon	
10 posts of Junior Works Manager (Electrical in Ordnance Factory Board, Ministry of Defence)	From 02.00 P.M. to 04.00 P.M.	

2. The admitted candidates who do not receive the Admission Certificates may download the Venue Information from UPSC's website http://www.upsc.gov.in which may also be used for appearing in the Recruitment Test(s) alongwith proof of their identity and tow idential photographs, duly attested by Gazetted Officer, UPSC Facilitation Counter (10 A.M. to 5 P.M.): (011) 23381125,23385271, 23098543.

davp 55102/14/0030/1011

ଚାଲ୍ଟଅକାବେଳେ ଏହା ଜିପରି

ବନବିଭାଗ ଜର୍ଭୁପକ୍ଷଙ୍କ ନଜରକୁ

ଆସୁନାହିଁ ଡାହା ଜନସାଧାରଣରେ

TP

TATA

Λ.

1 30

କିସ୍ପୟ ସୃଷ୍ଟି ଜରିଛି । ଆଜିର

ମଧରେ ଛକଳା ପଶିଛି ।

ସୂଚନା

ବଢ଼ାଉ କ୍ୱାରା କାଠମାଫିଆଙ୍କ

GOVERNMENT OF ORISSA OFFICE OF THE EXECUTIVE ENGINEER **RWS&S DIVISION, PHULBANI** eerwss_plb@ ori.nic.in

INVITATION OF BIDS (IFB) Bid Identification No. EE (RWSS) PLB - 17 / 2010-11

The Executive Engineer, RWS&S Division, Pholbani, District-Kandhamal PIN-762001 on behalf of Governor of Odisha invites litern rates bids in sealed cover in contormity with DTCN and tender schedule for execution of the work to detailed below from eliciple potractors. Disc in 28 100 (SH)