

Member Secretary, State Environmental Impact Assessment Authority (SEIAA), Odisha <u>Bhubaneswar – 751 023, Odisha</u>

TSK/Env/C-08/06 /2021 27th May 2021.

Dear Sir,

**Sub.:** Half yearly compliance Report for Oct'20 to Mar'21, for Environmental Clearance in respect of construction of residential complex for Tata Steel at Kalinganagar Industrial Complex, at Khurunti and Gadapur, Dist. Jajpur, Odisha.

Ref.: EC Granted by SEIAA vide Letter No. SEIAA/ 4669 dated 17.08.2015

We enclose herewith Six-Monthly Compliance Report for the period from Oct'20 to Mar'21 for the conditions stipulated in Environmental Clearance on 17.08.2015 by SEIAA, Odisha for construction of residential complex for Tata Steel Plant located at Kalinganagar Industrial Complex, at Khurunti and Gadapur, Dist. Jajpur, Odisha for your kind considerations.

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

**US** Parkhi

Head, Environment, TSK

Encl. a/a

Copy to: The Addl. PCCF, Eastern Regional Office, MoEF, BBSR for his kind perusal.

The Member Secretary, OSPCB Bhubaneswar

The Regional Officer, OSPCB, KNIC

### TATA STEEL LIMITED

### Construction of Residential Complex For

### **Tata Steel Plant located at**

Kalinganagar Industrial Complex, at Khurunti and Gadapur, Dist- Jajpur, Odisha



**Environment Compliance Report** (Oct'2020 to Mar'2021)

Environment Department
Tata Steel Limited
Kalinganagar Industrial Complex
Duburi- 755026
Dist- Jajpur, Odisha

	GENERAL CONDITIONS	STATUS AS ON 31.03.2021
1.	The Project Proponent shall comply with all the conditions stipulated in the building approval letter.	We are implementing the project as per the conditions stipulated in the building approval letter.
2.	The applicant (Project proponent) will take necessary measures for preventions, control and mitigation of Air Pollution, Water Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned by them in form-1, form-1A, and Environment Management plan (EMP) in compliance with the prescribed statutory norms and standards.	Measures are being taken for preventions, control and mitigation of Air Pollution, Water Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned in form-1, form- 1A, and Environment Management plan (EMP) in compliance with the prescribed statutory norms and standards.
3.	The applicant will take statutory clearance/approval/permissions from the concerned authorities in respect of the project as and when required.	Statutory clearance/ approval/ permissions from the concerned authorities has been obtained in respect of the project as and when required, which includes:  • Approval from Kalinganagar Development Authority (KNDA)  • NOC from Director General of Civil Aviation for building height.  • NOC from Fire Department, Odisha.  • CTE and CTO from Odisha State Pollution Control Board  • Occupancy certificate from KNDA
4.	The applicant will submit half-yearly compliance report on post environmental monitoring in respect of the stipulated term and conditions in the environmental clearance to the State Environmental Impact Assessment Authority (SEIAA), Odisha, SPCB & Regional Office of the Ministry of Environmental & Forest, Odisha, on 1st June and 1st December of each calendar year.	We are submitting the six-monthly compliance report in stipulated time. Last Six-monthly compliance reports for the period Apr'20 to Sep'20 was submitted to MoEF/ OSPCB Regional Office on 01/12/2020.
5.	The project proponent shall obtain periodic Occupancy Renewal Certificate from the Competent Authority at an interval of 3 to 5 years as per the provisions of National Building Code (NBC) 2005.	We have obtained Occupancy certificate from Kalinganagar Development Authority on 14/03/2019. On time renewal of the same shall be done periodically.
6.	The proponent shall comply to all the conditions stipulated by the Fire Prevention Officer, Odisha.	We shall comply to all the conditions stipulated in the Fire Safety Certificate issued on 31.01.2019 and 30.11.2019 by the Chief Fire officer, Fire prevention wing.

	GENERAL CONDITIONS	STATUS AS ON 31.03.2021
7.	The Applicant will adopt the prescribed norms, and standards provided in the national Building Code of India 2005.	Noted and being complied.
8.	Consider the peak water consumption of the occupants, the design of the water supply system and sewage disposal system of the project should be based on the provisions of the water consumption.	Water supply system and sewage treatment system of the project is based on the peak water consumption of the occupants.
9.	The Project Proponent should ensure advertising in at least two local newspapers widely circulated in the region, one of which shall be in vernacular language informing the public that the project has been accorded environment clearance and copies of clearance letters are available with SEIAA, Odisha and the State Pollution Control Board (SPCB) And may also be seen on the website of the board. The Advertisement shall be made within 7 days from the date of issue of the environmental clearance & a copy of the same should be forwarded to the regional office of MoEF, Bhubaneswar.	Details of Newspaper advertisement are as below: -  Newspaper Language Date  New Indian English 15.09.15 Express  Samay Odia 15.09.15  Copy of the advertisement was submitted to SEIAA/MoEF/OSPCB vide our letter KPO/Env/C-08/61/2015 dated 18.09.2015. Please refer Annexure-1.
10.	A copy of the clearance letter shall be sent by the proponent to concerned panchayat, Zila Parisad / Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions / representations, if any, where received while Processing the proposal. The clearance letter shall also be put be on the Website of the Company by the proponent.	Copy of EC was submitted to Sarpanch-Sarangapur Gram Panchayat and Zila Parishad vide our letter no KPO/Env/C-08/62/ 2015 dated 18.09.2015.  Copy of EC was submitted to Kalinganagar Development Authority (KNDA) on 10.09.2015 vide letter KPO/CS/0135/15.
11.	The Proponent Shall upload the status of compliance of the stipulated environmental clearance conditions, including result of monitoring data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, SEIAA, Odisha, the respective zonal Office of CPCB and SPCB.	Status of compliance of the stipulated environmental clearance conditions, is available in company's website <a href="https://www.tatasteel.com/corporate/our-organisation/environment/environment-compliance-reports/">https://www.tatasteel.com/corporate/our-organisation/environment/environment-compliance-reports/</a> We are submitting the six-monthly compliance report in stipulated time.  Last Six-monthly compliance reports for the period Apr'20 to Sep'20 was submitted to the Regional office of MoEF,
		SEIAA, Odisha, the respective zonal Office of CPCB and SPCB in soft copy on 01.12.2020.

	GENERAL CONDITIONS	STATUS AS ON 31.03.2021
12.	The Environment statement for each financial year ending 31st March in form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the Status of compliance of environmental clearance conditions and shall also be sent to the respective regional Officers of the Ministry by e-mail.	Both, Environment Statement and Status of Compliance of EC conditions are available on company's website. https://www.tatasteel.com/corporate/our-organisation/environment/environment-compliance-reports/
13.	Any appeal against this environmental clearance shall lie with the Hon'ble Nation Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal act, 2010.	Noted.

### A. CONSTRUCTION PHASE

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
1.	No ground water shall be extracted for the project work at any stage during the construction phase. If ground water will be used during construction phase, they shall obtain permission from the Water Resource Department.	Water requirement for the said residential complex is being met from our Tata Steel Plant.  For which we have agreement with Jaraka irrigation department, Dept. of water resource, Govt. of Odisha and water allocation letter granted by dept. of water resource, Govt. of Odisha vide water resource department's letter No 21933 dtd 20.11.2020.
2.	Provision shall be made for the housing of construction labourers within site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilet, mobile STP safe drinking water, Medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of project.	Source of laborers is mainly from local area.  No temporary housing is provided for construction laborers in the project site.  First aid and medical facilities are available close to the site.
3.	A First Aid room will be provided in the project site both during construction and operation of the project.	First Aid room is provided at the complex.

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
4.	All the top soil excavated during construction activities should be stored separately for use in land filling, horticulture/landscape development within the project site.	Top soil excavated during construction is used for landscape development and plantation.
5.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities will be disposed off taking the necessary precaution for general safety and health aspects of people only in approved site with the approval of competent authority.	Proper storage and disposal is done to avoid any adverse effect to neighborhood. All precautions are taken for general safety and health.
6.	Construction spoils, including bituminous material and other Hazardous Materials should not be allow to contaminate watercourses, ground water and dump sites by following safe dumping / disposal practice as per statutory rules and norms with necessary approval of Odisha state Pollution Control Board.	Construction spoils including bituminous are stacked to avoid any contamination to the watercourses, ground water and dump sites. Hazardous waste (like used oil from DG sets) if generated during construction phase, shall be given to approve recycler of CPCB.
7.	The fuel for diesel generator sets to be used during construction phase shall be use low sulfur diesel fuel and should conform to Environment (Protection) rules 1986 prescribed for air emission and noise standard.	Low Sulphur diesel fuel is used for DGs during construction phase. DG sets will be conforming to Environment (Protection) rules 1986 prescribed for air emission and noise standard.
8.	The Diesel required for operating DG sets shall be stored in underground tanks and if, required, clearance from Chief Controller of Explosive shall be taken.	Diesel is sourced from nearby dispensing units and we do not envisage a storage capacity that requires clearance from CCOE.
9.	Vehicles used for bringing construction materials to the sites should be in good conditions and should have a pollution check certificate, covered and conform to statutory air and noise standards and should be operated only during non-peak hours of days.	Vehicles with valid "Pollution Under Control" certificate are allowed to enter to the site. Vehicles are checked periodically.
11.	Ambient noise level should conform to residential standards both during day and night. Incremental pollution loads on ambient air and noise quality should be closed monitored during construction phase. Adequate Measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ OPCB.  Fly ash bricks should be used as building material in the construction as per the provisions to fly ash notification of September 1999 and as amended thereafter.	To reduce noise level, movement of construction vehicles is carried out during non-peak hours and construction machinery with lesser noise and vibration parameters are used.  Regular dust suppression, preventive vehicle maintenance, etc. are ensured to control of dust and noise.  Fly ash bricks sourced from nearby areas, are being used as building material. Total 18.80 Lacs of fly ash

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
		bricks has been used for construction, till date.
12.	Ready mixed concrete should be used in building construction.	Ready mixed concrete is being used in building Construction. Till date 99630 cum of ready mix concrete has been used for construction purpose.
13.	Storm water control and its reuse should be as per CGWB and BIS Standard for these applications.	Provision for storm water control and its reuse are made inside our complex.
14.	Water demand during construction should be optimized by adopting best practices without compromising quality. It should be brought to the site by tanker.	Water conservation measures adopted to optimize water demand during construction phase.
15.	Separation of grey and black water supplies and collection should be done by the dual plumbing line. Grey and Black water should be adequately treated separately so as to confirm to the prescribed standard before recycling / reuse.	Provisional of dual plumbing is made during construction itself and same is being made operational for units which are ready to possession.
16.	Fixtures for showers, toilet flushing and drinking water should be low flow type and restricted to requirements by the use of aerators, avoiding wastage pressure reducing devices or sensor based controls.	Fixtures for showers, toilet flushing and drinking water has ensured to be low flow type and restricted to requirements by using aerators, avoiding wastage pressure reducing devices or sensor based controls.
17.	Use of glass may be, maximum up to 40% of the total outer wall area to reduce the energy consumption and load air conditioning. If necessary, high quality double glass with special reflective coating may be used in the windows.	Use of glass is being restricted to less than 40 % of the total outer wall area.
18.	Roof should meet the prescribed requirement as per energy conservation building Code by using appropriate thermal insulation material.	Roof is constructed as per energy conservation building Code norms.
19.	Opaque wall should meet prescribed requirement as per the energy conservation Building Code.	Opaque walls are made as per Energy Conservation Building Code.
20.	The approval of the competent authority shall be obtain for structural safety of the building due to earthquake, adequacy of firefighting equipment etc. as per National Building Code of India, 2005 including protection measure from lightning etc.	The approval for the structural safety of the building as per National Building Code of India, 2005 has been obtained from registered structural engineer/ Architect.
21.	Regular Supervision of the above and the other measures for the monitoring should be in place	Regular monitoring and supervision is being conducted during construction to

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
	all through the construction phase to avoid disturbances and pollution to the surrounding.	avoid disturbances and pollution to the surroundings.
22.	"Consent to Establish" shall be obtained from Odisha State Pollution Control Board before start of any construction work at the site.	We have obtained 'Consent to Establish' from Odisha State Pollution Control Board vide. Letter no. 17242, dtd. 31/10/2015

#### **B. OPETATION PHASE**

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
1.	No ground water shall be used during the operation phase. If ground water will be used during operation phase, they shall obtain permission from the water resources department.	Water requirement for the said residential complex is being met from our Tata Steel Plant.  For which we have agreement with Jaraka irrigation department, Dept. of water resource, Govt. of Odisha and water allocation letter granted by dept. of water resource, Govt. of Odisha vide water resource department's letter No 21933 dtd 20.11.2020.
2.	The proponent has to install STP of 730 KLD capacity. Treated effluent from STP shall be recycled / reused to the maximum extent possible after adequate treatment. Treatment of 100% grey water by decentralized treatment should be done. Discharged of unused treated effluent shall conform to the norms and standards of State Pollution Control Board. Necessary Measures should be taken to mitigate the odour problem of STP.	STP (1000 KLD) inside the premises is in operating condition. The treated water from STP is reused in plantation.  Discharge, if any during monsoon shall be ensured to meet the norms and standards of State Pollution Control Board.  At present, approx. 4500 KL/Month of waste water is being generated and is treated in STP.
3.	The Proponent shall provide a polishing pond inside the residential complex to store and reuse the treated waste water from STP. From the Polishing pond, the treated waste water shall be diverted for industrial use for their own steel plant. In no case there should be any discharge of treated effluent to outside of the project premises.	Treated wastewater from STP used in plantation and horticulture activities.
4.	The proponent shall take steps for protection of Ganda Nallah. There shall not be any	Most of the treated water from STP is reused and there is hardly any discharge

SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
Discharge from the residential Complex to Ganda Nallah.	from the residential complex to Ganda Nallah, except during monsoon.
	Discharge, if any during monsoon shall be ensured to meet the norms and standards of State Pollution Control Board.
The STP Sludge should not be dried nor incinerated within the Project site and should be dispose of as per the norms of SPCB, Odisha.	The sludge generated from STP is utilized as manure in green belt development area and gardens inside the premises or in steel plant.
The STP must treat all kind of pollutions present in it and its capacity should take into account the entire load of sewage generated by the inhabitants.	The STP is capable to treat all kind of pollutions present in its inlet and the capacity of STP has been designed for treatment of entire load of sewage generated from the residential complex.
The project proponent will ensure that under no circumstances, the environment is polluted due to non-functioning / under performance of sewage disposal system of the project.	Regular maintenance is carried out by dedicated team for smooth operation of sewage disposal system of the project.
The solid waste generated should be properly collected and segregated. Wet garbage should be disposed off to be composted and dry / inert solid waste should be dispose through a certified agency for safe disposal. Necessary approval / permissions may be obtained from the concerned authorities. In no case it should be left in the premises untreated	The solid waste generated is properly collected, segregated and disposed on regular frequency.  Wet garbage is converted into manure through Organic waste converters (2 Nos., each having input capacity of 200 Kg/hr.).
Diesel power generating sets proposed as source of back-up power for lifts elevators and common area illuminating during operation phase should be of enclose type and conform to Environment (Protection) rule 1986. The height of stack of DG sets should be equal to the height of needed for the combined capacity of all proposed DG sets put together and should be more than the highest building height. Low sulfur diesel should be used. The location of the DG set may be decided in consultation with Odisha State Pollution Control Board. Care may be taken to avoid disposal of smoke /	To meet the emergency power requirement, three (03) nos. of acoustically enclosed D.G sets of 125 KVA capacity is installed at site  Adequate stack height provided as per norms.  Low Sulphur diesel is being used.
	Discharge from the residential Complex to Ganda Nallah.  The STP Sludge should not be dried nor incinerated within the Project site and should be dispose of as per the norms of SPCB, Odisha.  The STP must treat all kind of pollutions present in it and its capacity should take into account the entire load of sewage generated by the inhabitants.  The project proponent will ensure that under no circumstances, the environment is polluted due to non-functioning / under performance of sewage disposal system of the project.  The solid waste generated should be properly collected and segregated. Wet garbage should be disposed off to be composted and dry / inert solid waste should be dispose through a certified agency for safe disposal. Necessary approval / permissions may be obtained from the concerned authorities. In no case it should be left in the premises untreated.  Diesel power generating sets proposed as source of back-up power for lifts elevators and common area illuminating during operation phase should be of enclose type and conform to Environment (Protection) rule 1986. The height of stack of DG sets should be equal to the height of needed for the combined capacity of all proposed DG sets put together and should be more than the highest building height. Low sulfur diesel should be used. The location of the DG set may be decided in consultation with Odisha State Pollution Control Board. Care

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
	Low sulfur diesel oil (LDO OR HSD) is to be used in DG sets.	
10.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time, the noise levels measured at the boundary of the sites shall be restricted to permissible levels to comply with the prevent regulations.	Provisions have been taken to attenuate noise like;  • movement of construction vehicles are restricted to peak hours only • use of construction machineries with lesser noise and vibrations  Regular monitoring of noise is being conducted and Noise levels at day time and night time are found in the range 46 –50 dB(A) and 38-40 dB(A) respectively.
11.	Green belt & avenue plantation of tree over the site area (minimum 20%) shall be done using native tree species / shrubs improving greenery & keeping in view aesthetics considerations in the whole complex. Professional landscape architects should be engaged to design the green layout to provide for multi-tier plantation and green fencing all around, mitigation various environmental pollutants like dust, noise, emission etc. and pathway for joggers.	Green belt development has been initiated and being expedited to cover more than 20% of the total land area.  To enhance the aesthetic beauty of township, development of landscapes inside township area is being implemented.  Green belt details as on date is given in tabular form as Annexure- 2.
12.	Rain water harvesting for roof runoff and surface runoff should be implemented as per submitted plan. Before recharging the runoff, pre-treatment must be done to remove suspended matter, oil, grease and other soluble components as per the norms. Rainwater recharge should be through specified recharge pits of required numbers. The surface runoff water should be stored suitably treated and reused for landscaping. The bore-well for rainwater recharging should be kept at least 5 meter above the highest ground water table. The technology may preferably be adopted from a registered commercial firm with performance guarantee.	Development of Rainwater harvesting structures are in progress.

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
13.	Weep holes in the compound walls shall be provided to ensure natural drainage of excessive rain water in the project area during the monsoon period after the harvesting operations. Care must be taken so that there is no water logging in the territory and drainage is 100%.	Weep holes are provided in compound walls for natural drainage of excessive rainwater during monsoon. Proper drainage has been provided to prevent water logging.
14.	Traffic congestion near the entry and exit points from the road adjoining the proposed project site must be avoided. Traffic congestion shall be avoided inside the project site. The area earmarked for parking shall not be used for any other purpose. Alternative entry and exit must be provided to handle excess traffic and emergency situations.	Separate entry and exit point to the township has been provided with 7 (seven) meter wide bituminous road to avoid traffic congestion.  Sufficient parking space has been provided inside the premises at the area earmarked for parking.
15.	A report on the energy conservation measures to energy conservation norms finalized by the bureau of energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc. and submitted to the SEIAA, Odisha in three months' time before operation/habitation.	Report on the energy conservation measures has been submitted to the SEIAA, Odisha vide our Letter No. KPO/Env/C-08/ 67/ 2017 dtd. 15. 03. 2018.  We have also obtained necessary permissions prior to operation/habitation as below:  CTO from Odisha State Pollution Control Board on 04/04/2018  Fire Safety Certificate from Directorate General Fire Services, Home guards and civil defence, Odisha on 31/01/2019 and 30/11/2019.  Occupancy certificate from Kalinganagar Development Authority on 14/03/2019.
16.	The proponent shall be use at least 2-5% of non-conventional energy (solar energy) (i.e. % of total energy consumption).	Provisions for installation of Solar Panel on roof top has made, especially for street lights. Solar panels for same shall be installed.
17.	Provisions of solar hot water storage / supplies at the roof of top may be made as per statutory norms of CPCB/MoEF/SPCB, Odisha.	Provision has been made as per statutory norms of CPCB/MoEF/SPCB, Odisha.

	SPECIAL CONDITIONS	STATUS AS ON 31.03.2021
		Installation and commissioning of Solar water geysers (total capacity 17500 L) in buildings are completed.
18.	Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TLFs should be properly collected and disposed off/ sent for recycling as per the prevailing guidelines / rules of the regulatory authority to avoid toxic contamination, use of solar panels be adopted to the maximum extent possible, especially for street lights.	Energy conservation measures will be adopted starting from the operation phase and shall be in place before project commissioning.  The used CFLs and TFLs will be handed over to authorized vendors for the proper disposal.  Use of solar panels has considered to the maximum extent possible, especially for street lights.
19.	The building blocks should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	The building blocks are planned and designed in such a way to allow movement of fresh air and passage of natural light, air and ventilation, between them.
20.	The funds earmarked for the environment protection measures shall be judiciously utilized. Under no circumstances this fund shall be diverted for other purposes like annual allocation and maintenance / monitoring etc. and expenditure for this fund should be reported to the SEIAA, Odisha on regular basis.	The funds earmarked for the environment protection measures has not been diverted for any other purposes and is judiciously utilized.



#### **Annexure-1**



The State Environment Impact Assessment Authority (SEIAA), Odisha has accorded Environmental Clearance to Residential Complex of Tata Steel Limited for Tata Steel Plant located at Kalinganagar Industrial Complex at Village Khurunti & Gadapur, in the district of Jajpur, Odisha.

The copies of Environmental Clearance, SEIAA/4669 dated 17.08.2015 are available for reference with SEIAA, Odisha and Odisha State Pollution Control Board (OSPCB) and may also be seen at website of the Board.

The State Environment Impact Assessment Authority (SEIAA) has accorded the environmental clearance for the said project under the provisions of EIA Notification, 2006.

Project Manager, Residential Complex, Tata Steel





The Member Secretary, State Environmental Impact Assessment Authority, Qr. No.- 5RF-2/1, Unit-9 Bhubaneswar - 751012, Odisha.

KPO/Env/C08/ & \ /2015 18<sup>th</sup> Sept . 2015

Dear Sir,

Sub: Environmental Clearance for proposed construction of Residential Complex of Tata Steel Ltd located at KNIC at Khurunti & Gadapur, Dist - Jajpur with Total Built up Area of 147380 Sq. m

Kindly refer to the Environmental Clearance granted by SEIAA, vide letter no. SEIAA/4669 for the above referred project which was received by us on 10.09.2015.

We wish to submit that in compliance with the stipulated General Condition no. 9 of the above referred Environmental Clearance, information regarding grant of Environmental Clearance was given to public through newspaper advertisement as per the following details:

Language	News paper	Page No.	<u>Date</u> 15/09/2015	
Odia	The Samay	03		
English	New Indian	09	15/09/2015	

Copies of above advertisements are enclosed for your kind information.

We trust the information furnished is in compliance with the condition.

Thanking You,

Yours faithfully For Tata Steel Limited

Ragin Kuman

Rajiv Kumar

Vice President, Operations, KPO

VP (Operations-KPO)
Encl. As above L LIMITED

Copy: Addln. PCCF(C), MoEF Eastern Regional Office for kind information — Member Secretary, OSPCB for kind information

#### **Annexure-2**

#### Green belt development report

Year of Plantation	No. of Tree Plantation	No. of Shrubs Plantation	Total area covered (Sqmt)	Area under plantation (Sqmt)	Tree Survival (%)
Till 2018	5000	-	20000	0	85 %
2018-19	400	12000	7055	0	95.74
2019-20	150	4000	2645	0	94.00
2020-21	40	2000	640	2000	100
Total Till date	6090	18000	32340	2000	_

#### Species planted:

Spathodea campanulata, Cordia sebestena, Anthocephalus cadamba (Kadamba), Ficus benjamina, Bauhina purpurea (Kanchana), Acacia aurifuliformis (Acacia), Dalbergia sissoo (Sisu), Azadirachta indica (neem), Cassia tora L (Chakunda), Peltophorum pterocarpum (Yellow Gulmohar), Lagerstriemia indica (Sabani), Nerium olender (Kaniar)

#### Maintenance:

- o Maintenance is done on regular basis by dedicated horticulture team.
- o For watering tankers fitted with flexible pipe are used.
- o There are also fixed pipelines provided for watering of plantation.
- o Pesticides and fertilizers are used as per requirement.

### Some photographs of Residential Complex



View of a block of building



Solar panels at roof top



Sewage Treatment plant in operation



Building in progress



Children's park inside residential complex



Organic waste management facility- Organic waste converter

---X---