

To, The Additional Principal Chief Conservator of Forest, Regional Office (Eastern Central Zone) Ministry of Environment, Forests and Climate Change, Govt. of India Bungalow No. A-2, Shyamali Colony, Ranchi – 834002, Jharkhand.

Ref No. - JMB/ENV/MSBSL/61/ 398/2021

May 28, 2021

Ref.: Environmental Clearance letter No.-J-11015/162/2008-IA.II (M), Dated-19th January 2012.

SUB: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEFCC, New Delhi to Mahal Saharjuri Bagula Sand Lease, Tata Steel Limited, Dhanbad for the period October'20 to March'21

Dear Sir,

We are enclosing herewith compliance report for the period **October'20 to March'21** for the EC granted vide letter no.-J-11015/162/2008-IA.II (M), Dated-19th January 2012 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

Copy of the compliance report is also being sent in soft format through email at <u>ro.ranchi-mef@gov.in</u> for your kind perusal. We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

Head⁽(Planning) Jharia Division, Tata Steel Ltd.

Encl: As above.

- Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5th Floor 1582, Rajdanga Main Road, Kolkata -700107.
- Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa, Ranchi 834004.
- Copy to: Regional Officer, JSPCB, HIG-1 Sardar Patel Nagar, Housing Colony, Hirapur, Dhanbad

HALF YEARLY COMPLIANCE REPORT (PERIOD: OCTOBER'20 – MARCH'21)

MAHAL SAHARJURI BAGULA SAND LEASE (CAPACITY: 0.1 MTPA RIVER BED SAND) VILLAGE: MAHAL, SAHARJURI & BAGULA, DIST: BOKARO, JHARKHAND



TATA STEEL LIMITED, JHARIA DIVISION P.O. - JAMADOBA, DIST. - DHANBAD, STATE- JHARKHAND, PIN CODE – 828112

ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/162/2008-IA.II(M) DATED- 19.01.2012 ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW DELHI.

S. No.	Condition	Compliance Status
Specifi	c Condition	
(i)	The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board, and effectively implement all the conditions stipulated therein.	The Consent to Establish has been granted by JSPCB vide letter no. PC/NOC/DHN/155/2010-D-498(N) dated 31.03.2015. The current CTO is valid till 31.03.2026. All the conditions as stipulated in the consent are being complied with.
(ii)	The project proponent shall comply with section 3 of the Mines Act.	It is being complied.
(iii)	The Company shall submit within 3 months their policy towards Corporate Environment Responsibility which should inter-alia provide for (i) Standard operating process / process to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions, (ii) Hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the EC conditions and (iii) System of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders.	The Company already has an Environment Policy approved by the Managing Director and it addresses all the issues mentioned. The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. The environment management cell directly reports to General Manager and it is reviewed on weekly basis. We have an online system (Legatrix) to monitor the statutory requirements and compliance in time. This is reviewed by Board of Directors at company's level.
(iv)	Sand collection shall be done at the middle/ main stream and not at the bank of the river to avoid any change of the river course due to the project.	Sand excavation is done by leaving 1/5th of the width of the river intact for maintaining the embankment. It will be ensured that no change in the river course takes place.
(v)	Particulate level (PM2.5) shall be monitored regularly and the result placed in the public domain.	Monitoring of PM2.5 has been carried out in this period. The report is given as Annexure-I.
(vi)	The project proponent shall identify the degraded area within the mine lease and undertake plantation/afforestation in the area identified by planting the native species.	The mine lease area is a riverbed. Hence we approach the villagers and assist them in planting the native species as well as fruit plants in the villages. Some of the native species are Pipal, Ber, Jamun, Alostromia, Palash, Karanj, Kadamb etc.
(vii)	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out of haul	It is being complied. Water spraying is done on the transportation roads on regular basis. The ambient air quality is regularly monitored and analyzed by own as well as MoEF&CC recognized lab and conform the prescribed standards. Reports are enclosed as Annexure-I.

	roads. It should be ensured that the	
	Ambient Air Quality parameters conform	
	to the norms prescribed by the Central	
	Pollution Control Board in this regard.	
(viii)	The project proponent shall undertake	The extraction of sand is done with utmost
	adequate safeguard measures during	care of the environment. There is no
	extraction of river bed material and ensure	extraction of water as well as no change in
	that due to this activity the	river course involved hence there will be no
	hydrogeological regime of the	impact on the hydrogeological regime. The
	surrounding area shall not be affected.	monitoring report of the ground water level
	Regular monitoring of ground water level	and quality is given as Annexure-I.
	and quality shall be carried out around the	
	mine lease area by establishing a network	
	of existing well and installing new	
	piezometers during the mining operation.	
	The periodic monitoring [(at least four	
	times in a year- pre-monsoon (April-May),	
	monsoon (August), post-monsoon	
	(November) and winter (January); once in	
	each season)] shall be carried out in	
	consultation with the State Ground Water	
	Board/Central Ground Water Authority	
	and the data thus collected may be sent	
	regularly to the Ministry of Environment	
	and Forests and its Regional Office	
	Bhubaneswar, the Central Ground Water	
	Authority and the Regional Director,	
	Central Ground Water Board. If at any	
	stage, it is observed that the groundwater	
	table is getting depleted due to the mining	
	activity, necessary corrective measures	
	shall be carried out.	
(ix)	The project proponent shall obtain	No water is required for the operation of
(1A)	necessary prior permission of the	project. Drinking water required by the
	competent authorities for drawl of	workers is arranged by the company.
	requisite of water (surface water and	workers is arranged by the company.
	groundwater), if any, required for the	
	project.	
(x)	Appropriate mitigative measures shall be	Adequate monitoring of the health of the
(A)	taken to prevent pollution of the river in	vehicles used for transportation of sand is
	consultation with the State Pollution	ensured to avoid any oil & grease leakage.
	Control Board. It shall be ensured that	Higher capacity trucks have been deployed.
	there is no leakage of oil and grease in the	Without valid fitness certificates and PUC,
	river from the vehicles used for	the vehicles are not allowed to ply and it is
(v :)	transportation.	regularly checked.
(xi)	Vehicular emissions shall be kept under	The vehicles used are regularly checked and
	control and regularly monitored. The	maintained. Only vehicles having PUC
	mineral transportation shall be carried out	certificates can ply. Transportation of sand
	through the covered trucks only and the	is always done via tarpaulin-covered trucks

	vehicles carrying the mineral shall not be	which are optimally loaded. This is		
	overloaded.	monitored whenever vehicles enter premises at weighbridge gate.		
(xii)	No drilling and blasting operation shall be carried out.	Not applicable as it is a sand mining project.		
(xiii)	Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Sand being coarse in nature and having high moisture content during gathering & transportation does not get air borne. Sand stored in the sand yards is transferred to underground voids through surface bunkers in a slurry form. However, dust control measures while transporting of sand is in place through water tanker, coverage of trucks and optimal loading.		
(xiv)	Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	As per our policy, PME's (Periodical Medical Examination) are conducted at regular intervals.		
(xv)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The workers are from the neighboring villages and hence new housing facilities are not required.		
(xvi)	The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e., PM10) and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharge water shall also be monitored [(TDS, DO, PH, Fecal Coliform and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	The monitoring of the air parameters has been done in this period. There is no use of water for mining operation hence there is no discharge. Details of air analysis are given in Annexure-I . The monitoring reports are regularly uploaded on company's website along with half-yearly EC compliance reports.		

В.	GENERAL CONDITIONS	
(i)	No change in mining technology and	It will be complied with.
	scope of working should be made	
	without prior approval of the Ministry of	
	Environment and forests.	
(ii)	No change in the calendar plan including	It will be complied with.
	excavation, quantum of sand from river	
	bed and waste should be made.	
(iii)	Conservation measures for protection of	No rare species are found in the area.
	flora and fauna in the core & buffer zone	
	should be drawn up in consultation with	
	the local forest and wildlife department	
	and effectively implemented.	
(iv)	Atleast four ambient air quality-	The monitoring stations have been
	monitoring stations should be established	established and monitoring jobs are being
	in the core zone as well as in the buffer	performed regularly. The ambient air
	zone for RSPM (Particulate matter with	quality analysis reports are attached as
	size less than 10micron i.e., PM10) and	Annexure-I.
	NOx monitoring. Location of stations	
	should be decided based on the	
	meteorological data, topographical	
	features and environmentally and	
	ecologically sensitive targets and	
	frequency of monitoring should be undertaken in consultation with the State	
	undertaken in consultation with the State Pollution Control Board.	
(It is being submitted as Annowing Lin this
(v)	Data on ambient air quality [(RSPM(Particulate matter with size less	It is being submitted as Annexure-I in this compliance report.
	than 10micron i.e., PM10) and NOx]	compitalee report.
	should be regularly submitted to the	
	Ministry including its regional office at	
	Bhubaneswar and to the State Pollution	
	Control Board/ Central Pollution Control	
	Board once in six months.	
(vi)	Fugitive dust emissions from all the	Sand, being coarse in nature and having
(-)	sources should be controlled regularly.	high moisture content, does not get air
	Water spraying arrangement on haul	borne during gathering & transportation.
	roads, loading and unloading and at	However, dust control measures while
	transfer points should be provided and	transporting of sand is in place through
	properly maintained.	water tanker, coverage of trucks and
		optimal loading.
(vii)	Measure should be taken for control of	Proper PPE's are provided to all the
	noise levels below 85 dBA in work	workers.
	Environment. Workers engaged in	
	operations of HEMM, etc. should be	
	provided with ear plugs / muffs.	
(viii)	Industrial waste water (Workshop and	No waste water generation will take place.
	Waste water from the mine) should be	

r		
	properly collected, treated so as to	
	conform to the standards prescribed	
	under GSR 422f(E) dated 19th May 1993	
	and 31st December 1993 or as amended	
	from time to time. Oil and Grease trap	
	should be installed before discharge of	
	Workshop effluents.	
(ix)	Personnel working in dusty area should	It will be complied with.
	wear protective respiratory devices and	-
	they should also be provided with	
	adequate training and information on	
	safety and health aspect.	
	Occupational Health Surveillance	
	programme of the worker should be	
	undertaken periodically to observe any	
	contraction due to exposure to dust and	
	-	
()	take corrective measures, if needed	We have a concerte Engineering and the
(x)	A separate Environmental Management	We have a separate Environmental
	cell with suitable qualified personnel	Management Cell with qualified personnel.
	should be set-up under the control of a	The reporting of Environmental Cell is
	senior executive, who will report directly	directly to General Manager of the
	to the Head of the Organization.	Division.
(xi)	The funds earmarked for environmental	Expenditure on Environmental Protection
	protection measures should be kept in	measures is monitored separately. It is
	separate A/C and should not be diverted	provided in the Environment Statement
	for other purposes. Year wise	every year. The annual expenditure for the
	expenditure should be reported to this	financial year 2019-20 included Rs.2 lakhs
	ministry and its regional office located at	for water spraying activities on transport
	Bhubaneswar.	road
(xii)	The project authorities should inform to	The CTE and CTO of the project have been
	the Regional Office located at	granted by JSPCB. The permission for
	Bhubaneswar regarding date of financial	lifting of sand from the river bed has also
	closures and final approval of the project	been granted by District Mining Officer,
	by the concerned authorities and the date	Bokaro.
	of start of land development work.	
()	-	
(xiii)	The regional office of this ministry	It will be complied with.
	located at Bhubaneswar shall monitor	
	compliance of the stipulated conditions.	
	The project authorities should extend full	
	co-operation to the officer (s) of the	
	regional office by furnishing the requisite	
	Data/ information/ Monitoring reports.	
(xiv)	The project proponent shall submit six	It is being complied with. We are
	monthly reports on the status of	submitting the six-monthly compliance
	compliance of the stipulated	reports to MoEF&CC, its regional office,
	environment clearance conditions	CPCB and SPCB twice a year. In adherence
	including results of monitored data (both	with the guideline as per notification dt.
	in hard copies as well as by e-mail) to the	with the guidefine as per nouncation dt.
	in natu copies as well as by e-mail) to the	

	Ministry of Environment and Forests, its Regional Office Bhubaneswar, the respective zonal office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.	26.11.2018, we are sending only soft copy of the compliance status report over mail.
(xv)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, Urban local Body and the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	It has been complied with.
(xvi)	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and the Collector's Office / Tehsildar's Office for 30 days.	The copy of clearance letter has been sent to JSPCB office and its compliance report is also submitted to JSPCB.
(xvii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and also be sent to the respective Regional Office of the Ministry on Environment and Forests, Bhubaneswar by e-mail.	The environmental statement for financial year 2019-20 has been submitted to JSPCB on 28 th September 2020 and it is also uploaded on the company website. The soft copy of Environment Statement is also sent to MOEF by email at ro.ranchi- mef@gov.in.
(xviii)	The project authorities should advertise at least in two local newspapers of the District or State in which the project is located and widely circulated, one of	It has been complied with.

which shall be in the vemacular language	
6 6	
of the locality concerned, within 7 days	
of the issue of the clearance letter	
informing that the project has been	
accorded environmental clearance and a	
copy of the clearance letter is available	
with the State Pollution Control Board	
and also at website of the Ministry of	
Environment and Forests at	
http://envfor.nic.in and a copy of the	
same should be forwarded to the	
Regional Office of this Ministry located	
at Bhubaneswar.	

Annexure- I

Ambient Air Quality Analysis Report

Period- October'20 to December'20

Name of Industry : Mahal Saharjuri Sand Mining Project

No. of sampling points : 4

Same Para La satira	Date of Sampling/ Weather Condition					
Sampling Location	October'20	November'20	December'20			
Mahal School Near Izri River	22.10.2020/Rainy	17.11.2020/ Clear	23.12.2020/ Clear			
Lagla Gram Panchayat	22.10.2020/ Rainy	17.11.2020/ Clear	23.12.2020/ Clear			
Bagula School	23.10.2020/ Clear	18.11.2020/ Clear	24.12.2020/ Clear			
Shahar Juri School	23.10.2020/ Clear	18.11.2020/ Clear	24.12.2020/ Clear			

	Latitude/		PM 10	PM 2.5	SO ₂	NOx
Location	Longitude	Date	PM 10 Level :	PM _{2.5} Level :	SOx Level: 24	NOx Level: 24
			24 Hourly	24 Hourly	Hourly Limit-	Hourly Limit-
			Limit100µg/m ³	Limit-60µg/m ³	80µg/m ³	$80\mu g/m^3$
Mahal	23°38'06.1'N /	22.10.2020	64.2	34.5	12.2	13.2
School Near	86°23'41.2" E	17.11.2020	67.3	36.4	13.1	14.5
Izri River		23.12.2020	66.7	35.3	12.7	13.5
Lagla Gram	23°37'21.3" N/	22.10.2020	55.0	31.5	11.6	12.2
Panchayat	86°23'35.3" E	17.11.2020	59.0	32.5	12.0	13.3
		23.12.2020	62.0	35.2	12.5	13.4
Bagula	23°36'27.3" N/	23.10.2020	58.0	32.7	11.0	12.7
School	86°21'59.7" E	18.11.2020	61.2	33.5	11.2	13.1
		24.12.2020	63.5	34.5	12.3	13.5
Shahar Juri	23°36'26.6" N/	23.10.2020	63.4	30.5	11.5	13.0
School	86°20'58.9" E	18.11.2020	63.5	32.2	12.4	13.5
		24.12.2020	65.0	35.0	12.8	13.5
Minimum		55.0	30.5	11.0	12.2	
Maximum			67.3	36.4	13.1	14.5
Average			62.4	33.65	12.1	13.28



Annexure- I

Ambient Air Quality Analysis Report

Period- January'21 to March'21

Name of Industry : Mahal Saharjuri Sand Mining Project

No. of sampling points : 4

Compline Leastion	Date of Sampling/ Weather Condition				
Sampling Location	January'21	February'21	March'21		
Mahal School Near Izri River	19.01.2021/ Clear	23.02.2021/ Clear	24.03.2021/ Clear		
Lagla Gram Panchayat	19.01.2021/ Clear	23.02.2021/ Clear	24.03.2021/ Clear		
Bagula School	20.01.2021/ Clear	24.02.2021/ Clear	25.03.2021/ Clear		
Shahar Juri School	20.01.2021/ Clear	24.02.2021/ Clear	25.03.2021/ Clear		

	Latitude/		PM 10	PM 2.5	SO ₂	NOx
Location	Longitude	Date	PM 10 Level:	PM 2.5 Level: 24	SOx Level: 24	NOx Level: 24
			24 Hourly	Hourly Limit-	Hourly Limit-	Hourly Limit-
			Limit-100µg/m ³	$60\mu g/m^3$	$80\mu g/m^3$	$80\mu g/m^3$
Mahal	23°38'06.1'N /	19.01.2021	63.8	34.2	12.1	12.5
School Near	86°23'41.2" E	23.02.2021	66.4	35.4	12.7	13.2
Izri River		24.03.2021	65.5	35.3	12.2	12.4
Lagla Gram	23°37'21.3" N/	19.01.2021	54.7	31.2	11.3	12.7
Panchayat	86°23'35.3" E	23.02.2021	58.9	32.3	12.4	13.2
		24.03.2021	61.0	34.7	12.2	13.4
Bagula	23°36'27.3" N/	20.01.2021	57.5	32.1	11.0	12.6
School	86°21'59.7" E	24.02.2021	60.8	33.4	11.2	12.8
		25.03.2021	62.5	34.2	12.5	13.1
Shahar Juri	23°36'26.6" N/	20.01.2021	63.2	30.5	11.5	13.0
School	86°20'58.9" E	24.02.2021	63.5	31.7	11.4	13.2
		25.03.2021	64.7	34.0	12.3	13.4
Minimum		54.7	30.5	11.0	12.4	
Maximum		66.4	35.4	12.7	13.4	
Average			61.94	33.28	11.9	12.95



Annexure- I

Ground Water Quality Analysis

Ground water level fluctuation in and around Core & Buffer zone area of sand mining lease Post- Monsoon Season- November'20

				Sample Parameter			
S.No	Date	Location	Time	Depth in meter (m)	рН	Electrical Conductivity, µS/m	Total Hardness (as CaCO ₃), mg/l
1	17.11.2020	Premsinghdih	10:40AM	2.15	7.2	604	402
2	17.11.2020	Lagla	11:33AM	2.05	7.1	488	332
3	17.11.2020	Alakdih	11:25AM	1.45	7.0	496	340
4	17.11.2020	Joradih	12:50PM	2.10	7.1	564	402
5	17.11.2020	SEB Quarters	11:35AM	2.04	7.2	668	310
6	17.11.2020	Kargali	02:40PM	2.16	7.0	480	302
7	17.11.2020	Kumargora	01:30PM	1.35	7.0	594	308
8	17.11.2020	Bhojudih	01:25PM	1.23	7.1	582	436
9	17.11.2020	Mahal	12:00PM	1.24	7.0	500	312
10	17.11.2020	Sudamdih	1:45PM	1.54	7.1	588	340

Winter Season- January'21

				Sample Parameter			
S.No	Date	Location	Time	Depth in meter (m)	рН	Electrical Conductivity, µS/m	Total Hardness (as CaCO ₃), mg/l
1	19.01.2021	Premsinghdih	10:15AM	2.23	7.2	612	412
2	19.01.2021	Lagla	11:30AM	2.25	7.1	504	342
3	19.01.2021	Alakdih	10:55AM	2.15	7.0	516	354
4	19.01.2021	Joradih	01:45PM	2.30	7.1	588	424
5	19.01.2021	SEB Quarters	11:10AM	2.24	7.2	674	333
6	19.01.2021	Kargali	01:45PM	2.46	7.0	488	328
7	19.01.2021	Kumargora	11:45PM	1.65	7.0	608	318
8	19.01.2021	Bhojudih	12:50PM	1.83	7.1	592	452
9	19.01.2021	Mahal	12:25PM	2.14	7.0	522	336
10	19.01.2021	Sudamdih	12:15PM	2.24	7.1	596	358



Annexure- I

SI.		Somuling	Somuling	Temp	рН	TSS	BOD	Oil & Grease
51. No.	Location	Sampling Date	Sampling Time	< 40°C	5.5 - 9.0	100 mg/l	30 mg/l	10 mg/l
1.	River Gowai Up Sttream	18.11.2020	10:30 AM	27.2	7.6	22	3.8	0.5
2.	River Damodar Down Stream	18.11.2020	10:45 AM	28.0	7.7	23	4.1	0.8
3.	Laghla (Pond)	18.11.2020	01:25 PM	26.8	7.5	21	4.2	0.1
4.	Alakhdih(Pond)	18.11.2020	01:35 PM	26.4	7.6	22	3.6	0.1
5.	Joradih (Pond)	18.11.2020	11:40 AM	27.3	7.4	22	3.2	0.1
6.	SEB Quarters (Pond)	18.11.2020	11:15 AM	28.0	7.4	23	3.3	0.2
7.	Kargali (Pond)	18.11.2020	12:25 PM	27.6	7.5	25	3.1	0.2
8.	Kumargora (Pond)	18.11.2020	12:55 PM	27.2	7.6	23	4.0	0.2
9.	Bhojudih (Pond)	18.11.2020	12:45 PM	27.0	7.4	23	2.4	0.1

Surface Water Quality Analysis







31440

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/11/2020 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF AMBIENT AIR*

Name of the Customer: Tata Steel Colliery (Sand Lease Area)Address of the Customer: Jamadoba, Distt. Dhanbad JharkhandDate of Sampling: 10.11.2020Sample Collected By: Mr.Virendra PandeySampling Method: IS: 5182Instrument Used: RDS & FDSLocation: Lagla Gram Panchayat

SI. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
l.	PM2.5 (µg/m ³)	SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	48.5	12.5-1000	60
2.	PM10 (µg/m3)	1S:5182 (Part-23)	92.4	12.5-1000	100
3,	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	15.5	9-200	80
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	32.2	6-200	80
5.	NH3(µg/m ³)	SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	14.8	2-700	400
6.	O3 (µg/m ³)	IS:5182(Part-9)	16.6	2-200	180
7.	CO (mg/m ³)	IS:5182 (Part-10)	0.63	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	-
11.	As (ng/m ³)	SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	06
12.	Ni (ng/m³)	SOP NO. A -21, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	20

*The results is related only to tested item. Note: Below Detection Limit

applymen Analyst

Authorized Signatory

Ecomen Laboratories Pvt. Ltd. Hat No.-8, 2nd Floor, Arif Chamber-V S. tor-H, Aliganj, Lucknow-226024

Ouality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-2/11/2020 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF AMBIENT AIR*

	Addres Date of Sample Sample	s of the Customer : Jamado F Sampling : 11.11.2 Collected By : Mr.Vire ng Method : IS: 5182 nent Used : RDS &	ba, Distt. D 020 endra Pande 2	(Sand Lease) hanbad Jhark y	
SI. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1.	PM _{2.5} (µg/m ³)	SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	39.5	12.5-1000	60
2.	PM10 (µg/m3)	IS:5182 (Part-23)	74.8	12.5-1000	100
3.	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	13.9	9-200	80
4.	$NO_2(\mu g/m^3)$	1S:5182 (Part-6)	17.6	6-200	80
5.	NH3(µg/m ³)	SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	11.8	2-700	400
6.	$O_3 (\mu g/m^3)$	IS:5182(Part-9)	18.8	2-200	180
7.	CO (mg/m ³)	IS:5182 (Part-10)	0.83	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m ³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	-
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	
11.	As (ng/m ³)	SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	06
12.	Ni (ng/m ³)	SOP NO. A -21, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	20

*The results is related only to tested item. Note: Below Detection Limit

Analyst

Authorized Signatory

Authorized Signatory Ecomen-Laboratories Pvt. Ltd. Fat No.-8, 2nd Floor, Arif Chamber-V Sector-H. Aligani, Lucknow-226024

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-3/11/2020 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF AMBIENT AIR*

Name of the Customer	:	Tata Steel Colliery (Sand Lease Area)
Address of the Customer		Jamadoba, Distt. Dhanbad, Jharkhand
Date of Sampling	:	08.11.2020
Sample Collected By	:	Mr.Virendra Pandey
Sampling Method	:	IS: 5182
Instrument Used	-	RDS & FDS
 Location	1	Icchar High School
225.5		NAAQ

SI. No.	Tests Conducted	Method	Results	Detection Range	Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1.	PM _{2.5} (µg/m ³)	SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	47.5	12.5-1000	60
2.	$PM_{10}(\mu g/m^3)$	IS:5182 (Part-23)	79.7	12.5-1000	100
3.	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	12.6	9-200	80
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	20.8	6-200	80
5.	NH3(µg/m ³)	SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	13.8	2-700	400
6.	O3 (µg/m ³)	IS:5182(Part-9)	14.6	2-200	180
7.	CO (mg/m ³)	IS:5182 (Part-10)	BDL	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	-
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	
11.	As (ng/m ³)	SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	06
12.	Ni (ng/m ³)	SOP NO. A -21, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	20

Analyst

Authorized Signatory Ecomen-Laboratories Pvt. Ltd. 1.... No.-8, 2nd Floor, Arif Chamber-V S:ctor-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10 TEST REPORT NO:ECO LAB/AAQ-4/11/2020 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF AMBIENT AIR*

Name of the Customer	: Tata Steel Colliery (Sand Lease Area)	£.
Address of the Customer	: Jamadoba, Distt. Dhanbad Jharkhand	00
Date of Sampling	: 09.11.2020	
Sample Collected By	: Mr.Virendra Pandey	
Sampling Method	: IS: 5182	
Instrument Used	: RDS & FDS	
 Location	: Railway Colony Bhojudih	
		3

SI. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1.	PM _{2.5} (µg/m ³)	SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	48.6	12.5-1000	60
2.	$PM_{10}(\mu g/m^3)$	IS:5182 (Part-23)	78.6	12.5-1000	100
3.	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	16.3	9-200	80
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	18.8	6-200	80
5.	NH3(µg/m ³)	SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	13.7	2-700	400
6.	O3 (µg/m ³)	IS:5182(Part-9)	16.64	2-200	180
7.	CO (mg/m ³)	IS:5182 (Part-10)	0.37	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	-
11.	As (ng/m ³)	SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	06
12.	Ni (ng/m ³)	SOP NO. A -21, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	20


*The results is related only to tested item. Note: Below Detection Limit.

Xikasturonen Analyst

Authorized Signatory

ality Manager

Laboratories Pvt. Ltd. No.-8, 2nd Ploor, Arif Chamber-V tor-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726





E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/MCPM/11/20 TEST REPORT ISSUE DATE: 11.12.2020

MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the Customer Address of the Customer

- : M/s Tata Steel Ltd. (Sand Lease Area)
- : Jamadoba,
 - Distt. Dhanbad 828 112

Month

: November, 2020

			Mineralogical Composition (in %)						
S.NO.	Locations	Date of Sampling	Silica (SiO ₂)	Ferrous oxide (FeO)	Alumina (Al ₂ O ₃)	Calcium Oxide CaO			
1	Saharjuri School	11.11.2020	2.30	0.24	137	2.73			
2	Lagla Gram Panchayat	10.11.2020	1.50	0.18	1.20	2.68			

Analyst

Authorized Signatory

Enomen Laboratories Pvt. Ltd. 1...No.-8, 2nd Floor, Arif Chamber-V S. etor-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726 nall: ravi.bhargaya@gmail.com_Website: untrascentered and an anti-



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AN/11/20 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF AMBIENT NOISE LEVEL

Name of the Customer Address of the Customer Sample Collected By Instrument Used

- : Tata Steel Colliery (Sand Lease Area)
- : Jamadoba, Distt. Dhanbad Jharkhand
- : Mr. Virendra Pandey
- : Noise Meter (HTC)

SI.	Locations	ocations Date of		Day Time			Night Time		
No.		Monitoring	Max.	Min.	Leq.	Max.	Min.	Leq	
l.	Lagla Gram Panchayat	10.11.2020	64.5	58.5	59.6	55.3	49.8	50.2	
2.	Saharjuri School	11.11.2020	66.8	57.5	62.5	50.5	48.3	49.3	
3.	Icchar High School	08.11.2020	68.5	52.7	62.3	46.5	43.3	44.7	
4.	Railway Colony Bhojudih	09.11.2020	70.8	48.2	50.8	50.5	44.6	46.6	

Noise (Ambient Standard)

Area Cod	e Category of area	Limit in dB	(A) Leq
		Day Time	Night Time
A	Industrial Area	75	70
В	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

Day time is reckoned in between 6:00 AM and 10:00 PM.

Night time is reckoned in between 10:00 PM and 6:00 AM

Silence zone is defined as area up to 100m around such premises as hospitals,

Educational institutions & courts. The silence zones are to be declared by a competent authority.4. Mixed categories of areas should be declared as one of the four above-mentioned

Categories by the competent authority and the corresponding standard shall apply.

Analyst

Authorized Signatory

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H12I

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/1244/11/20 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF SURFACE WATER*

Name of the Customer Address of the Customer

Sampling Method Sample Collected by Sample Quantity Date of Sampling Date of Sample Receiving Date of Analysis Source of Sample Sample ID Code M/s Tata Steel Ltd. (Sand Lease Area)
Jamadoba, Distt. Dhanbad - 828 112
APHA, 23rd Ed. 2017
Mr. Virendra Pandey
As per requirement
10.11.2020 to 12.11.2020
18.11.2020
18.11.2020 to 02.12.2020
Gowai River, Up Stream
ELW-12605

		· LLVV-1200	15		
SL No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	рН	APHA,23#Ed.2017,4500H+A+B,	7.92	212	12.2
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B		2-12	8.5
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23 rd Ed.2017 (2540C)	13.4 596.0	1-100 5-10000	
4.	Dissolved Oxygen as DO (mg/l)	APHA,23rd Ed.2017 (4500 A+C)	5.9		1500
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 ⁻⁴ Ed.2017 (5210A+ B)	BDL	2-10 5-10000	4.0
6.	Chloride as CI (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	44.0	5-1000	3.0
7.	Fluorides as F (mg/l)	APHA,23 rd Ed.2017 (4500 -C)			-
8,	Sulfate as SO4 (mg/l)	APHA,23rd Ed.2017 (4500 -SO42 E)	0.41	0.05-10	1.5
		(4500 -SO(* E)	53.1	1.0-250	400.0

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Hikashupmen Anatyst

Authorized Signatory

Econicn-Laboratories Pvt. Ltd. Flat No.-8, 2nd Roor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

uality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/11/20 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF SURFACE WATER*

Name of the Customer	: M/s Tata Steel Ltd. (Sand Lease Area)
Address of the Customer	: Jamadoba,
Sampling Method Sample Collected by Sample Quantity Date of Sampling Date of Sample Receiving Date of Analysis Source of Sample Sample ID Code	Distt. Dhanbad - 828 112 : APHA, 23 rd Ed. 2017 : Mr. Virendra Pandey : As per requirement : 10.11.2020 to 12.11.2020 : 18.11.2020 : 18.11.2020 to 02.12.2020 : Gowai River,Down Stream : ELW-12606

	· LLW-12000						
SL No. TESTS		TESTS PROTOCOL		Detection Range	IS:2296 Class-C		
1,	pH	APHA,23 rd Ed.2017, 4500H+A+B,	8.02	2-12			
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B			8.5		
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23 rd Ed.2017 (2540C)	24.4	1-100	-		
4.	Dissolved Oxygen as DO (mg/l)	APHA,23=4 Ed.2017 (4500 A+C)	6.4	2-10	1500		
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 rd Ed.2017 (5210A+ B)	BDL	5-10000	4.0		
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 CI A+B	50.0	5-1000	3.0		
7.	Fluorides as F (mg/l)	APHA,23 ⁻⁴ Ed.2017 (4500 - C)	1.000 C		-		
8.	Sulfate as SO4 (mg/l)		0.46	0.05-10	1.5		
	(indian)	APHA,23rd Ed.2017 (4500 -SO42 E)	64.2	1.0-250	400.0		

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Analyst

Authorized Signatory

Ecomen-Laboratories Pvt. Ltd. First No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024 i'h.-2746282, Fax:2745726

Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/11/20 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF SURFACE WATER*

Name of the Customer Address of the Customer	: M/s Tata Steel Ltd. (Sand Lease Area) : Jamadoba,
Sampling Method Sample Collected by Sample Quantity Date of Sampling Date of Sample Receiving	Distt. Dhanbad - 828 112 : APHA, 23 rd Ed. 2017 : Mr. Virendra Pandey : As per requirement : 10.11.2020 to 12.11.2020 : 18.11.2020
Date of Analysis	: 18.11.2020 to 02.12.2020
Source of Sample	:Izri River, Up Stream
Sample ID Code	: ELW-12607

SI. No. TESTS		TESTS PROTOCOL		Detection Range	IS:2296 Class-C		
1.	pH	APHA,23-4Ed.2017,4500H+A+B,	7.46	2-12	8.5		
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	9.2		8.3		
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23 rd Ed.2017 (2540C)	634.0	1-100	1500		
4.	Dissolved Oxygen as DO (mg/l)	APHA,23 ^{-d} Ed.2017 (4500 A+C)	6.0	2-10	4.0		
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 rd Ed.2017 (5210A+ B)	BDL	5-10000	3.0		
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 CI A+B	60.0	5-1000			
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 -C)	10000		•		
8.	Sulfate as SO4 (mg/l)	APHA,23 rd Ed.2017 (4500 -SO42 E)	0.49 60.1	0.05-10	1.5		

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Analyst

Authorized Signatory

Econten Laboratories Pvt. Ltd. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H121

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/11/20 TEST REPORT ISSUE DATE: 11.12.2020

TEST REPORT OF SURFACE WATER*

Name of the Customer : M/s Tata Steel Ltd. (Sand Lease Area) Address of the Customer : Jamadoba, Distt. Dhanbad - 828 112 Sampling Method : APHA, 23rd Ed, 2017 Sample Collected by : Mr. Virendra Pandey Sample Quantity : As per requirement Date of Sampling : 10.11.2020 to 12.11.2020 Date of Sample Receiving : 18.11.2020 Date of Analysis : 18.11.2020 to 02.12.2020 Source of Sample : Izri River, Down Stream Sample ID Code : ELW-12608

SL No. TESTS		TESTS PROTOCOL		Detection Range	IS:2296 Class-C
1,	рН	APHA,23rd Ed.2017, 4500H+A+B,	7.76	2-12	8,5
2,	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	18.4	1-100	
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23 rd Ed.2017 (2540C)	672.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,23rd Ed.2017 (4500 A+C)	5.5	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23rd Ed.2017 (5210A+ B)	BDL	5-10000	3.0
б.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	68.0	5-1000	
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 - C)	0.53	0.05-10	1.5
8,	Sulfate as SO4 (mg/l)	APHA,23rd Ed.2017 (4500 -SOc2 E)	66.0	1.0-250	400.0

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Anatyst

Authorized Signatory

Manager

In Laboratories Pvt. Ltd.
 No.-8, 2nd Floor, Arif Chamber-V
 Hor-H, Aliganj, Lucknow-226024
 In.-2746282, Fax:2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024



Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726 E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/02/2021 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF AMBIENT AIR*

÷

Name of the Customer Address of the Customer Date of Sampling Sample Collected By Sampling Method Instrument Used Location

Tata Steel Colliery (Sand Lease Area)
Jamadoba, Distt. Dhanbad Jharkhand
12.02.2021
Mr.Arvind Singh
IS: 5182
RDS & FDS

Lagla Gram Panchayat

Sl. No.Tests Conducted1.PM2.5 (µg/m³)		Method		Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
		SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	46.8	12.5-1000	60
2.	PM10 (µg/m3)	1S:5182 (Part-23)	92.5	12.5-1000	100
3.	$SO_2(\mu g/m^3)$	1S:5182 (Part-2)	14.8	9-200	80
4.	NO2(µg/m3)	1S:5182 (Part-6)	26.4	6-200	80
5. NH ₃ (μg/m ³)		SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	17.32	2-700	400
6.	O3 (µg/m ³)	IS:5182(Part-9)	18.24	2-200	180
7.	CO (mg/m ³)	IS:5182 (Part-10)	0.68	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m ³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	-
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	
11.	As (ng/m ³)	SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	06
12.	SOP NO. A -21, Issue No.1		BDL	1-100	20

Analyst

Authorized Signatory Ecomen Laboratories Pvt. I.td. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-225024 Ph.-2746282, Fax:2745726

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/02/2021 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer Address of the Customer Date of Sampling Sample Collected By Sampling Method Instrument Used Location Tata Steel Colliery (Sand Lease Area)
Jamadoba, Distt. Dhanbad Jharkhand
12.02.2021
Mr.Arvind Singh
IS: 5182
RDS & FDS

: Saharjuri School

SI. Tests No. Conducted		Mothod		Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
		SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	39.6	12.5-1000	60
2.	PM10 (µg/m3)	IS:5182 (Part-23)	76.8	12.5-1000	100
3.	SO ₂ (µg/m ³)	IS:5182 (Part-2)	14.32	9-200	80
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	18.23	6-200	80
5. NH ₃ (μg/m ³)		SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	14.6	2-700	400
6.	O3 (µg/m ³)	1S:5182(Part-9)	19.6	2-200	180
7.	CO (mg/m ³)	1S:5182 (Part-10)	0.81	0.2-500	04
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0
9.	Cr (µg/m³)	SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	141
10.	Cd (µg/m³)	SOP NO. A -24, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)	BDL	1-100	•
11,	SOP NO. A -22, Issue No.1		BDL	1-100	06
12.	Ni (ng/m ³) SOP NO. A -21, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)		BDL	1-100	20

ona Analyst

Authorized Signatory Ecomen Laboratories Pvt. Ltd. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-II, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/02/2021 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer Address of the Customer Date of Sampling Sample Collected By Sampling Method Instrument Used Location

- Tata Steel Colliery (Sand Lease Area)
 Jamadoba, Distt. Dhanbad, Jharkhand
 13.02.2021
- : Mr.Arvind Singh
- : IS: 5182
- : RDS & FDS

: Icchar High School

 PM_{2.5} (µg/m³) date 26.07.2016 		Method		Detection Range	NAAQ Standards as pe CPCB, New Delhi, Nov. 18 th 2009	
		SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	46.2	12.5-1000	60	
2.	PM10 (µg/m3)	IS:5182 (Part-23)	81.28	12.5-1000	100	
3.	SO2(µg/m3)	1S:5182 (Part-2)	13.20	9-200	80	
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	21.46	6-200	80	
5.	SOP NO. A -26, 19		14.3	2-700	400	
6.	O3 (µg/m ³)	1S:5182(Part-9)	17.2	2-200	180	
7.	CO (mg/m ³)	IS:5182 (Part-10)	BDL	0.2-500	04	
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0	
9.	Cr (µg/m ³) SOP NO. A -23, Issue I date 26.07.2016 (CPCB-NAAQM Guide		BDL	1-100	141	
10.	SOP NO. A -24, Iss		BDL	1-100		
n.	As (ng/m ³) SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)		BDL	1-100	06	
12,	SOP NO. A -21, Issue No.1		BDL	1-100	20	

Analyst

Authorized Signatory Ecomen Laboratories Pvt. I.td. Flat No.-8, 2nd Floor, Anf Chamber-V Sector-IL Aliganj, Lucknow-225024 Fh.-2746282, Fax:2745726

w Manager Qualit

ecoMen

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10 TEST REPORT NO:ECO LAB/AAQ-1/02/2021 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer Address of the Customer Date of Sampling Sample Collected By Sampling Method Instrument Used Location

- : Tata Steel Colliery (Sand Lease Area)
- : Jamadoba, Distt. Dhanbad Jharkhand
- : 13.02.2021
- : Mr.Arvind Singh
- : 1S: 5182
- : RDS & FDS


: Railway Colony Bhojudih

SI. Tests No. Conducted		Mathod		Detection Range	NAAQ Standards as pe CPCB, New Delhi, Nov. 18 th 2009	
1.	PM _{2.5} (µg/m ³)	SOP NO. A -15, Issue No.1 date 26.07.2016 (Gravimetric Method)	48.1	12.5-1000	60	
2.	PM10 (µg/m3)	IS:5182 (Part-23)	81.56	12.5-1000	100	
3.	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	15.84	9-200	80	
4.	$NO_2(\mu g/m^3)$	IS:5182 (Part-6)	18.80	6-200	80	
5. NH ₃ (μg/m ³) SOP NO. A -26, Issue No date 26.07.2016		SOP NO. A -26, Issue No.1 date 26.07.2016 (Indophenol Method)	15.12	2-700	400	
6.	O3 (µg/m ³)	IS:5182(Part-9)	18.20	2-200	180	
7.	CO (mg/m ³)	IS:5182 (Part-10)	0.38	0.2-500	04	
8.	Pb(µg/m ³)	IS:5182(Part-22)	BDL	1-100	1.0	
9.	Cr (µg/m ³) SOP NO. A -23, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)		BDL	1-100		
10.	SOP NO. A -24, Issue N		BDL	1-100	•	
11.	As (ng/m ³)	As (ng/m ³) SOP NO. A -22, Issue No.1 date 26.07.2016 (CPCB-NAAQM Guideline)		1-100	06	
12.	SOP NO. A -21, Issue No.1		BDL	1-100	20	

chang Analyst

Authorized Signatory Ecomen Laboratories Pvt. Ltd. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-II, Aliganj, Lucknew-226024 Ph.-2746282, Fax:2745726

Quality Manager



eco Men

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AN/03/21 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF AMBIENT NOISE LEVEL

Name of the Customer Address of the Customer Sample Collected By Instrument Used : Tata Steel Colliery (Sand Lease Area)

: Jamadoba, Distt. Dhanbad Jharkhand

: Mr. Arvind Singh

: Noise Meter (HTC)

SI.	Locations	Date of		Day Time			Night Time	
No.	Locations	Monitoring	Max.	Min.	Leq.	Max.	Min.	Leg
1.	Lagla Gram Panchayat	12.02.2021	62.1	55.2	58.2	54.5	46.8	49.8
2.	Saharjuri School	12.02.2021	64.9	56.8	62.1	47.3	46.9	45.6
3.	Icchar High School	13.02.2021	63.8	52.2	64.3	44.8	41.6	43,4
4,	Railway Colony Bhojudih	13.02.2021	69.2	47.6	50.3	48.8	43.2	45.7

Noise (Ambient Standard)

Area Co	de Category of area	Limit in dB	(A) Leq
		Day Time	Night Time
A	Industrial Area	75	70
В	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

Day time is reckoned in between 6:00 AM and 10:00 PM.

Night time is reckoned in between 10:00 PM and 6:00 AM

3. Silence zone is defined as area up to 100m around such premises as hospitals,

Educational institutions & courts. The silence zones are to be declared by a competent authority. 4. Mixed categories of areas should be declared as one of the four above-mentioned

Categories by the competent authority and the corresponding standard shall apply.

nalvst

Authorize renatory

Ecomen-Laboratories Pvt. Ltd. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aligani, Lucknow-226024 Ph.-2746282, Fax:2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/MCPM/03/21 TEST REPORT ISSUE DATE: 09.04.2021

MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the Customer Address of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

ustomer : Jamadoba,

Distt. Dhanbad - 828 112

Month

: February,2021

S.NO.			Mineralogical Composition (in %)					
	Locations	Date of Sampling	Silica (SiO ₂)	Ferrous oxide (FeO)	Alumina (Al ₂ O ₃)	Calcium Oxide CaO		
1	Icchar High School	13.02.2021	2.42	0.28	1.42	2.78		
2	Railway Colony Bhojudih	13.02.2021	1.58	0.21	1.21	2.79		

Analyst

Authonized Signatory

OIAQ Quality Manager

Ecomen Laboratories Pvt. Ltd. FLi No.-8, 2nd Floor, Arif Chamber-V Sector-II, Aliganj, Lucknew-225024 Ph.-2746282, Fax:2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aligani, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

Date of Analysis

Source of Sample

TEST REPORT NO: ECO LAB/SW/02/21 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer	: M/s Tata Steel Ltd. (Sand Lease Area)
Address of the Customer	: Jamadoba,
	Distt. Dhanbad - 828 112
Sampling Method	: APHA, 23rd Ed. 2017
Sample Collected by	: Mr. Arvind Singh
Sample Quantity	: As per requirement
Date of Sampling	: 10.02.2021 to 13.02.2021
Date of Sample Receiving	: 16.02.2021

- ; : 10.02.202.
 - : 16.02.2021 to 27.02.2021
 - : Gowai River, Up Stream

SI. No.	TESTS	PROTOCOL.	RESULT	Detection Range	15:2296 Class-C
1.	pH	APHA,23=Ed.2017,4500H+A+B.	7.80	2-12	8.5
2.	Turbidity as (NTU)	AFHA, 23rd Ed. 2017, 2130-A+B	13.9	1-100	3
3.	Total Dissolved Solids as TDS (mg/l)	APHA.23* Ed.2017 (2540C)	\$12.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA.234 Ed.2017 (4500 A+C)	6.2	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,234 Ed.2017 (5210A+ B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23cd Ed. 2017, 4500 Cl A+B	51.0	5-1000	<u>1</u>
7.	Fluorides as F (mg/l)	APHA.23 ^{ad} Ed.2017 (4500 -C)	0.46	0.05-10	1.5
8.	Sulfate as SO4 (mg/l)	APHA,23* Ed.2017 (4500 - SO4* E)	54,3	1.0-250	400.0

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

nalyst

Authonized Signatory

Ecomen-Laboratories Pvt. Ltd. FLt No.-8, 2nd Floer, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.acomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

1

TEST REPORT NO: ECO LAB/SW/02/21 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer	: M/s Tata Stee
Address of the Customer	: Jamadoba,
	and a second

Sampling Method Sample Collected by Sample Quantity Date of Sampling Date of Sample Receiving Date of Analysis Source of Sample

- M/s Tata Steel Ltd. (Sand Lease Area)
- Distt. Dhanbad 828 112
- : APHA, 23rd Ed. 2017
- : Mr. Arvind Singh
- : As per requirement
- : 10.02.2021 to 13.02.2021
- : 16.02.2021
- : 16.02.2021 to 27.02.2021
- : Gowai River, Down Stream

SL No.	TESTS	PROTOCOL	RESULT	Detection Range	15:2296 Class-C
1.	pH	APHA,234 Ed.2017, 4500H+A+B,	8.16	2-12	85
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	26.3	1-100	1
3.	Total Dissolved Solids as TDS (mg/l)	APHA.234 Ed.2017 (2540C)	716.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA.234 Ed.2017 (4500 A+C)	6.8	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 st Ed.2017 (5210A+ B)	BDL	5-10000	3.0
6,	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	52.3	5-1000	20 E
Я.	Fluorides as F (mg/l)	APHA.234 Ed.2017 (4500 - C)	0.52	0.05-10	1.5
8.	Sulfate as SO4 (mg/l)	APHA,234 Ed.2017 (4500 -SOc2 E)	66.3	1.0-250	400.0

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

1.0 nalyst

Authorized Signatory

Ph.-2746282, Fax:2745726

Formen Laboratories Pvt. Ltd. Hut No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024

lanager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2745282, 2745726 Telefax No.: (91 - 522) 2745725

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/02/21 TEST REPORT ISSUE DATE: 09.04.2021

econ

LABORATORIES PVT LTD.

TEST REPORT OF SURFACE WATER*

Name of the Customer Address of the Customer

Sampling Method Sample Collected by Sample Quantity Date of Sampling Date of Sample Receiving Date of Analysis Source of Sample

- M/s Tata Steel Ltd. (Sand Lease Area)
 Jamadoba, Distt. Dhanbad - 828 112
- : APHA, 23rd Ed. 2017
- : Mr. Arvind Singh
- : As per requirement
- : 10.02.2021 to 13.02.2021
- : 16.02.2021
- : 16.02.2021 to 27.02.2021
- : Izri River, Up Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	рН	APHA,23-4Ed.2017,4500H+A+B,	7.52	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	9.8	1-100	- 215
3,	Total Dissolved Solids as TDS (mg/l)	APHA,23**Ed.2017 (2540C)	648,0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA.23rd Ed.2017 (4500 A+C)	5.8	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 ⁴⁶ Ed.2017 (5210A+ B)	BDL	5-10000	3.0
б,	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	56.0	5-1000	- 12 A
7.	Fluorides as F (mg/l)	APHA,23* Ed.2017 (4500 -C)	0.52	0.05-10	1.5
8.	Sulfate as 5O ₄ (mg/l)	APHA,23** Ed.2017 (4500 ~SOv* E)	62.4	1.0-250	400.0

*The result are related only to item tested + The parameters are not included in IS: 2296 Class-C BDL – Below Detection Limit

nalyst

Authorized Signatory

Ecomen Laboratories Pvt. I.td. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226924 Ph.-2746282, Fax:2745726

Quality Manager

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/02/21 TEST REPORT ISSUE DATE: 09.04.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer : M/s Tata Steel Ltd. (Sand Lease Area) Address of the Customer : lamadoba, Distt. Dhanbad - 828 112 : APHA, 23rd Ed. 2017 Sampling Method Sample Collected by : Mr. Arvind Singh Sample Quantity : As per requirement Date of Sampling : 10.02.2021 to 13.02.2021 : 16.02.2021

- Date of Sample Receiving Date of Analysis Source of Sample
- : 16.02.2021 to 27.02.2021
- : Izri River, Down Stream

SL No.	TESTS	PROTOCOL.	RESULT	Detection Range	15:2296 Class-C
1.	pH	APHA,234 Ed.2017, 4500H+A+B,	7.82	2-12	8.5
2.	Turbidity as (NTU)	APRA, 23rd Ed. 2017, 2130-A+B	19.2	1-100	
3.	Total Dissolved Solids as TDS (mg/l)	APHA.23*4 Ed.2017 (2540C)	678.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,234 Ed.2017 (4500 A+C)	5.2	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23* Ed.2017 (5210A+ B)	BDL	5-19000	3.0
6,	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 CI A+B	72.0	5-1000	
7.	Fluorides as F (mg/l)	APHA,23* Ed.2017 (4500 - C)	0.56	0.05-10	1.5
8.	Sulfate as SO4 (mg/l)	APHA,234 Ed.2017 (4500 -SO42 E)	62.50	1.0-250	400.0

*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Analyst

Authorized Signatory

Ecomen Laboratories Pvt. Ltd. Flat No.-8, 2nd Floor, Arif Chamber-V Sector-H, Aliganj, Lucknow-226024 Ph.-2746282, Fax:2745726

Manager