

To. The Additional Principal Chief Conservator of Forest, **Regional Office (Eastern Central Zone)** Ministry of Environment, Forests and Climate Change, Govt. of India Bungalow No. A-2, Shyamali Colony, Ranchi - 834002, Jharkhand.

Ref No. - JMB/ENV/MSBSL/61/876/2021 November 27, 2021

Ref.: Environmental Clearance letter No.-J-11015/162/2008-IA.II (M), Dated-19th January 2012.

SUB: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEFCC, New Delhi to Mahal Saharjuri Bagula Sand Lease, Tata Steel Limited, Dhanbad for the period April'21 to September'21.

Dear Sir,

We are enclosing herewith compliance report for the period April'21 to September'21 for the EC granted vide letter no.-J-11015/162/2008-IA.II (M), Dated-19th January 2012 issued by Ministry of Environment, Forest and Climate Change, New Delhi

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

Head (Planning)

Jharia Division, Tata Steel Ltd.

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5th Floor 1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa, Ranchi - 834004.

Copy to: Regional Officer, JSPCB, HIG-1 Sardar Patel Nagar, Housing Colony, Hirapur, Dhanbad

HALF YEARLY COMPLIANCE REPORT

(PERIOD: APRIL'21 – SEPTEMBER'21)

MAHAL SAHARJURI BAGULA SAND LEASE

(CAPACITY: 0.1 MTPA RIVER BED SAND) VILLAGE: MAHAL, SAHARJURI & BAGULA, DIST: BOKARO, JHARKHAND



TATA STEEL LIMITED, JHARIA DIVISION

P.O. - JAMADOBA, DIST. - DHANBAD, STATE- JHARKHAND, PIN CODE – 828112

ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/162/2008-IA.II(M) DATED- 19.01.2012 ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW DELHI.

S. No.	Condition	Compliance Status		
Specifi	c Condition			
(i)	The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board, and effectively implement all the conditions stipulated therein.	The Consent to Establish has been granted by JSPCB vide letter no. PC/NOC/DHN/155/2010-D-498(N) dated 31.03.2015. The current CTO is valid till 31.03.2026. All the conditions as stipulated in the consent are being complied with.		
(ii)	The project proponent shall comply with section 3 of the Mines Act.	It is being complied.		
(iii)	The Company shall submit within 3 months their policy towards Corporate Environment Responsibility which should inter-alia provide for (i) Standard operating process / process to bring into focus any infringement / deviation / violation of the environmental or forest	The Company already has an Environment Policy approved by the Managing Director and it addresses all the issues mentioned. The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher		
	norms / conditions, (ii) Hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the EC conditions and (iii) System of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders.	levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. The environment management cell directly reports to General Manager and it is reviewed on weekly basis. We have an online system to monitor the statutory requirements and compliance in time. This is reviewed by Board of Directors at company's level.		
(iv)	Sand collection shall be done at the middle/ main stream and not at the bank of the river to avoid any change of the river course due to the project.	Sand excavation is done by leaving 1/5th of the width of the river intact for maintaining the embankment. It will be ensured that no change in the river course takes place.		
(v)	Particulate level (PM2.5) shall be monitored regularly and the result placed in the public domain.	be Monitoring of PM2.5 has been carried ou		
(vi)	The project proponent shall identify the degraded area within the mine lease and undertake plantation/afforestation in the area identified by planting the native species.	The mine lease area is a riverbed. Hence we approach the villagers and assist them in planting the native species as well as fruit plants in the villages. Some of the native species are Pipal, Ber, Jamun, Alostromia, Palash, Karanj, Kadamb etc.		
(vii)	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out of haul	It is being complied. Water spraying is done on the transportation roads on regular basis. The ambient air quality is regularly monitored and analyzed by own as well as NABL & JSPCB recognized lab and conform to the prescribed standards. Reports are enclosed as Annexure-I.		

	roads. It should be ensured that the	
	Ambient Air Quality parameters conform	
	to the norms prescribed by the Central	
	Pollution Control Board in this regard.	
(viii)	The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure	The extraction of sand is done with utmost care of the environment. There is no extraction of water as well as no change in
	that due to this activity the hydrogeological regime of the surrounding area shall not be affected. Regular monitoring of ground water level	river course involved hence there will be no impact on the hydrogeological regime. The monitoring report of the ground water level and quality is given as Annexure-I.
	and quality shall be carried out around the mine lease area by establishing a network of existing well and installing new	and quanty is given as Almexure-1.
	piezometers during the mining operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon	
	monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water	
	Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment	
	and Forests and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director,	
	Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures	
(ix)	shall be carried out. The project proponent shall obtain	No water is required for the operation of
	necessary prior permission of the competent authorities for drawl of requisite of water (surface water and groundwater), if any, required for the project.	project. Drinking water required by the workers is arranged by the company.
(x)	Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the	Adequate monitoring of the health of the vehicles used for transportation of sand is ensured to avoid any oil & grease leakage. Higher capacity trucks have been deployed. Without valid fitness certificates and PUC,
	river from the vehicles used for transportation.	the vehicles are not allowed to ply and it is regularly checked.
(xi)	Vehicular emissions shall be kept under control and regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the	The vehicles used are regularly checked and maintained. Only vehicles having PUC certificates can ply. Transportation of sand is always done via tarpaulin-covered trucks

	vehicles carrying the mineral shall not be overloaded.	which are optimally loaded. This is monitored whenever vehicles enter		
		premises at weighbridge gate.		
(xii)	No drilling and blasting operation shall be carried out.	Not applicable as it is a sand mining project.		
(xiii)	Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Sand being coarse in nature and having high moisture content during gathering & transportation does not get air borne. Sand stored in the sand yards is transferred to underground voids through surface bunkers in a slurry form. However, dust control measures while transporting of sand is in place through water tanker, coverage of trucks and optimal loading.		
(xiv)	Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	As per our policy, PME's (Periodical Medical Examination) are conducted at regular intervals.		
(xv)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The workers are from the neighboring villages and hence new housing facilities are not required.		
(xvi)	The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e., PM10) and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharge water shall also be monitored [(TDS, DO, PH, Fecal Coliform and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	The monitoring of the air parameters has been done in this period. There is no use of water for mining operation hence there is no discharge. Details of air analysis are given in Annexure-I . The monitoring reports are regularly uploaded on company's website along with half-yearly EC compliance reports.		

В.	GENERAL CONDITIONS						
(i)	No change in mining technology and	It is being complied with.					
	scope of working should be made						
	without prior approval of the Ministry of						
	Environment and forests.						
(ii)	No change in the calendar plan including	It is being complied with.					
	excavation, quantum of sand from river						
	bed and waste should be made.						
(iii)	Conservation measures for protection of	No rare species are found in the area.					
	flora and fauna in the core & buffer zone						
	should be drawn up in consultation with						
	the local forest and wildlife department						
	and effectively implemented.						
(iv)	Atleast four ambient air quality-	The monitoring stations have been					
	monitoring stations should be established	established and monitoring jobs are being					
	in the core zone as well as in the buffer	performed regularly. The ambient air					
	zone for RSPM (Particulate matter with	quality analysis reports are attached as					
	size less than 10micron i.e., PM10) and	Annexure-I.					
	NOx monitoring. Location of stations						
	should be decided based on the						
	meteorological data, topographical						
	features and environmentally and						
	ecologically sensitive targets and						
	frequency of monitoring should be undertaken in consultation with the State						
	Pollution Control Board.						
(x)		It is being submitted as Annayung I in this					
(v)	Data on ambient air quality [(RSPM(Particulate matter with size less	It is being submitted as Annexure-I in this compliance report.					
	than 10micron i.e., PM10) and NOx	compnance report.					
	should be regularly submitted to the						
	Ministry including its regional office at						
	Bhubaneswar and to the State Pollution						
	Control Board/ Central Pollution Control						
	Board once in six months.						
(vi)	Fugitive dust emissions from all the	Sand, being coarse in nature and having					
(1-)	sources should be controlled regularly.	high moisture content, does not get air					
	Water spraying arrangement on haul	borne during gathering & transportation.					
	roads, loading and unloading and at	However, dust control measures while					
	transfer points should be provided and	transporting of sand is in place through					
	properly maintained.	water tanker, coverage of trucks and					
		optimal loading.					
(vii)	Measure should be taken for control of	Proper PPE's are provided to all the					
	noise levels below 85 dBA in work	workers.					
	Environment. Workers engaged in						
	operations of HEMM, etc. should be						
	provided with ear plugs / muffs.						
(viii)	Industrial waste water (Workshop and	No waste water generation will take place.					
	Waste water from the mine) should be						

	properly collected, treated so as to conform to the standards prescribed under GSR 422f(E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and Grease trap should be installed before discharge of Workshop effluents.	
(ix)	Personnel working in dusty area should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspect. Occupational Health Surveillance programme of the worker should be undertaken periodically to observe any contraction due to exposure to dust and take corrective measures, if needed	It will be complied with.
(x)	A separate Environmental Management cell with suitable qualified personnel should be set-up under the control of a senior executive, who will report directly to the Head of the Organization.	We have a separate Environmental Management Cell with qualified personnel. The reporting of Environmental Cell is directly to General Manager of the Division.
(xi)	The funds earmarked for environmental protection measures should be kept in separate A/C and should not be diverted for other purposes. Year wise expenditure should be reported to this ministry and its regional office located at Bhubaneswar.	Expenditure on Environmental Protection measures is monitored separately. It is provided in the Environment Statement every year. The annual expenditure for the financial year 2020-21 is Rs. 0.97 lakhs for water spraying activities on transport road, plantation and environment monitoring.
(xii)	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	The CTE and CTO of the project have been granted by JSPCB. The permission for lifting of sand from the river bed has also been granted by District Mining Officer, Bokaro.
(xiii)	The regional office of this ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the regional office by furnishing the requisite Data/ information/ Monitoring reports.	It will be complied with.
(xiv)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environment clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the	It is being complied with. We are submitting the six-monthly compliance reports to MoEF&CC, its regional office, CPCB and SPCB twice a year. In adherence with the guideline as per notification dt.

	Ministry of Environment and Forests, its	26.11.2018, we are sending only soft copy		
	Regional Office Bhubaneswar, the	of the compliance status report over mail.		
	respective zonal office of Central			
	Pollution Control Board and the State			
	Pollution Control Board. The proponent			
	shall upload the status of compliance of			
	the environmental clearance conditions,			
	including results of monitored data on			
	their website and shall update the same			
	periodically. It shall simultaneously be			
	sent to the Regional Office of the			
	Ministry of Environment and Forests,			
	Bhubaneswar, the respective Zonal			
	Officer of Central Pollution Control			
	Board and the State Pollution Control			
	Board.			
(xv)	A copy of the clearance letter shall be	It has been complied with.		
	sent by the proponent to concerned	•		
	Panchayat, Zila Parisad / Municipal			
	Corporation, Urban local Body and the			
	Local NGO, if any, from whom			
	suggestions / representations, if any,			
	were received while processing the			
	proposal. The clearance letter shall also			
	be put on the website of the company by			
	the proponent.			
(xvi)	The State Pollution Control Board should	The copy of clearance letter has been sent to		
	display a copy of the clearance letter at	JSPCB office and its compliance report is		
	the Regional Office, District Industry	also submitted to JSPCB.		
	Centre and the Collector's Office /			
	Tehsildar's Office for 30 days.			
(xvii)	The environmental statement for each	The environmental statement for financial		
	financial year ending 31st March in	year 2020-21 has been submitted to JSPCB		
	Form-V as is mandated to be submitted	on 28 th September 2021 vide letter no.		
	by the project proponent to the concerned	JMB/ENV/ESSA/05/737/2021 and it is also		
	State Pollution Control Board as	uploaded on the company website. The soft		
	prescribed under the Environment	copy of Environment Statement is also sent		
	(Protection) Rules, 1986, as amended	to MOEF by email at ro.ranchi-		
	subsequently, shall also be put on the	mef@gov.in.		
	website of the company along with the			
	status of compliance of environmental			
	clearance conditions and also be sent to			
	the respective Regional Office of the			
	Ministry on Environment and Forests,			
(Bhubaneswar by e-mail.	7,1 1 1 14		
(xviii)	The project authorities should advertise	It has been complied with.		
	at least in two local newspapers of the			
	District or State in which the project is			
1	located and widely circulated, one of			

which shall be in the vemacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.

Ambient Air Quality Analysis Report

Period- April'21 to June'21

Name of Industry : Mahal Saharjuri Sand Mining Project No. of sampling points : 4

Compliant Location	Date o	Date of Sampling/ Weather Condition					
Sampling Location	April'21	May'21	June'21				
Mahal School Near Izri River	12.04.2021/ Clear	10.05.2021/ Clear	17.06.2021/ Rainy				
Lagla Gram Panchayat	12.04.2021/ Clear	10.05.2021/ Clear	17.06.2021/ Rainy				
Bagula School	13.04.2021/ Clear	11.05.2021/ Clear	18.06.2021/ Rainy				
Shahar Juri School	13.04.2021/ Clear	11.05.2021/ Clear	18.06.2021/ Rainy				

	Latitude/		PM 10	PM _{2.5}	SO ₂	NOx
Location	Longitude	Date	PM 10 Level:	PM _{2.5} Level:	SOx Level: 24	NOx Level: 24
			24 Hourly	24 Hourly	Hourly Limit-	Hourly Limit-
			Limit-	Limit-60µg/m ³	$80\mu g/m^3$	$80\mu g/m^3$
			$100 \mu g/m^3$			
Mahal	23°38'06.1'N /	12.04.2021	62.5	32.1	11.8	12.2
School Near	86°23'41.2" E	10.05.2021	64.6	34.2	12.5	12.4
Izri River		17.06.2021	63.5	33.8	11.4	12.3
Lagla Gram	23°37'21.3" N/	12.04.2021	52.5	30.5	11.2	12.5
Panchayat	86°23'35.3" E	10.05.2021	57.9	32.1	12.3	12.1
		17.06.2021	60.2	33.5	12.1	13.2
Bagula	23°36'27.3" N/	13.04.2021	56.5	31.4	11.2	12.4
School	86°21'59.7" E	11.05.2021	59.8	32.4	10.7	11.8
		18.06.2021	61.3	33.2	11.5	12.1
Shahar Juri	23°36'26.6" N/	13.04.2021	62.4	30.2	11.2	12.5
School	86°20'58.9" E	11.05.2021	62.2	30.9	11.6	12.7
		18.06.2021	63.5	33.2	11.8	13.2
Minimum			52.5	30.2	10.7	11.8
Maximum			64.6	34.2	12.5	13.2
Average			60.57	32.29	11.60	12.45

Sr. Manager (Environment)

Ambient Air Quality Analysis Report

Period- July'21 to September'21

Name of Industry : Mahal Saharjuri Sand Mining Project No. of sampling points : 4

Compliant Location	Date of Sampling/ Weather Condition					
Sampling Location	July'21	August'21	September'21			
Mahal School Near Izri River	09.07.2021/ Clear	02.08.2021/ Clear	28.09.2021/ Cloudy			
Lagla Gram Panchayat	09.07.2021/ Clear	02.08.2021/ Clear	28.09.2021/ Cloudy			
Bagula School	10.07.2021/ Clear	03.08.2021/ Cloudy	29.09.2021/ Cloudy			
Shahar Juri School	10.07.2021/ Clear	03.08.2021/ Cloudy	29.09.2021/ Cloudy			

	Latitude/		PM 10	PM _{2.5}	SO ₂	NOx
Location	Longitude	Date	PM ₁₀ Level: 24 Hourly Limit-100µg/m ³	PM _{2.5} Level: 24 Hourly Limit- 60µg/m ³	SOx Level: 24 Hourly Limit- 80µg/m ³	NOx Level: 24 Hourly Limit- 80µg/m ³
Mahal	23°38'06.1'N /	09.07.2021	64.3	30.2	11.7	12.4
School Near Izri River	86°23'41.2" E	02.08.2021	65.2	31.3	11.8	12.5
		28.09.2021	65.4	30.5	12.3	13.2
Lagla Gram	23°37'21.3" N/	09.07.2021	64.6	30.7	11.4	12.5
Panchayat	86°23'35.3" E	02.08.2021	65.7	31.5	12.0	13.3
		28.09.2021	64.5	32.0	12.4	13.5
Bagula	23°36'27.3" N/	10.07.2021	65.3	31.5	12.6	13.2
School	86°21'59.7" E	03.08.2021	66.2	32.4	12.3	13.4
		29.09.2021	66.9	31.6	12.8	13.5
Shahar Juri	23°36'26.6" N/	10.07.2021	65.6	30.7	12.2	12.7
School	86°20'58.9" E	03.08.2021	66.7	31.3	12.7	13.5
		29.09.2021	65.3	32.4	12.8	13.7
Minimum		64.3	30.2	11.4	12.4	
Maximum			66.9	32.0	12.8	13.7
Average			65.47	31.34	12.25	13.11

Juding,

Sr. Manager (Environment)

Ground Water Quality Analysis

Ground water level fluctuation in and around Core & Buffer zone area of sand mining lease Pre Monsoon Season- May'21

				Sample Parameter			
S.No	Date	Location	Time	Depth in meter (m)	pН	Electrical Conductivity, μS/m	
1	12.05.2021	Premsinghdih	10:25AM	7.8	7.2	742	
2	12.05.2021	Lagla	11:20AM	6.7	7.3	580	
3	12.05.2021	Alakdih	11:05AM	7.3	7.5	615	
4	12.05.2021	Joradih	12:35PM	7.2	7.2	657	
5	12.05.2021	SEB Quarters	11:45AM	6.4	7.4	738	
6	12.05.2021	Kargali	02:30PM	7.5	7.2	625	
7	12.05.2021	Kumargora	01:30PM	6.7	7.2	628	
8	12.05.2021	Bhojudih	01:05PM	7.3	7.3	668	
9	12.05.2021	Mahal	12:00PM	7.8	7.2	617	
10	12.05.2021	Sudamdih	1:45PM	7.6	7.5	645	

Monsoon Season- August'21

				Sample Parameter			
S.No	Date	Location	Time	Depth in meter (m)	pН	Electrical Conductivity, μS/m	
1	06.08.2021	Premsinghdih	10:15AM	1.05	7.1	614	
2	06.08.2021	Lagla	11:30AM	2.20	7.0	582	
3	06.08.2021	Alakdih	10:55AM	1.32	7.0	578	
4	06.08.2021	Joradih	01:45PM	1.85	7.2	528	
5	06.08.2021	SEB Quarters	11:10AM	1.54	7.1	653	
6	06.08.2021	Kargali	01:45PM	1.62	7.2	542	
7	06.08.2021	Kumargora	11:45PM	1.75	7.2	622	
8	06.08.2021	Bhojudih	12:50PM	2.15	7.0	665	
9	06.08.2021	Mahal	12:25PM	1.45	7.1	557	
10	06.08.2021	Sudamdih	12:15PM	1.53	7.3	610	

Sr. Manager (Environment)

Surface Water Quality Analysis

Sl.	Location	Sampling Samplin		Temp	pН	TSS	BOD	Oil & Grease
No.	Location	Date	Time	< 40°C	5.5 - 9.0	100 mg/l	30 mg/l	10 mg/l
1.	River Gowai Up Sttream	30.09.2021	10:10AM	27.3	7.2	21.1	4.7	0.7
2.	River Damodar Down Stream	30.09.2021	11.25AM	24.2	7.3	21.2	4.3	0.6
3.	Laghla (Pond)	30.09.2021	01:42 PM	24.5	7.4	19	2.6	0.1
4.	Alakhdih(Pond)	30.09.2021	01:55 PM	25.3	7.3	21	3.1	0.1
5.	Joradih (Pond)	30.09.2021	11:48AM	24.4	7.2	20	3.2	0.1
6.	SEB Quarters (Pond)	30.09.2021	11:15AM	25.6	7.3	22	2.6	0.23
7.	Kargali (Pond)	30.09.2021	12:12 PM	24.3	7.2	24	3.3	0.14
8.	Kumargora (Pond)	30.09.2021	01.18PM	24.5	7.3	23	3.5	0.13
9.	Bhojudih (Pond)	30.09.2021	12:55 PM	24.7	7.4	22	4.2	0.12

Juding,

Sr. Manager (Environment)

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment, Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/05/2021 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer

: Tata Steel Colliery (Sand Lease Area)

Address of the Customer

: Jamadoba, Distt. Dhanbad Jharkhand

Sample Collected By

: Mr.Arvind Singh

Sampling Method

: IS: 5182

Date of Sampling

: May, 24th, 2021

Date of Testing

: 29.05.2021 to 04.06.2021

Environmental Condition

: A.Temp(°C) : 34°C, Humidity(%) : 64,

Weather Condition -Shiny

Instrument Name & Lab ID : Fine Dust Sampler /

Respirable Dust Sampler

Location

: Lagla Gram Panchayat

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1	$PM_{10} (\mu g/m^3)$	IS:5182(Part-23)	86.84	2-1000(μg/m ³)	100
2	$PM_{2.5} (\mu g/m^3)$	IS:5182(Part-24)	38.64	$2-100(\mu g/m^3)$	60
3	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	18.05	5-200(μg/m ³)	80
4	$NO_x(\mu g/m^3)$	IS:5182 (Part-6)	20.84	$5-200(\mu g/m^3)$	80
5	$NH_3(\mu g/m^3)$	IS:5182(Part-25)	16.98	$0.02-700(\mu g/m^3)$	400
6	$O_3 (\mu g/m^3)$	IS:5182(Part-9)	17.95	$1-200(\mu g/m^3)$	180
7	CO (mg/m³)	IS:5182 (Part-10)	0.70	0-500(mg/l)	4.0
8	Pb(μg/m ³)	IS:5182(Part-22)	BDL	$1-100(\mu g/m^3)$	1.0
9	$C_6H_6 (\mu g/m^3)$	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m³)	IS:5182(Part-12)	BDL	>2(ng/m³)	01
11	As (ng/m³)	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m ³)	06
12	Ni (ng/m ³)	IS:5182(Part-26)	BDL	1-100(ng/m ³)	20

*The results is related only to tested item.

Note: Below Detection Limit

Analyst

Authorized Signatory Ecomen Laboratories Pvt. Ltd. Flat No.8 Second Floor Arif Chamber

Sector-H. Aliga ... Lucknow-226024 Ph.2746282 Fax-2745726





E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-2/05/2021 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer

Tata Steel Colliery (Sand Lease Area)

Address of the Customer

Jamadoba, Distt. Dhanbad Jharkhand

Sample Collected By

: Mr.Arvind Singh

Sampling Method

: IS: 5182

Date of Sampling

: May 27th, 2021

Date of Testing

: 29.05.2021 to 04.06.2021

Environmental Condition

: A.Temp(°C): 34°C, Humidity(%): 64,

Weather Condition -Shiny

Instrument Name & Lab ID : Fine Dust Sampler /

Respirable Dust Sampler

Location

: Sahariuri School

SI. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1	$PM_{10} (\mu g/m^3)$	IS:5182(Part-23)	82.94	$2-1000(\mu g/m^3)$	100
2	$PM_{2.5} (\mu g/m^3)$	IS:5182(Part-24)	38.42	$2-100(\mu g/m^3)$	60
3	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	18.60	$5-200(\mu g/m^3)$	80
4	$NO_x(\mu g/m^3)$	IS:5182 (Part-6)	21.85	$5-200(\mu g/m^3)$	80
5	NH ₃ (μg/m ³)	IS:5182(Part-25)	17.94	0.02- 700(μg/m ³)	400
6	$O_3 (\mu g/m^3)$	IS:5182(Part-9)	16.98	$1-200(\mu g/m^3)$	180
7	CO (mg/m ³)	IS:5182 (Part-10)	0.84	0-500(mg/l)	4.0
8	Pb(μg/m ³)	IS:5182(Part-22)	BDL	$1-100(\mu g/m^3)$	1.0
9	$C_6H_6 (\mu g/m^3)$	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m³)	IS:5182(Part-12)	BDL	>2(ng/m³)	01
11	As (ng/m³)	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m ³)	06
12	Ni (ng/m³)	IS:5182(Part-26)	BDL	1-100(ng/m ³)	20

*The results is related only to tested item.

Note: Below Detection Limit

Analyst

Ecomen Laborized Signatory
Flat No. 8 Second Floor Arit Chamber
Sector-H. Aligase, Lucknow-226024
Ph.2746282 Fax-2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment, Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-3/05/2021

TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer

: Tata Steel Colliery (Sand Lease Area)

Address of the Customer

Jamadoba, Distt. Dhanbad, Jharkhand

Sample Collected By

: Mr.Arvind Singh

Sampling Method

: IS: 5182

Date of Sampling

: May 27th, 2021

Date of Testing

29.05.2021 to 04.06.2021

Environmental Condition

A.Temp(°C): 34°C, Humidity(%): 64,

Weather Condition -Shiny

Instrument Name & Lab ID:

Fine Dust Sampler / Respirable Dust Sampler

Location

: Icchar High School

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1	$PM_{10} (\mu g/m^3)$	IS:5182(Part-23)	82.46	$2-1000(\mu g/m^3)$	100
2	$PM_{2.5} (\mu g/m^3)$	IS:5182(Part-24)	40.68	$2-100(\mu g/m^3)$	60
3	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	18.92	$5-200(\mu g/m^3)$	80
4	$NO_x(\mu g/m^3)$	IS:5182 (Part-6)	20.76	$5-200(\mu g/m^3)$	80
5	NH ₃ (μg/m ³)	IS:5182(Part-25)	18.60	0.02- 700(μg/m ³)	400
6	$O_3 (\mu g/m^3)$	IS:5182(Part-9)	16.86	$1-200(\mu g/m^3)$	180
7	CO (mg/m ³)	IS:5182 (Part-10)	BDL	0-500(mg/l)	4.0
8	Pb(μg/m ³)	IS:5182(Part-22)	BDL	$1-100(\mu g/m^3)$	1.0
9	$C_6H_6 (\mu g/m^3)$	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m³)	IS:5182(Part-12)	BDL	>2(ng/m³)	01
11	As (ng/m³)	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m ³)	06
12	Ni (ng/m³)	IS:5182(Part-26)	BDL	1-100(ng/m ³)	20

*The results is related only to tested item.

Note: Below Detection Limit

Analyst

Authorized Signatory
Ecomen Laboratories 71. Chamber
Flat No. 8 Second Floor Arif Chamber
Sector-H. Aligans, Lucknow-226024
Ph. 2746282 Fax-2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10 TEST REPORT NO:ECO LAB/AAQ-4/05/2021 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF AMBIENT AIR*

Name of the Customer

: Tata Steel Colliery (Sand Lease Area)

Address of the Customer

: Jamadoba, Distt. Dhanbad Jharkhand

Sample Collected By

: Mr.Arvind Singh

Sampling Method

: IS: 5182

Date of Sampling

: May 24th, 2021

Date of Testing

: 29.05.2021 to 04.06.2021

Environmental Condition

: A.Temp(°C): 34°C, Humidity(%): 64,

Weather Condition -Shiny

Instrument Name & Lab ID:

Fine Dust Sampler / Respirable Dust Sampler

Location

: Railway Colony Bhojudih

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 th , 2009
1	$PM_{10} (\mu g/m^3)$	IS:5182(Part-23)	80.35	$2-1000(\mu g/m^3)$	100
2	$PM_{2.5} (\mu g/m^3)$	IS:5182(Part-24)	45.26	$2-100(\mu g/m^3)$	60
3	$SO_2(\mu g/m^3)$	IS:5182 (Part-2)	12.68	$5-200(\mu g/m^3)$	80
4	$NO_x(\mu g/m^3)$	IS:5182 (Part-6)	20.42	$5-200(\mu g/m^3)$	80
5	NH ₃ (μg/m ³)	IS:5182(Part-25)	12.65	0.02- 700(μg/m ³)	400
6	$O_3 (\mu g/m^3)$	IS:5182(Part-9)	18.50	$1-200(\mu g/m^3)$	180
7	CO (mg/m ³)	IS:5182 (Part-10)	0.35	0-500(mg/l)	4.0
8	Pb(μg/m ³)	IS:5182(Part-22)	BDL	$1-100(\mu g/m^3)$	1.0
9	$C_6H_6 (\mu g/m^3)$	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m³)	IS:5182(Part-12)	BDL	>2(ng/m³)	01
11	As (ng/m³)	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m ³)	06
12	Ni (ng/m³)	IS:5182(Part-26)	BDL	1-100(ng/m ³)	20

*The results is related only to tested item.

Note: Below Detection Limit.

nalyst

Authorized Signatory
Ecomen Laboratories Fel. Lily

Flat No.8 Second Floor Arif Chamber Sector-H. Aligan, Lucknow-226024 Ph.2746282 Fax-2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/MCPM/05/21 TEST REPORT ISSUE DATE: 04.06.2021

MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

Address of the Customer

: Jamadoba, Distt. Dhanbad - 828 112

Month : May, 2021

			Mineralogical Composition (in %)					
S.NO.	Locations	Date of Sampling	Silica (SiO ₂)	Ferrous oxide (FeO)	Alumina (Al ₂ O ₃)	Calcium Oxide CaO		
1	Lagla Gram Panchayat	24.05.2021	2.31	0.34	1.35	2.76		
2	Saharjuri School	27.05.2021	1.58	0.26	1.26	2.78		

Analyst

Authorized Signatory Ecomen Laboratories 141. Ltd.

Flat No.8 Second Floor Arif Chamber Sector-H, Aliganj, Luckno 226024 Ph.2746282 Fax-2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AN/05/21 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF AMBIENT NOISE LEVEL

Name of the Customer

: Tata Steel Colliery (Sand Lease Area)

Address of the Customer

: Jamadoba, Distt. Dhanbad Jharkhand

Sample Collected By Instrument Used

: Mr. Arvind Singh : Noise Meter (HTC)

SI.	Locations	Date of		Day Time			Night Time		
No.	Locations	Monitoring	Max.	Min.	Leq.	Max.	Min.	Leq	
1.	Lagla Gram Panchayat	24.05.2021	56.2	51.2	53.2	52.0	47.3	49.6	
2.	Saharjuri School	27.05.2021	58.9	54.4	56.65	50.3	45.6	47.9	
3.	Icchar High School	27.05.2021	58.1	51.3	54.7	45.2	40.5	42.8	
4.	Railway Colony Bhojudih	24.05.2021	60.7	51.7	56.2	47.9	42.8	45.3	

Noise (Ambient Standard)

Area Code	e Category of area	Limit in dB	(A) Leq
		Day Time	Night Time
A	Industrial Area	75	70
В	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40
é			

Note:

- Day time is reckoned in between 6:00 AM and 10:00 PM. 1.
- 2. Night time is reckoned in between 10:00 PM and 6:00 AM
- 3. Silence zone is defined as area up to 100m around such premises as hospitals, Educational institutions & courts. The silence zones are to be declared by a competent authority.

4. Mixed categories of areas should be declared as one of the four above-mentioned Categories by the competent authority and the corresponding standard shall apply.

Flat No.8 Second Floor Arif Chamber Sector-II, Aliganj, Lucknow-226024 Ph.2746282 Fux-2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

Address of the Customer

: Jamadoba,

Sampling Method

Distt. Dhanbad - 828 112 : APHA, 23rd Ed. 2017

Sample Collected by Sample Quantity

: Mr. Arvind Singh

Date of Sampling

: As per requirement : 24.05.2021 to 28.05.2021

Date of Sample Receiving

: 29.05.2021

Date of Analysis

: 29.05.2021 to 03.06.2021

Source of Sample

: Gowai River, Up Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	рН	APHA,23 rd Ed.2017,4500H+A+B,	7.86	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	14.50	1-100	·
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23rd Ed.2017 (2540C)	582.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,23rd Ed.2017 (4500 A+C)	5.6	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23rd Ed.2017 (5210A+ B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	48.0	5-1000	-
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 -C)	0.43	0.05-10	1.5
8.	Sulfate as SO ₄ (mg/l)	APHA,23rd Ed.2017 (4500 -SO42- E)	55.0	1.0-250	400.0

^{*}The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Authorized Signatory Ecomen Laboratories i'vt. Ltd. Flat No.8 Second Hoor Artif Chamber Sector-H. Aliganj, Lucknow-226024

Ph.2746282 Fax-2745726



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

Address of the Customer

: Jamadoba,

Distt. Dhanbad - 828 112

Sampling Method Sample Collected by : APHA, 23rd Ed. 2017 : Mr. Arvind Singh

Sample Quantity Date of Sampling

: As per requirement : 24.05.2021 to 28.05.2021

Date of Sample Receiving

: 29.05.2021

Date of Analysis

: 29.05.2021 to 03.06.2021

Source of Sample


: Gowai River, Down Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	рН	APHA,23rd Ed.2017, 4500H+A+B,	8.10	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	23.0	1-100	19
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23rd Ed.2017 (2540C)	680.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,23rd Ed.2017 (4500 A+C)	6.5	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 rd Ed.2017 (5210A+ B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	56.0	5-1000	3.00
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 - C)	0.43	0.05-10	1.5
8.	Sulfate as SO ₄ (mg/l)	APHA,23rd Ed.2017 (4500 -SO42- E)	62.50	1.0-250	400.0

^{*}The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Authorized Signatory Ecomen Laboratories PVI. Lie. Flat No.8 Second Floor Arit Chamber Sector-H. Aliganj, Lucknow-226024 Ph.2746282 Fun-2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No.: (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726



An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

Address of the Customer

: Jamadoba, Distt. Dhanbad – 828 112

Sampling Method Sample Collected by

: APHA, 23rd Ed. 2017 : Mr. Arvind Singh

Sample Collected by Sample Quantity Date of Sampling

: As per requirement : 24.05.2021 to 28.05.2021

Date of Sample Receiving

: 29.05.2021

Date of Analysis Source of Sample

: 29.05.2021 to 03.06.2021 : Izri River, Up Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	рН	APHA,23 rd Ed.2017,4500H+A+B,	7.41	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	10.0	1-100	-
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23rd Ed.2017 (2540C)	648.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,23rd Ed.2017 (4500 A+C)	6.2	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 rd Ed.2017 (5210A+B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	64.0	5-1000	
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 -C)	0.52		
8.	Sulfate as SO ₄ (mg/l)	APHA,23rd Ed.2017 (4500 -SO ₄ ² - E)	59.60	0.05-10 1.0-250	1.5

^{*}The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Analyst

Authorized Signatory Ecomen Laboratories Pvi. Ltd. flat No.8 Second Hoor Arif Chamber Sector-H. Aligani, Lucknow-226024 Ph.2746282 Fay-2745726

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024 Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726 ECO/NET

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN: 09AAACE6076H1Z

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21 TEST REPORT ISSUE DATE: 04.06.2021

TEST REPORT OF SURFACE WATER*

Name of the Customer

: M/s Tata Steel Ltd. (Sand Lease Area)

Address of the Customer

: Jamadoba,

Sampling Method Sample Collected by Distt. Dhanbad - 828 112 : APHA, 23rd Ed. 2017

Sample Conected to Sample Quantity : Mr. Arvind Singh: As per requirement

Date of Sample Receiving

: 24.05.2021 to 28.05.2021

Date of Analysis

: 29.05.2021 : 29.05.2021 to 03.06.2021

Source of Sample

: Izri River, Down Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1,	рН	APHA,23rd Ed.2017, 4500H+A+B,	7.69	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	19.0	1-100	-
3.	Total Dissolved Solids as TDS (mg/l)	APHA,23 rd Ed.2017 (2540C)	685.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA,23 rd Ed.2017 (4500 A+C)	5.7	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA,23 rd Ed.2017 (5210A+ B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	64.0	5-1000	9.75
7.	Fluorides as F (mg/l)	APHA,23rd Ed.2017 (4500 - C)	0.56	0.05-10	1.5
8.	Sulfate as SO ₄ (mg/l)	APHA,23rd Ed.2017 (4500 -SO ₄ 2-E)	67.80	1.0-250	400.0

^{*}The result are related only to item tested - The parameters are not included in IS: 2296 Class-C BDL - Below Detection Limit

Anatyst

Authorized Signatory Ecomen Laboratories Pvt. Ltd. Flat No.8 Second Hoor Arif Chamber Sector-II. Aligani, Lucknow-226024

Ph.2746282 Fax-1745726

M/S TATA STEEL LIMITED (SAND LEASE AREA)



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditirndservices.com Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Date: 09.08.2021

Ref. No.: - ARDS/21-22/2627

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH) DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 04.08.2021 to 05.08.2021

Date of Testing

: 07.08.2021

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	68%
SI No.	Particulars	Value	CPCB STAND	ARD
1.	Particulate Matter (PM ₁₀), µg/m ³	74.44	100 µg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	44.21	60 μg/m ³	
3.	SO ₂ , µg/m ³	14.24	80 μg/m ³	
4.	NO ₂ , µg/m ³	28.63	80 µg/m³	
5.	Ozone, µg/m³	15.52	180 µg/m³	
6.	NH ₃ , µg/m ³	21.68	400 µg/m³	
7.	CO, mg/m ³	0.58	4 mg/m ³	
8.	Pb, μg/m³	BDL	1 μg/m ³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 μg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

8.000 Sr. Chemist Aditi R&D Services

Technical-Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirndservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2628

Date: 09.08.2021

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH)

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection: 04.08.2021 to 05.08.2021

Date of Testing

: 07.08.2021

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	69%	
SI No.	Particulars	Value	CPCB STAND	ARD	
1.	Particulate Matter (PM ₁₀), µg/m ³	76.82	100 μg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	48.56	60 µg/m ³		
3.	SO ₂ , μg/m ³ .	17.42	80 µg/m ³		
- 4.	NO ₂ , µg/m ³	28.64	80 µg/m³		
5.	Ozone, µg/m³	16.28	180 μg/m³		
6.	NH ₃ , µg/m ³	22.65	400 µg/m³		
7.	CO, mg/m ³	0.81	4 mg/m ³		
8.	Pb, μg/m³	BDL	1 μg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m³	BDL	20 ng/m ³		
11.	Benzene, µg/m³	BDL	5 μg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Mobile: 09471358492, 09431512608

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Ref. No.: - ARDS/21-22/2629

Date: 09.08.2021

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH) DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection: 04.08.2021 to 05.08.2021

Date of Testing

: 07.08.2021

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	68%	
SI No.	Particulars	Value	CPCB STAND		
1.	Particulate Matter (PM ₁₀), µg/m ³	78.93	100 µg/m³	7/415-310 	
2.	Particulate Matter (PM _{2.5}), µg/m ³	42.26	60 µg/m³		
3.	SO ₂ , µg/m ³ ·	14.81	80 µg/m ³		
-4.	NO ₂ , µg/m ³	22.10	80 µg/m ³		
5.	Ozone, µg/m³	18.48	180 μg/m ³		
6.	NH ₃ , µg/m ³	16.61	400 μg/m ³		
7.	CO, mg/m ³	0.88	4 mg/m ³		
8.	Pb, μg/m³	BDL	1 μg/m ³		
9.	As, ng/m³	BDL	6 ng/m ³		
10.	Ni, ng/m³	BDL	20 ng/m ³		
11.	Benzene, µg/m³	BDL	5 μg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		

NOTE: BDL - Below Detection Limit

BROLL

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditirndservices.com

Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/ 2630

Date: 09.08.2021

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH)

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 04.08.2021 to 05.08.2021

Date of Testing

: 07.08.2021

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	68%		
SI No.	Particulars	Value	CPCB STAND	000-101:13		
1.	Particulate Matter (PM ₁₀), µg/m ³	82.31	100 μg/m ³	VIII 2012		
2.	Particulate Matter (PM _{2.5}), µg/m ³	44.23	60 μg/m ³			
3.	SO ₂ , µg/m ³ ·	16.56	80 µg/m³			
- 4.	NO ₂ , μg/m ³	20.76	80 μg/m ³			
5.	Ozone, µg/m³	16.64	180 µg/m³			
6.	NH ₃ , µg/m ³	20.62	400 µg/m³			
7.	CO, mg/m ³	0.42	4 mg/m ³			
8.	Pb, μg/m³	BDL	1 μg/m³			
9.	As, µg/m³	BDL	6 μg/m ³			
10.	Ni, µg/m³	BDL	20 μg/m ³			
11.	Benzene, µg/m³	BDL	5 μg/m ³			
12.	Benzoapyrene µg/m ³	BDL	1 μg/m ³			

NOTE: BDL - Below Detection Limit

8 R Q 97

Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

Ref. No. & Date							NAN	IE A	ND ADDRES	SS OF THE CLIENT			
ARDS/21-22/2631 Date:09.08.2021					TATA STEEL JHARIA DIVISION								
Date of Monitoring				TATA STEEL COLLIERY									
Date of Monitoring					(SAND LEASE AREA, BHOJUDIH)								
					DIS	ST D	HAN	IBA	D (JHAR	(HAND)			
04.08.2021 - 05.08.2021					Avg. Ambien nperati (°C)			Average lumidity (%)	Weather Condition	Status of the plant			
Work Order 4700092573/932 Dt. 20.07.2021				25)	29			68	Clear	Not in Operational			
				MOM	OTIV	RING	RES	UL	TS				
SI. No	Place of Monitoring	(1	Day Ti 6 AM to Avg. d	10 PM)		Night Time (10 PM to 6 AM) Avg. dB(A)			6 AM)	Noise level (Ambient standard) for Industrial Are as per CPCB Noise Pollutio (Regulation and Control) (Amendment) Rules, 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq			
	LOCATION	MAX	MIN	AVG. dl	B(A)	MAX	MI	N	AVERAGE	Day Time Residential	Night Time Residential		
SAN	ND LEASE AREA			Leq	I				dB(A) Leq	Area	Area		
1.	Saharjuri School	52.3	50.1	51.3	51.34		38.	2	41.08				
2.	Lagla Gram Panchyat	50.1	46.0	48.52		40.8	38.	2	39.69	55.00	45.00		
3.	Icchar High School	52.4	43.3	49.8	9	41.7	37.	.5	40.09				
4.	Railway Colony Bhojidih	53.4	44.2	50.8	8	44.6	40.	9	43.13				

Sr. Chemist
Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditirndservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2724

Date: 14.08.2021

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the industry

: TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH)

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection: 05.08.2021

Date of Testing

: 07.08.2021 - 09.08.2021

TEST RESULTS

SI No.	Particulars	Minera	Mineralogical Composition (%)					
ini.		SiO ₂	FeO	Al ₂ O ₃	CaO			
1.	Icchar High School	1.71	0.06	1.20	2.2			
2.	Railway Colony, Bhojudih	2.02	0.14	1.22	2.93			

Aditi R&D Services



Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2725

Date: 14.08.2021

TEST REPORT OF SURFACE WATER

· Name of the industry

: TATA STEEL JHARIA DIVISION

TATA STEEL COLLIERY

(SAND LEASE AREA, BHOJUDIH) DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Sample Code

1. Gowai River (Up Stream)

2. Gowai River (Dn. Stream) 3. Izri River (Up Stream)

Date of Sample Collection:

04.08.2021

Date of Testing

06.08.2021 - 12.08.2021

4. Izri River (Dn. Stream)

Test

pH, TDS, Turbidity, DO, BOD, CI, F, SO₄

TEST RESULT

SI.	PARAMETERS		VA	LUE	Limit as	Test	
No.	OF TEST	Gowai River (Up Stream)	Gowai River Dn. Stream	Izri River (Up Stream)	Izri River (Dn. Stream)	per IS 2296 Class - C	Method
1.	pH,	7.9	8.0	7.7	7.9	8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	676	708	692	768	1500 (Max.)	IS-3025 (P-16): 1984
3.	Turbidity, NTU	10.0	12.0	10.2	14.4	¥1	IS-3025 (P-10):1984
4.	Dissolved Oxygen ,mg/l	5.6	5.4	5.5	4.3	4.0 (Min)	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.0	2.3	1.0	2.0	3.0	IS-3025 (P-44):1994
6.	Chloride as CI, mg/I	32.0	38	60.6	65.8	*	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.60	0.52	0.60	0.64	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	58.2	60.4	54.2	58.4	400	IS-3025 (P-24):1986

Sr. Chemist Aditi R&D Services P.O. DOMGARH DHANBAD

Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.