

To
The Additional Principal Chief Conservator of Forest,
Regional Office (Eastern Central Zone)
Ministry of Environment, Forests and Climate Change, Govt. of India
Bungalow No. A-2, Shyamali Colony,
Ranchi – 834002, Jharkhand.

Ref No. - JMB/ENV/JCPP/38/ 862 /2022

November 24, 2022

Ref.: Environmental Clearance letter no. - J-11015/203/2011-IA.II(M) dated- 3rd March 2014.

SUB: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEFCC, New Delhi to Jamadoba Coal washery, Tata Steel Limited, Dhanbad for the period April'22 to September'22.

Dear Sir,

We are enclosing herewith compliance report for the period April'22 to September'22 for the EC granted vide letter no.- J-11015/203/2011-IA.II(M) dated- 3rd March 2014 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

Copy of the compliance report is also being sent in soft format through email at <u>ro.ranchi-mef@gov.in</u> for your kind perusal. We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

Head (Planning)

Jharia Division, Tata Steel Ltd.

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5th Floor 1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa, Ranchi - 834004.

Copy to: Head, Jamdoba Coal Washery Copy to: Sr. Manager (Environment)

TATA STEEL LIMITED

HALF YEARLY COMPLIANCE REPORT

(PERIOD: APRIL'22 – SEPTEMBER'22)

JAMADOBA COAL WASHERY

(CAPACITY: EXPANSION FROM 1 TO 2 MTPA RAW COAL THROUGHPUT)

TEHSIL: JHARIA, DIST: DHANBAD, JHARKHAND



TATA STEEL LIMITED, JHARIA DIVISION

P.O.- JAMADOBA, DIST. - DHANBAD, STATE- JHARKHAND, PIN CODE – 828112.

ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/203/2011-IA.II(M) DATED- 03.03.2014 ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW DELHI.

S. No.	Condition	Compliance Status	
Specific (Specific Condition		
(i)	Adequate green belt shall be provided around coal handling and other areas.	Greenery has been developed in many areas around the washery premises. Since the expansion job has been completed, remaining area is also being developed.	
(ii)	Action plan be developed and implemented for abandoned tailing ponds and for their restoration to the original land use.	Action plan for cut-off of tailing ponds from tailing management system is in place. Abandoned tailing ponds have been reclaimed by backfilling. Technical reclamation have taken place in two large ponds. Biological reclamation is going on by planting native species.	
(iii)	Fly ash generated from the captive power plant of the washery be utilized for house construction, roads and such uses, strictly complying to the timeline in the EIA Notification, 2006 and maintaining proper records.	This is not applicable as we have ceased the operation of our captive Jamadoba power plant since April'15.	
(iv)	No use of fly ash with sand will take place for stowing in underground mines.	This will be strictly followed for our captive underground mines.	
(v)	Transportation of fly ash to be done properly by mechanically covered trucks.	This is not applicable as there is no fly ash being generated since April'15.	
(vi)	The proponent shall connect all the villages in the leasehold area with water pipeline connection.	All the villages in the leasehold areas are being supplied safe drinking water through pipeline connection. A network of more than 22000 metres of pipeline connection has been established along with 33 water tanks (capacity of 4500 litres).	
(vii)	The proponent shall expedite and implement the pilot plant to convert mine water into drinking/domestic water to supply the same to the population of Dhanbad and surrounding areas and shall continue to carry out this activity.	Mine water is already being converted into potable water by Tata Steel in our 4 nos. Water Treatments Plants (located at Jamadoba, Digwadih, Bhelatand and Malkera having cumulative capacity of around 8000 KL/D). The treated water is then supplied to our colonies and leasehold villages. This will continue in future too.	

(viii)	Tonks/ponds shall be regularly elegand	Tanks/ ponds are regularly cleaned and
(VIII)	Tanks/ponds shall be regularly cleaned and maintained. Plantation activities	maintained by TSRDS. Plantation activities
		-
	shall be intensified in the mine areas.	are undertaken every year in the barren mine
		leasehold areas. Further, TSRDS engages
		with the villagers for plantation in the village
		lands.
(ix)	The proponent shall expedite the	CSR activities of TSRDS are managed by a
	activities undertaken by TSRDS in over	team of experts who are dedicatedly involved
	30 villages in the leasehold area over	in providing benefits and improving standard
	15000 households covering a population	of living in over 30 villages. The list of
	of about 1.4 lakh.	activities are developed in consultation with
		the village representatives and implemented
		in a time-bound manner.
(x)	CSR activities of TSRDS are managed	The proposed CSR expenditure for the entire
	by a team of experts who are dedicatedly	company is decided as per the new Company
	involved in providing benefits and	Rules. Once the CSR budget for company is
	improving standard of living in over 30	fixed, a share of that amount is dedicated and
	villages. The list of activities are	utilized for implementing the CSR activities
	developed in consultation with the	at our Jharia Division level. The CSR
	village representatives and implemented	expenditure for FY22 is Rs.5.07 crores.
	in a time-bound manner.	-
(xi)	Cost for additional environmental	The regular expenditure incurred for
	protection measures shall be not less	environment protection and management are
	than Rs. 503.00 lakhs. The status of	submitted to MoEF&CC & SPCB in Annual
	implementation including costs incurred	Environment Statement and the status is
	shall be regularly reported to this	uploaded on company website as a part of
	Ministry and its respective Regional	compliance report of AES.
	Office in the region as part of the	
	compliance report and also uploaded on	
	the company website.	
(xii)	The slope of the embankment towards	The washery is about 1.5 kms away from the
	the river shall be at least 1:3 for stability	Damodar River. Hence it is not applicable.
	and shall be stabilized with plantation	
	using native species selected from the	
	study area.	
(xiii)	Top soil shall be stored in the earmarked	There are no top soil dumps hence it is not
. ,	area and used within a year of its	applicable.
	generation for green belt development	
	and for plantation/reclamation.	
	and 151 prantation, rectaination.	

	J-11015/203/2011-1A.11 (M) dated Marc	,
(xiv)	No external OB dump shall be created for the expansion project. Monitoring and management of existing reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its respective Regional Office on yearly basis.	Not applicable as this is a washery project.
(xv)	Catch drains and siltation ponds of appropriate size shall be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected shall be utilised for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly.	There are no soil or OB dumps in the washery premises. Only the by-products are stored in the stockyards located in the washery premises which are sold off within a week.
(xvi)	Garland drains (size, gradient and length) and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	Garland drains of adequate size and gradient already exist around the washery area to channelize the surface runoff. The runoff is diverted to the tailing ponds and clear water is utilized in the washery. It is further strengthened under washery expansion jobs
(xvii)	Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.	Not applicable as we do not have any opencast mines.
(xviii)	Crushers at the CHP shall be operated with high efficiency bag filters/water sprinkling system shall be provided to check fugitive emissions from crushing operations, conveyor system which shall be closed, haulage roads, transfer points, etc.	The following measures have been implemented: i) Dry-fog system at all transfer points of CHP and further extension in expansion project. ii) Enclosures around crushers. iii) Belts have been covered on top and both sides. These arrangements will protect the coal mass moving on belt from blowing wind. In this way, the dust getting air borne is being minimized.

Letter no	J-11015/203/2011-IA.II (M) dated Marc	n 3, 2014
		iv) Fixed water sprinklers on the haulage roads.v) In addition, movable water sprinklers are
		also being deployed on the roads for dust suppression.
		vi) Dust Extraction System vii) Strengthening of tailing management
		system
		viii) Concretisation of working complex
(xix)	Drills shall be wet operated only.	Not applicable as this is coal beneficiation plant
(xx)	Controlled blasting shall be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.	Not applicable as this is coal beneficiation plant
(xxi)	The Washery shall be a zero-discharge and no wastewater shall be discharged from the washery into the drains/natural watercourses. No groundwater shall be	Washery is already operating on a zero- discharge principle. No waste-water is discharged into the drains/ natural water systems. Only mine water is utilized for the
	used for washery operations. Recycled water shall be used for development and maintenance of green belt and in the plant operations.	washery operations as make up water requirement. The recycled water is again used for plant operations and green-belt development.
(xxii)	The raw coal, washed coal and middling and coal wastes (rejects) shall be stacked properly at earmarked site(s) within sheds/stockyards fitted with wind breakers/shields. Adequate measures shall be taken to ensure that the stored minerals do not catch fire. The storage period shall be not more than 2-3 days.	The material is being stacked properly at stockyards located within the washery. We have a well-established system for disposal of rejects/ tailings to consumers so that storage period is not more than 2-3 days.
(xxiii)	The proponent shall maintain proper records of the ash content of raw (ROM) coal, clean coal, middling and coal rejects along with quantum of raw coal obtained and washed and dispatched every month and the same shall be uploaded on the company website every month.	Proper records are being maintained and the details are uploaded on the company website.
(xxiv)	All internal roads shall be concreted or black topped and the approach roads	All the internal roads have been concreted while the approach roads are black-topped.
	out topped and the approach foads	are approach rough are black topped.

Terrer 110	J-11015/203/2011-IA.II (M) dated Marc	,
	used for the project shall be blacked	There is a facility for parking of trucks within
	topped. Facilities for parking of trucks	the unit.
	carrying raw coal from the linked	
	coalmines shall be created within the	
	Unit.	
(xxv)	Roads used for coal transportation to the	There is no linked DRI/TPP.
	linked DRI/TPP shall be developed with	- Raw coal is received via underground coal
	3-tier avenue plantation using a mix of	conveyor belt network from captive
	native species. The trucks used for coal	collieries.
	transportation shall be high capacity	comenes.
	trucks. Drivers of trucks for coal	- Clean coal is dispatched via rail from the
	transportation shall be engaged based on	Rail-yard situated on the washery premises.
	past records of road safety and	The clean coal is kept in storage bins and
	compliance of safety regulations and	directly transferred to the rail wagons
	shall be suitably sensitized about road	through covered coal-conveying system.
	safety and maintenance of vehicles to	- As for the trucks moving for transportation
	keep vehicular emissions to be within	of tailings and rejects are properly covered
	prescribed limits.	with tarpaulin. All the given provisions
		related to road safety and driver competence
		are being strictly complied with.
(vvvi)	The reads (internal/approach and reads	
(xxvi)	The roads (internal/approach and roads	Fixed Water sprinklers have already been
	used for the project) shall be regularly	installed in the washery premises. Plantation
	cleaned with mechanical sweepers and	along the road-side is done wherever feasible.
	with water sprinklers. A 3-tier avenue	A three-tier green belt development is in
	plantation shall be developed along the	progress
	major approach roads, internal roads and	
	nearby roads used by the company.	
(xxvii)	Green belt shall be developed along the	Greenery has been developed in many areas
	areas such as the washery unit, crushing	around the washery premises. Saplings have
	unit, and stockyards and at transfer	been planted along the boundary of washery
	points and in between mine operations	for greenbelt development.
	and habitations.	
(xxviii)	Hoppers of the coal crushing unit at the	Dry-fog dust suppression system has been
	crushing shed and washery unit shall be	already installed to suppress the dust
	fitted with high efficiency bag	generated at CHP and transfer points of belt
	filters/Dust extractors and mist spray	conveyor systems. Fixed-type water
	water sprinkling system shall be installed	sprinklers are also installed on the internal
	and operated effectively at all times of	roads of the washery. These are always
	operation to check fugitive emissions	operated effectively to check the fugitive
	from crushing operations, transfer points	emissions.
	of belt conveyor systems which shall be	
	closed and from transportation roads.	
	1	

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no J-11015/203/2011-IA.II (M) dated March 3, 2014

	J-11015/205/2011-1A.11 (W) dated Marc	Fugitive dust emission monitoring is done on
		regularly. The values are within the stipulated
		norms.
(xxix)	The proponent shall ensure that coal	It is being followed.
	such as stones, shale and other wastes of	
	an ash content of 77% or more only shall	
	be dumped into the mine voids. Coal	
	rejects with an ash content of 76% or less	
	shall be fully utilized for power	
	generation in linked TPP.	
(xxx)	Regular monitoring of groundwater level	The monitoring of groundwater level and
(AAA)	and quality including levels of heavy	quality is done regularly as per the
	metals such as Hg, Cd, Cr, Se, etc shall	requirements. The groundwater quality
	_	report & groundwater level are provided in
	be carried out by establishing a network of existing wells and construction of new	Annexure I.
	peizometers. The monitoring for	Amiicaute 1.
	quantity and quality of ground water as	The monitoring of heavy metals such as Hg,
		Cd, Cr, Se, etc in the groundwater is done on
	per IS: 10500 shall be done four times a	quarterly basis by NABL accredited third
	year in pre-monsoon (May), monsoon	party and the report has been provided in
	(August), post-monsoon (November)	Annexure-I.
	and winter (January) seasons. Proper	TimeAute 1.
	records of the data thus collected shall be	
	maintained submitted to the Ministry of	
	Environment & Forests and to the	
	Central Pollution Control Board	
	quarterly within one month of	
	monitoring.	
(xxxi)	As the entire mine water is proposed to	Some of the water pumped out during
	be used for the mine-cum-washery	underground mining activity is re-circulated
	operations, measures shall be taken for	back into the mine for the purpose of stowing.
	recharging ground water in and around	Backfilling of mine voids by stowing is done
	the mine in the study area. A Plan for	using sand which is having the porosity to
	water conservation and recharge	hold the underground water thus helping
	measures of ground water along with	aquifer to retain the underground water.
	budgetary provisions be prepared and	aquiter to retain the underground water.
	implemented in consultation with the	Further, there are a number of ponds existing
	1 -	on the surface of the mining lease which act
	Central/State Ground Water Board to	as natural reservoirs for recharging ground
	mitigate the adverse impact of mining	water. These ponds/ tanks are regularly
	which may lead to depletion of ground	cleaned and maintained by our CSR
	water in the area. The Company shall put	department. As per the hydro-geological
	up artificial groundwater recharge	report, the variation in the ground water level
	measures for augmentation of	is only seasonal.
	groundwater resource in case monitoring	15 only bousonai.
_		

Letter no	Letter no J-11015/203/2011-IA.II (M) dated March 3, 2014		
	of groundwater levels indicate decline of	r ´	
	water table. Any additional water	is being met by the company already. Now	
	requirement for mining operation shall	piped drinking water is being provided.	
	be met from rainwater use only. The		
	project authorities shall meet water		
	requirement of nearby village(s) in case		
	the village wells go dry due to		
	dewatering of mine.		
(xxxii)	ETP shall also be provided for treatment	No effluent is discharged outside of the	
	of effluents from workshop, CHP and an	washery. There is no separate workshop in	
	STP shall be provided in the colony and	the washery premises. A central workshop	
	the treated effluents shall be used for	exists in Jamadoba Colliery with Effluent	
	green belt development. Outflow of	Treatment Plant facility having Oil and	
	rainfall, if any, from the mine shall meet	Grease Trap. One Sewage Treatment Plant	
	prescribed norms and the water quality	(STP) of 50 KLD and one STP of 10 KLD	
	of such discharge including levels of	has been installed in one of the colonies of	
	heavy metals such as Hg, Cd, Cr., Se, etc	Jamadoba and Jamadoba canteen. Their	
	shall be monitored at the exit points and	treated water is used for gardening and other	
	records maintained thereof and also	purpose.	
	uploaded on the company website.		
	Online monitoring equipment shall be		
	installed by the proponent to ensure that		
	the water quality parameters of mine		
	water discharge are well within the		
	General Discharge Standards under EP,		
(•••)	Rules, 1986.		
(xxxiii)	Besides carrying out regular periodic		
	health check-up of their workers, 10% of	plant. Though PME is done for washery	
	the workers identified from workforce	workers periodically at our Occupational Health centre. Records of the same has been	
	engaged in active mining operations	furnished earlier.	
	shall be subjected to health check-up for occupational diseases and hearing	Turnished earner.	
	impairment, if any, through a recognised		
	agency found in the district, and the		
	results reported to this Ministry and to		
	results reported to this ministry and to		

(xxxiv)

DGMS.

For monitoring land use pattern and for post mining land use, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one

Complied.

The land use study has been completed by Indian School of Mines (IIT-ISM) Dhanbad and the report is submitted vide letter no. JMB/ENV/BAC/38/467/2021 dated: 27.06.2021 to Regional Office, MoEFCC at Ranchi

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no J-11015/203/2011-IA.II (M) dated March 3, 2014

	particular season which is consistent in	
	the time series), and the report submitted	
	to MOEF and its concerned Regional	
	Office in the region.	
(xxxv)	Land oustees shall be compensated as	Not applicable
(AAAV)	per the norms laid out R&R Policy of	Not applicable
	CIL or the National R&R Policy or R&R	
	Policy of the State Government	
	whichever is higher.	
(**************************************	A Final Mine Closure Plan along with	Not applicable
(xxxvi)	details of Corpus Fund shall be	Not applicable.
	-	
	•	
	Environment & Forests five year before	
	mine closure for approval. Habitat Restoration Plan of the mine area shall	
	be carried out using a mix of native	
	species found in the original ecosystem, which were conserved in-situ and ex-situ	
	in an identified area within the lease for	
	reintroduction in the mine during mine	
	reclamation and at the post mining stage for habitat restoration and for	
	development of grasslands.	
(xxxvii)	Corporate Environment Responsibility:	The Company already has an Environment
		Policy approved by the Managing Director
	a) The Company shall have a well laid	and it addresses all the issues mentioned.
		and it addresses an the issues mentioned.
İ	down Environment Policy approved by	and it addresses an the issues mentioned.
	down Environment Policy approved by the Board of Directors.	The status of adherence to the policy and
	the Board of Directors.	The status of adherence to the policy and
	the Board of Directors.b) The Environment Policy shall	The status of adherence to the policy and compliance to Environmental laws and
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management.
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. Moreover, Jamadoba Coal Washery is IMS
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. Moreover, Jamadoba Coal Washery is IMS (Integrated Management System: Quality
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. Moreover, Jamadoba Coal Washery is IMS (Integrated Management System: Quality Management System, Environment
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. Moreover, Jamadoba Coal Washery is IMS (Integrated Management System: Quality Management System, Environment Management System and OHSAS) certified
	the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the	The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management. Moreover, Jamadoba Coal Washery is IMS (Integrated Management System: Quality Management System, Environment

d) To have proper checks and balances,	interested parties with respect to environment
the company shall have a well laid down	protection.
system of reporting of non-	
compliances/violations of environmental	
norms to the Board of Directors of the	
company and/or shareholders or	
stakeholders at large.	

В.	GENERAL CONDITIONS	
(i)	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	The points mentioned in the EC letter will be strictly followed.
(ii)	No change in the calendar plan of production for quantum of mineral coal shall be made.	It will be strictly followed.
(iii)	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.	The Air quality monitoring stations are: (i)Jamadoba Group Office (Core Zone) (ii)New Village Colony, Jamadoba (Buffer Zone) (iii)Digwadih 12 No. Colony (Buffer Zone) (iv)6&7 Pits Kalimandir area (Buffer Zone) Monitoring of heavy metals in ambient air is being performed by an independent laboratory (recognised by NABL and JSPCB). The results are enclosed as Annexure-I.
(iv)	Data on ambient air quality (PM10, PM 2.5, SO2 and NOx) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized	Ambient air quality report (PM10, PM 2.5, SO2 and NOx) for the period from Apr'21 to Sep'21 is attached as Annexure-I. Additionally, the third party monitoring is being done through a JSPCB & NABL accredited Laboratory for ambient air quality (PM10, PM 2.5, SO2, NOx, CO, NH3, O3) and heavy metals (As, Ni, Cd and Cr). The results are enclosed as Annexure-I.

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no J-11015/203/2011-IA.II (M) dated March 3, 2014

	under the EPA rules, 1986 shall be furnished as part of compliance report.	
(v)	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Regular noise survey is being conducted in the underground work environment. Workers are provided with ear-plugs/ muffs in high noise areas.
(vi)	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	No waste-water is discharged outside the washery premises. 100% water is recirculated back for re-use in the washery. There is a central workshop and garage in Jamadoba Effluent Treatment Plant which includes oil and grease trap has been provided.
(vii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	Only the vehicles having valid PUC certificates are being allowed to operate. Coal transportation through trucks is done only from BCCL mines till washery and it is ensured that only optimally loaded trucks with proper tarpaulin cover are allowed into the washery premises.
(viii)	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with SPCB and data got analysed through a laboratory recognized under EP Rules, 1986.	We have a fully equipped Environment Cell Laboratory with qualified personnel. The monitoring and analysis is also done at regular intervals by a JSPCB & NABL recognized laboratory. We have also installed a Continuous Ambient Air Quality Monitoring Station at Jamadoba for real time monitoring.
(ix)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Persons working in dusty area have been provided with dust masks & have been given awareness training on safety & health aspects. Regular PME (Periodic Medical Examinations) are being done.
(x)	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and	The occupational health surveillance programme of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME

Letter no	J-11015/203/2011-IA.II (M) dated Mar	,
	to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	(Periodic Medical Examination) centre approved by DGMS where annually 20% of the workers identified from workforce engaged in active mining operations are subjected to full medical checkup including hearing impairment checkup, etc. These results are regularly submitted to DGMS as per mines rules. Contractual workers health examination is also done by PME centre.
(xi)	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	We have a separate Environmental Management Cell with qualified personnel. The reporting of Environmental Cell is directly to General Manager of the Division.
(xii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	The Environment Cell has a separate fund for Environmental protection measures and for complying with legal requirements. The annual environmental expenditure for the financial year 2021-22 is Rs. 1098.32 lakhs.
(xiii)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at http://envfor.nic.in .	It has been complied with.
(xiv)	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal.	It has been complied with.

Detter no	A copy of the clearance letter shall also	CH 3, 2014
()	be displayed on the company's website.	Y. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(xv)	A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	It has been complied with.
(xvi)	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	The clearance letter has been uploaded on the company's website. The compliance status (as Half-yearly compliance report) is being uploaded in company's website. The display of information near the washery's office has been provided.
(xvii)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It has been complied with.
(xviii)	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	It will be complied with.

(xix) The environmental statement for each financial year ending 31st March in Form-V is mandated to be submitted by the project proponent tot the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by Email.

The environmental statement for financial year 2021-22 has been submitted to JSPCB on 28th September 2022 vide letter no. JMB/ENV/ESSA/05/719/2022 and it is also uploaded on the company website. The soft copy of Environment Statement is also sent to MOEF by email at ro.ranchi-mef@gov.in.

AIR QUALITY REPORT

Core zone & Buffer zone

Period- April'22 to June'22

No. of sampling points: 4

	Core zone	(as per Air qu	ality standard	s for coal mines	in EPA Notifica	ition, 1988)	
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m³	RSPM 24 Hourly Limit- 300 µg/m³	SO₂ 24 Hourly Limit- 120 µg/m³	NOx 24 Hourly Limit-120 μg/m³
	23°42'15.3"	18.04.22	Clear	233.4	89.5	13.2	14.6
Jamadoba Group Office	N/ 86°24'11''	06.05.22	Cloudy	214.2	80.5	11.6	13.0
Group Office	E	10.06.22	Clear	210.6	77.5	13.3	14.8
	Buff	er zone (as pe	er NAAQS 200	9 for ambient ai	r quality stand	ards)	•
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100µg/m³	PM2.5 24 Hourly Limit- 60µg/m ³	SO₂ 24 Hourly Limit- 80µg/m³	NO ₂ 24 Hourly Limit- 80μg/m ³
D: !!! 42	23°41'42'' N/ 86°24'45.3'' E	13.04.22	Clear	78.3	36.6	13.7	14.9
Digwadih 12 No. Colony		10.05.22	Cloudy	75.3	35.2	10.8	11.3
No. Colony	00 24 43.3 L	08.06.22	Clear	78.4	40.2	11.5	12.7
New Village		15.04.22	Clear	88.7	45.1	12.5	13.5
Colony,	23°41'51" N/ 86°23'19" E	05.05.22	Cloudy	85.7	43.0	13.2	14.0
Jamadoba	86°23°19" E	06.06.22	Clear	82.7	42.8	12.3	13.1
6&7 Pits	2204214511511	11.04.22	Clear	84.4	42.3	13.1	15.2
Kalimandir	23°43'15" N/ 86°24'12" E	09.05.22	Clear	87.9	46.3	12.0	13.9
colony	86°24'12" E	07.06.22	Cloudy	75.2	36.4	12.4	14.6

(Youle Re)

AIR QUALITY REPORT

Core zone & Buffer zone

Period- July'22 to September'22

No. of sampling points: 4

	-						
	Core zone	as per Air qu	ality standard	s for coal mines	in EPA Notifica	ition, 1988)	
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m³	RSPM 24 Hourly Limit- 300 µg/m³	SO ₂ 24 Hourly Limit- 120 µg/m³	NOx 24 Hourly Limit-120 μg/m³
	23°42'15.3"	22.07.22	Cloudy	186.4	69.5	11.3	13.7
Jamadoba Group Office	N/ 86°24'11''	11.08.22	Cloudy	188.7	70.2	12.0	13.4
Group Office	E	02.09.22	Clear	192.3	72.3	13.8	15.6
	Buff	er zone (as pe	er NAAQS 200	9 for ambient ai	r quality standa	ards)	
	Latitude/		Weather	PM10 24 Hourly	PM2.5 24 Hourly	SO₂ 24 Hourly	NO₂ 24 Hourly
Location	Longitude	Date	Condition	Limit- 100μg/m³	Limit- 60µg/m³	Limit- 80μg/m³	Limit- 80μg/m³
D: 1:1 42	23°41'42'' N/ 86°24'45.3'' E	20.07.22	Clear	70.3	36.2	12.2	13.5
Digwadih 12 No. Colony		09.08.22	Cloudy	65.3	32.5	11.2	12.9
No. Colony	80 24 43.3 L	05.09.22	Cloudy	67.2	34.4	12.5	13.7
New Village	2204415411417	18.07.22	Cloudy	68.4	34.6	10.8	11.5
Colony,	23°41'51" N/ 86°23'19" E	12.08.22	Clear	76.8	38.4	13.6	14.3
Jamadoba	80 23 13 L	07.09.22	Clear	75.1	40.8	11.8	12.2
6&7 Pits	2204214511417	21.07.22	Clear	71.3	37.1	11.5	12.2
Kalimandir	23°43'15" N/ 86°24'12" E	08.08.22	Cloudy	67.1	33.7	12.5	13.6
colony	00 24 12 E	06.09.22	Cloudy	69.5	36.1	12.9	14.3

Produces

Ground Water Quality Analysis (Hand Pump & Dung Well) (Pre- Monsoon Season- May'2022)

S.No	Date	Location	Time	Depth in	рН	Electrical
				meter		Conductivity, μS/m
1	10.05.22	Purnadih (Jorapokhar)	12:10 PM	6.98	7.6	812
2	10.05.22	Bhowra 13 No	12:45 PM	4.26	7.5	758
3	10.05.22	Mohalbani Basti	01:10 PM	7.12	7.4	910
4	10.05.22	Digwadih 12 No	01:30 PM	5.14	7.6	799
5	10.05.22	Digwadih 10 No F & J	01:50 PM	4.25	7.3	956
6	10.05.22	Kalimela Shivmandir	11:15 AM	3.10	7.5	820
7	10.05.22	Kalimela Kalimandir	11:35 AM	4.28	7.6	935
8	10.05.22	Lower Dungari	10:50 AM	5.62	7.5	768
9	10.05.22	Upper Dungari	10:20 AM	4.38	7.4	884
10	10.05.22	Pattia Basti	09:55 AM	5.10	7.6	858
11	10.05.22	Kenduadih Basti	09:30 AM	3.36	7.5	812
12	10.05.22	Jorapokhar Kushtand	03:00 PM	5.78	7.6	836
13	10.05.22	Jamadoba 3 No	04:10 PM	5.84	7.7	794
14	10.05.22	6&7 Pits (Ayodhya Nagri)	02:20 PM	4.23	7.4	786

Radera

Ground Water Quality Analysis (Hand Pump & Dung Well) (Monsoon Season- August'2022)

S.No	Date	Location	Time	Depth in meter	pН	Electrical Conductivity µS/m
1	12.08.22	Purnadih (Jorapokhar)	12:00 PM	2.48	7.1	719
2	12.08.22	Bhowra 13 No	12:25 PM	1.98	7.2	698
3	12.08.22	Mohalbani Basti	12:50 PM	3.68	7.0	726
4	12.08.22	Digwadih 10 No F & J	01:10 PM	2.84	7.3	721
5	12.08.22	Kalimela Shivmandir	01:30 PM	1.24	7.2	994
6	12.08.22	Kalimela Kalimandir	10:55 AM	2.29	7.2	824
7	12.08.22	Lower Dungari	11:10 AM	3.32	7.3	782
8	12.08.22	Upper Dungari	10:40 AM	2.98	7.4	710
9	12.08.22	Pattia Basti	10:20 AM	2.64	7.1	714
10	12.08.22	Kenduadih Basti	09:55 AM	1.96	7.2	738
11	12.08.22	Jorapokhar Kushtand	09:35 AM	1.24	7.1	824
12	12.08.22	Jamadoba 3 No	11:40 AM	2.48	7.3	748
13	12.08.22	6&7 Pits (Ayodhya Nagri)	02:25 PM	1.98	7.2	732
14	12.08.22	Jorapokhar Basti Chhattand	01:50 PM	1.68	7.1	698

Rader



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Mobile 09471358492 09431512608

Ref. No.: - ARDS/22-23/495

Date: 23.05.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 18.05.2022 to 19.05.2022

Date of Testing

: 20.05.2022 to 21.05.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	35°C	Avg. Humidity	50%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	81.69	100 µg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	44.71	60 μg/m ³	
3.	SO ₂ µg/m ³	20.37	80 µg/m³	
4.	NO ₂ , µg/m ³	28.92	80 µg/m ³	
5.	Ozone, µg/m³	20.38	180 µg/m³	
6.	NH ₃ , µg/m ³	18.88	400 μg/m ³	
7.	CO, mg/m ³	1.16	4 mg/m ³	
8.	Pb, μg/m³	BDL	1 μg/m ³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 μg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

8.20.00 Sr. Chemist

Aditi R&D Services



23.05.22 Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated cundition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID. sindriaditi@gmail.com Website aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/496

Date: 23.05.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 18.05.2022 to 19.05.2022

Date of Testing

: 20.05.2022 to 21.05.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	LOCATION - OFFICERS	COLONY, 12	NO. DIGWADIH	
	Avg. Ambient Temperature	33°C	Avg. Humidity	51%
SI No.	Particulars	Value	NAAQ - CPCB STA	ANDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	75.32	100 μg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	42.14	60 µg/m ³	
3.	SO ₂ , µg/m ³	16.72	80 µg/m ¹	
4.	NO ₂ , µg/m ³	26.61	80 µg/m³	
5.	Ozone, µg/m³	18.84	180 μg/m³	
6.	NH ₃ , µg/m ³	16.38	400 µg/m³	
7.	CO, mg/m ³	0.69	4 mg/m ³	
8.	Pb, μg/m ³	BDL	1 μg/m ¹	
9.	As, ng/m³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 μg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

B. 20. @XX Sr. Chemisk Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriadit@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O) Mobile: 09471358492: 09431512608

Ref. No.: - ARDS/22-23/497

Date: 23.05.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 18.05.2022 To 19.05.2022

Date of Testing

: 20.05.2022 To 21.05.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	LOCATION - CENTRAL W	ORKSHOP A	REA, JAMADOBA	
	Avg. Ambient Temperature	35°C	Avg. Humidity	49%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	78.84	100 µg/m³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	43.93	60 µg/m ³	
3.	SO ₂ µg/m ³	17.86	80 µg/m ³	
4,	NO ₂ , µg/m ³	25.79	80 µg/m ³	
5.	Ozone, µg/m³	16.42	180 μg/m³	
6.	NH ₃ , µg/m ³	18.50	400 µg/m³	
7.	CO, mg/m ³	0.96	4 mg/m ³	
8.	Pb, μg/m³	BDL	1 µg/m³	
9.	As, ng/m ³	BDL	6 ng/m³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 μg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

B. D. QUI Sr. Chemis Aditi R&D Services



Coughary 23.05/22 Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/498

Date: 23.05.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 18.05.2022 To 19.05.2022

Date of Testing

: 20.05.2022 To 21.05.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	35°C	Avg. Humidity	49%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARE
1.	Particulate Matter (PM ₁₀), µg/m ³	86.99	100 μg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	48.16	60 µg/m ³	
3.	SO _{2,} µg/m ³	22.37	80 μg/m ³	
4.	NO ₂ , µg/m ³	29.92	80 µg/m³	
5.	Ozone, µg/m³	21.54	180 µg/m³	
6.	NH ₃ , µg/m ³	20.16	400 µg/m ³	
7	CO, mg/m ³	1.01	4 mg/m ³	
8.	Pb, µg/m³	BDL	1 μg/m³	
9.	As, ng/m³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 µg/m³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Condhory Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist. - Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

	Ref. No.	& Date				-	The second of the second of the second of	SS OF THE CLIE	
ARI	ARDS/22-23/465 Date: 20.05.2022 Date of Monitoring			(C/C)	M/S TATA STEEL, TATA STEEL LIMITED, JAM. DIST DHANBAD (OUP PLANT
	18.05.2022 TO	19.05.2	2022	Temp	Ambier perature	nt /	Average lumidity	Weather Condition	Status of the plant
	Work Order 4700092573/932 Dt. 20.07.2021				°C) 35		(%) 49	Clear	Running
				MONITO	RING	RESU	LTS		
SI. No	Place of Monitoring	(6	Day Ti AM to Avg. d	10 PM)		(10 PM	Time to 6 AM) dB(A)	for Industr CPCB No (Regulation (Amendment notified violation Dt. 23 Limit in	mbient standard ial Area as per ise Pollution n and Control) nt) Rules , 2000 te S.O. 1046(E) 2.11.2020 ndB(A) Leq
								Day Time	Night Time
	LOCATION	The street of th		AVG. dB(A)	MAX	MIN	dB(A) Led	industrial	Industrial Area
JAN	ADOBA GROUP	(4)		Leq			33(17) 23	* Area	74.00
1.	Central Workshop	56	49	53.78	49	42	46.78		
2.	6&7 Pits Colliery Office	52	49	50.75	44	41	42.75	75	70
								Residential Area	Residential Area
3.	Officer Colony 12 No. Digwadih	53	48	51.18	44	40	42.45	65	55
	Constitution of the Consti							Silence Zone	Silence Zone
4.	Tata Central Hospital	49	46	47.75	36	32	34.45	50	40

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. Domgarh, Dist. Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone 0328-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/499

Date: 23.05.2022

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021


Date of Sample Collection : 19.05.2022

Date of Testing

: 20.05.2022 - 21.05.2022

TEST RESULTS

SI No.	Particulars	Mineralogical Composition (%)					
		SiO ₂	FeO	AI ₂ O ₃	CaO		
1.	Officer's Colony , 12 No. Digwadih	1.47	0.12	1.22	2.6		
2.	Central Workshop Area Jamadoba	1.89	0.19	1.31	2.59		





23.05.0 Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. Domgarh, Dist - Dhanbad

Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Mobile 09471358492 09431512608

Ref. No.: - ARDS/22-23/555

Date: 28.05.2022

TEST REPORT OF SURFACE WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

4700092573/932 Dt. 20.07.2021

Sample Code

1. Damodar River Up Stream

2. Damodar River Down Stream

Date of Sample Collection:

18.05.2022 To 19.05.2022

Date of Testing

20.05.2022 to 27.05.2022

Test

pH, TDS, Turbidity, DO, BOD, CI, F, SO4

TEST RESULT

SI.	PARAMETERS OF TEST	VAL	UE	Limit as	Test
No.		Damodar River Up Stream	Damodar River Dn Stream	per IS 2296 Class - C	Method
1.	pH	7.71	7.80	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	570	605	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	9.8	11.4		IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	5.9	6.2	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.4	1.6	3.0	IS-3025 (P-44):1994
6.	Chloride as CI, mg/I	53	58		IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.52	0.56	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	40	52	400	IS-3025 (P-24):1986

8.20.024 Sr. Chemist Aditi R&D Services

Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

:

:

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-8-17 (P) Sindri, Industrial Area; P.O. - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindradib@gmail.com Website: adltimidservices.com Phone: 0326-2952377 (O)

Mobile 09471358492, 09431512608

Ref. No.: - ARDS/22-23/556

Date: 28.05.2022

TEST REPORT OF MINE WATER DISCHARGE

Name of the industry :

M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code

1. 2 Pit Jamadoba Colliery

2. 3 Pit Jamadoba Colliery
3. 2 Incline Jamadoba Colliery

4. 6 & 7 Pits Colliery 5. Digwadih Colliery

Date of Sample Collection:

18.05.2022 to 19.05.2022

Date of Testing

20.05.2022 to 27.05.2022

Test

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS		V	ALUE			Limit as	Test
No.	OF TEST	2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Collie ry	Digwadih Colliery	per IS-2296 Class B (For Bathing)	Method
1.	pH,	7.6	7.7	7.8	7.6	7,2	6.5-8.5	IS-3025 (P-11): 1983
2	Total Dissolved Solids, mg/I	657	666	584	670	645		IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	18	16	22	18	23	3	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	2.2	1.8	1.7	1.7	1.9	3	IS-3025 (P- 44):1994
5.	Chemical Oxygen Demand, mg/l	46.08	38.4	61.44	38.8	53.76		IS-3025 (P- 58):2006
6.	Oil & Grease, mg/l	BDL	BDL	BDL	BDL	1.1		IS-3025 (P- 39):2021

Sr. Chemist Aditi R&D Services P.O. DOMGARH DRANBAD

Quality Manager
Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated cundition of measurement
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Piot No. - I-8-17 (P)
Sindn, Industrial Area,
P.O. - Domgarh, Dist - Dhanbad
Jharkhand - 828107
Email ID, sindriad bi-formal com-

Email ID. sindriaditi@gmail.com Website: aditimdservices com Phone: 0326-2952377 (O)

Mobile 09471358492 09431512608

Ref. No.: - ARDS/22-23/557

Date: 28.05.2022

TEST REPORT OF EFFLUENT

Name of the industry :

M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code :

J.C.P.P. Final Setting Pond

Date of Sample Collection:

18.05.2022 to 19.05.2022

Date of Testing

20.05.2022 to 27.05.2022

Test

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF	VALUE	Limit as per	Test
Vo.	TEST	J.C.P.P. Final Settling Pond	IS-2296 Class B (For Bathing)	Method
1.	pH,		6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	0.00	(*)	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	DRY POND		IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	DITTORD	3	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l			IS-3025 (P-58):2006
6.	Oil & Grease, mg/l			IS-3025 (P-39):2021

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindriadit@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/562

Date: 28.05.2022

TEST REPORT OF SEWAGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. S.T.P. Outlet Jamadoba Canteen

S.T.P. Outlet J.C.P.P. Canteen
 S.T.P. Outlet Railway Colony

Date of Sample Collection: 18.05.2022 To 19.05.2022
 Date of Testing : 20.05.2022 To 27.05.2022

Test
 pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF		VALUE		MoEF&C Notification	Test
No ·	TEST	S.T.P. Outlet Jamadoba Canteen	S.T.P. Outlet J.C.P.P. Canteen	S.T.P. Outlet Railway Colony	1 st Jan.2016 Permissible Max. Desirable Limit	Method
1.	pH,	7.7	7.9	7.8	6.0-9.0	IS-3025 (P-11):1983
2.	Total Dissolved Solids, mg/l	624	648	690	2100	IS-3025 (P-16):1984
3.	Total Suspended Solids, mg/l	25	29	26	100	IS-3025(P-17):1984
4.	Bio chemical Oxygen Demand, mg/l	12.3	13.1	13.5	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	61.44	53.76	58	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	B.D.L	10	IS-3025 (P-39):2021

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated cundition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID, sindraditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492_09431512608

Ref. No.: - ARDS/22-23/563

Date: 28.05.2022

TEST REPORT OF EFFLUENT

Name of the industry

M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code :

1. E.T.P. Outlet Garage

2. E.T.P. Outlet T.C.H.

Date of Sample Collection:

18.05.2022 To 19.05.2022

Date of Testing

Test

20.05.2022 To 27.05.2022

.

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF TEST	VA	LUE	MoEF&C	Test
No.		E.T.P. Outlet T.C.H	E.T.P. Outlet Garage	Notification 1 st Jan.2016 Permissible Max. Desirable Limit	Method
1.	pH,	8.1	8.2	6.0-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	672	680	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	22	24	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	8.2	7.9	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	38.4	46	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	10	IS-3025 (P-39):2021

Sr. Chemist Aditi R&D Services



Quality Manager

Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O.- Domgarh, Dist - Dhanbad

Jharkhand - 828107

Date: 28.05.2022

Email ID sindriaditi@gmail.com Website aditimdservices.com Phone 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/564

TEST REPORT OF DRINKING WATER

· Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. Canteen Jamadoba Colliery

2. Canteen Jamadoba Washery

Canteen Digwadih Colliery
 Canteen 6&7 Pit Colliery

Date of Sample Collection: 18.05.2022 To 19.05.2022

Date of Testing
 Test
 20.05.2022 To 27.05.2022

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

SL	PARAMETERS OF		VAL	JE			perIS	Test
No	TEST	Canteen Jamadoba Colliery	Canteen Jamadoba Washery	Canteen Digwadih Colliery	6&7 Pit Colliery	Desira ble	0:2012 Permiss ible	Method
1.	Colour, (Hazen Unit)	- 1	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreea ble	Agreeabl e	IS 3025 (P 5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreea	Agreeabl e	IS 3025 (P 7):2017
4.	Turbidity, NTU	1	1	1	1	1.0	5.0	IS 3025 (P 10):1984
5.	pH	7.5	7.7	7.6	7.2	6.5-8.5	No. Relax	1S-3025 (P 11):1983
6.	Total Hardness as CaCO ₃ , mg/l	321.44	329.28	301.84	278.32	200	600	IS 3025 (P 21):2009
7.	Chloride as CI, mg/l	51.61	55.58	47.64	31.76	250	1000	IS 3025 (P 32):1988
8.	Res. Free chlorine as Cl ₂ mg/l	NIL	NIL	NIL	NIL	0.20	1.0	IS 3025 (P 26):2021
9.	Total Dissolved Solids, mg/l	590	545	530	445	500	2000	IS 3025 (P 16):1984
10.	Calcium as CaCO ₃ ,	94.08	98	82,32	58.8	75	200	IS 3025 (P 40):1991
11	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P 42):1992

Statements:

1. The test report refers only to the particular item(s)

2. The test results reported in this report are valid at the three and under the stated condition of measurement.

3. This particular test report cannot be reproduced exception without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107

Email ID: sindriediti@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

- 2 -

SI.	PARAMETERS OF		VAL	UE			s per IS	Test
No.	TEST	Jamadoba Canteen Colliery	Jamadob a Canteen	Canteen Digwadi h	Canteen 6&7 Pit Colliery	Desira	Permiss	Method
12.	Manganese as Mn,	BDL	Washery BDL	BDL	BDL	0.10	ible 0.30	IS 3025 (P
13.	mg/l Sulphate as SO ₄ , mg/l	64	66	76	20	000	199	59):2006
	-	0.4	00	7.0	60	200	400	IS 3025 (P 24):1986
14.	Nitrate as NO ₃ , mg/I	2.8	3.4	3.2	2.6	45	No. Relax	IS 3025 (P 34):1988
15.	Fluoride as F, mg/l	0.26	0.38	0.29	0.30	1.0	1:5	IS 3025 (P 60):2008
16.	Phenolic Compound as (C6H5OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (P 43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (P 48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (P 41):1992
19.	Arsenic as As, mg/I	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P 37):1988
20.	Cyanide as CN, mg/I	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P 27):1986
21.	Lead as Pb, mg/l	BDL.	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P 47):1994
22.	Zinc as Zn, mg/I,	0.13	0.1	0.14	0.12	5	15	IS 3025 (P- 42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (P-
24.	Hexavalent Chromium as Cr., mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P-
25.	Mineral Oil, mg/l	BDL	BOL	BDL	BDL	0.5	No. Relax	52):2003 IS 3025 (P-
26.	Alkalinity as CaCO ₃ , mg/l.	460	456	428	376	200	600	39):1989 IS 3025 (P-
27.	Aluminium as Al, mg/l	BDL	BDL	BDL	BDL	0.03	0.2	23):1983 IS 3025 (P-
28.	Boran as B, mg/I	BDL	BDL	BDL	BDL	0.5	1.0	55):2003 IS 3025 (P- 57):2005

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area, P.O.-Domgarh, Dist.-Dhanbad Jharkhand - 828107

Email ID. sindriaditi/@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O)

Date: 28.05.2022

Mobile 09471358492 09431512608

Ref. No.: - ARDS/22-23/565

TEST REPORT OF GROUND WATER

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Sample Code

1. Purnadih Jorapokhar 2. Digwadih 10 No. F&5 3. Kalimela Kalimandir

4. Upper Dungri 5. Kenduadih Basti

Date of Sample Collection:

6. 6 & 7 Pit Ayodhya Nagari 18.05.2022 To 19.05.2022

Date of Testing

20.05.2022 To 27.05.2022

Test

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium,

Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

ib.	PARAME- TERS OF		VALUE						per IS 0:1991	Test Method	
	TEST	Purnadih Jorapok har	Digwadih 10 No. F&5	Kalimela Kalimand ir	Upper Dungri	Kendua dih Basti	687 Pit Ayodhy a Nagri	Desir- able	Permi- ssible	Wilder	
	Colour, (Hazen Unit)	2	1	2	2	1	2	5	15	IS 3025 (P-4):202	
	Temperature °C	34	36	35	34	36	35		-		
	Electrical Conductivity, unihos/cm	810	950	935	980	795	790		ì		
	Total Dissolved Solids, mg/l	524	615	605	635	515	510	+		IS 3025(P-	
	pН	7.7	7.8	7.5	7.4	7.6	7.7	6.5- 8.5	No Relax	16):1984 IS-3025(P- 11):1983	
	Total Hardness as CaCO ₂ , mg/l	415.52	423.36	411.6	427.28	399.84	388.08	200	600	IS 3025(P- 21):2009	
	Calcium as Ca. mg/l	90.94	92.51	84.67	89.38	81.54	78.40	75	200	IS 3025(P-	
	Magnesium as Mg, mg/l	43.84	44.75	44.58	47.49	45.67	44.75	30	100	40):1991 IS 3025(P-	
	Chloride as CI, mg/l	83.37	79.40	75.43	87.35	71.47	63.53	250	1000	46):1994 IS 3025(P-	
	Fluoride as F. mg/l	0.32	0.42	0.38	0.44 0.88 S	0.48	0.40	1.0	1.5	32):1988 IS 3825(P- 60):2008	

1. The test report refers only to the particular item(s) sub-

2. The test results reported in this report are valid at the time nder the stated condition of measurement.

3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P) Sindri, Industrial Area, PO - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindhaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

2 -

SI.	PARAMETERS OF TEST			VALU	E				per IS 0:1991	Test Method
		Purnadi h Jorapok har	Digwadih 10 No. F&5	Kalimela Kaliman dir	Upper Dungri	Kendua- dih Basti	6&7 Pit Ayodh ya Nagri	Desir -able	Permi s-sible	
11	Sulphate as SO ₄ , mg/l	48	62	68	58	52	66	200	400	IS 3025(P-24): 1986
12.	Nitrate as NO ₃ , mg/l	11.4	14.6	8.2	10.4	10.5	12.2	45	No. Relax	IS 3025(P-34): 1988
13.	Alkalinity as CaCO ₂ , mg/l,	390	410	380	430	370	365	200	600	IS 3025(P-23):1983
14.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15.	Zinc as Zn, mg/l,	0.18	0.16	0.19	0.11	0.12	0.15	5	15	IS 3025(P-42):1992
16.	Iron a Fe, mg/l	0.16	0.11	0.10	0.14	0.13	0.17	0.3	No. Relax	IS 3025(P-53):2003
17.	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P-42):1992
18.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20.	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37): 1992
21.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL.	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27): 1986
23.	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2803

NOTE: BDL - Below Detection Limit

Sr. Chemist



Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindn, Industrial Area, P.O - Domgarh, Dist - Dhanbad

Jharkhand - 828107 Email ID sindraditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1450

Date: 29.08.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 24.08.2022 to 25.08.2022

Date of Testing

: 26.08.2022 to 27.08.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	LOCATION - 6 & 7 P	ITS COLLOIS	ERY OFFICE	
	Avg. Ambient Temperature	30°C	Avg. Humidity	83%
SI No.	Particulars	Value	NAAQ - CPCB STA	ANDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	77.20	100 μg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	38.65	60 µg/m³	
3.	SO ₂ µg/m ³	18.80	80 µg/m ³	
4.	NO ₂ , µg/m ³	25.00	80 µg/m³.	
5.	Ozone, µg/m³	16.45	180 µg/m²	
6.	NH ₃ , µg/m ³	15.60	400 µg/m³	
7.	CO, mg/m ³	1.10	4 mg/m ³	
8.*	Pb, μg/m³	BDL	1 µg/m ¹	
9.	As, ng/m ³	BD!	6 ng/m³	
10.	Ni, ng/m ³	BDL	20 ng/m ²	
11.	Benzene, µg/m³	BDL	5 µg/m ³	

NOTE: BDL - Below Detection Limit

Benzoapyrene ng/m3

B. 22 839 Sr. Chemist

Aditi R&D Services

12.



BDL

Technical Manager Aditi R&D Services, Sindri

1 ng/m²

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No - I-B-17 (P) Sindri, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad Jhankhand - 828107

Email ID: sindriaditi@gmail.com Website aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1451

Date: 29.08.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 24.08.2022 to 25.08.2022

Date of Testing

: 26.08.2022 to 27.08.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	30°C	Avg. Humidity	83%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	70.20	100 μg/m ³	
2.	Particulate Matter (PM2.5), µg/m3	38.84	(m/gu 63	
3.	SO ₂ , µg/m ³	14.10	80 µg/m³	
4.	NO ₂ , µg/m ³	22.65	80 µg/m³	
5.	Ozone, µg/m³	15.10	180 µg/m ³	
6.	NH ₃ , µg/m ³	12.65	400 µg/m ³	
7.	CO, mg/m ³	0.5	4 mg/m ⁻¹	
8.	Pb, μg/m ³	BDL	1 μg/m ³	
9.	As, ng/m ³	BDL	6 ng/m³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 µg/m ³	
12.	Benzoapyrene ng/m³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

B. Q. RU Sr. Chemist Aditi R&D Services

Technical Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No - J-B-17 (P) Sindn, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1452

Date: 29.08.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 24.08.2022 To 25.08.2022

Date of Testing

: 26.08.2022 To 27.08.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	84%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	81.69	100 μg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	39.65	60 μg/m ³	
3.	SO _{2.} µg/m ³	15.20	80 µg/m ³	
4.	NO ₂ , µg/m ³	22.40	80 μg/m ³	
5.	Ozone, µg/m³	13.20	180 µg/m ³	
6.	NH ₃ , µg/m ³	15.65	400 μg/m ³	
7.	CO, mg/m ³	0.72	4 mg/m ³	
8.	Pb, μg/m ³	BDL	1 μg/m ³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, μg/m ³	BDL	5 μg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

8.12 CON Sr. Chemist

Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No - I-B-17 (P) Sindri, Industrial Area. P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindraditi@gmail.com Website, aditimidservices.com Phone: 0326-2952377 (O)

Date: 29.08.2022

Mobile 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1453

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 24.08.2022 To 25.08.2022

Date of Testing

: 26.08.2022 To 27.08.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	LOCATION - TATA	CENTRAL	HOSPITAL	
	Avg. Ambient Temperature	29°C	Avg. Humidity	84%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	79.58	100 µg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	42.51	60 μg/m ³	
3.	SO _{2.} μg/m ³	19.66	80 µg/m³	
4.	NO _{z.} µg/m ³	21.54	80 µg/m³	
5.	Ozone, µg/m³	18.31	180 μg/m ³	
6.	NH ₃ , µg/m ³	15.86	400 μg/m ¹	
7.	CO, mg/m ³	0.82	4 mg/m ³	
8.	Pb, µg/m³	BDL	1 μg/m³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL	5 μg/m³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m³	

NOTE: BDL - Below Detection Limit

6.20 QUEN Sr. Chemist Aditi R&D Services

Technical Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area

P.O - Domgarh, Dist - Drianbad

Jharkhand - 828107

Email ID sindhadif@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

	Ref. No	. & Date					NAME	AND ADDRES	S OF THE CLI	ENT			
AR	DS/22-23/1435	Date:	26.08.2	2022	M/S TATA STEEL, JAMADOBA,								
	Date of N	lonitorir	ng	Т	TATA STEEL LIMITED, JAMADOBA GROUP PLAN								
_					DIST DHANBAD (JHARKHAND)								
-	24.08.2022 T	0 25.08	.2022		그 기보다 하다 하다 나라의 하나에 하나 아름이 되어 그 뭐니 그 그 없었습니까? 회사되었다.		Average Humidity (%)	Weather Condition	Status of the plant				
	Work Order 4700092573/932 Dt. 20.07.2021				29			84	Cloudy	Running			
				MO	NITO	RING	RESI	JLTS					
SI. No	Place of Monitoring	(Day T 6 AM to Avg. d	10 PM)			(10 PM	t Time to 6 AM) dB(A)	for Industr CPCB No (Regulatio (Amendme notified vid Dt. 2: Limit in	Ambient standard rial Area as per pise Pollution n and Control) nt) Rules 2000 de S.O. 1046(E) 2.11.2020 i dB(A) Leq			
	William Control To			,					Day Time	Night Time			
JAN	LOCATION MADOBA GROUP	MAX	MIN	AVG. dE Leq	10 Miles Par 11	MAX	MIN	dB(A) Leq	Industrial Area	Industrial Area			
1.	Central Workshop	59	50	56.50	0	47	33	44.16					
2.	6 & 7 Pits Colliery Office	52	48	50.4	5	39	31	36.63	75	70			
									Residential Area	Residential Area			
3.	Officer Colony 12 No. Digwadih	58	53	56.18	8	44	34	41.40	65	55			
									Silence Zone	Silence Zone			
4.	Tata Central Hospital	48	42	45.96	3	37	33	35.45	50	40			

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindraditi@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492; 09431512608

Ref. No.: - ARDS/22-23/1454

Date: 29.08.2022

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 25.08.2022

Date of Testing

: 26.08.2022 - 27.08.2022

TEST RESULTS

SI No.	Particulars	Mineralogical Composition (%						
		SiO ₂	FeO	Al ₂ O ₃	CaO			
1.	6 & 7 Pits Colliery Officer	1.62	0.13	1.16	2.01			
2.	Tata Central Hospital	1.31	0.06	1.09	1.9			

8.22 2017 Sr. Chemist Aditi R&D Services



Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-8-17 (P) Sindri Industrial Area,

PO.- Domgarh, Dist.- Dhanbad Jharkhand - 829107

Email ID: sindriaditi@gmail.com Website adtirndservices.com Phone: 0326-2952377 (O)

Mobile 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1503

Date: 03.09.2022

TEST REPORT OF SURFACE WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

· Work Order Ref. NO .:

4700092573/932 Dt. 20.07.2021

Sample Code

1. Damodar River Up Stream

2. Damodar River Down Stream

Date of Sample Collection:

24.08.2022 To 25.08.2022

· Date of Testing

26.08.2022 To 02.09.2022

Test

pH, TDS, Turbidity, DO, BOD, CI, F, SO₄

TEST RESULT

.

SI.	PARAMETERS OF TEST	VAI	UE	Limit as	Test
No.		Damodar River Up Stream	Damodar River Dn Stream	per IS 2296 Class - C	Method
1.	pH	7.2	7.2	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	228	220	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	12.5	14.8		IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	4.1	4.6	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	2.7	2.8	3.0	IS-3025 (P-44):1994
6.	Chloride as CI, mg/I	14	16		IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.46	0.36	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	42	60	400	IS-3025 (P-24):1986

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Piot No. -1-B-17 (P) Sindh, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 629107

Email ID. sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1504 Date: 03.09.2022

TEST REPORT OF MINE WATER DISCHARGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED
JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. 2 Pit Jamadoba Colliery
2. 3 Pit Jamadoba Colliery

3. 2 Incline Jamadoba Colliery

6 & 7 Pits Colliery
 Digwadih Colliery

Date of Sample Collection: 24.08.2022 to 25.08.2022
 Date of Testing : 26.08.2022 to 02.09.2022

Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS		V	ALUE			Limit as	Test
No.	OF TEST	2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Collie ry	Digwadih Colliery	IS-2296 Class B (For Bathing)	Method
1.	pH,	7.8	7.8	7.9	7.5	8.1	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	665	678	566	682	616		IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	28	22	32	34	38		IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	1.8	2.5	2.4	2.5	2.1	3	IS-3025 (P- 44):1994
5.	Chemical Oxygen Demand, mg/l	32	64	36	38	42		IS-3025 (P- 58):2006
6,	Oil & Grease, mg/l	BOL	BDL	BDL	BDL	1.2		IS-3025 (P- 39):2021

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No -1-8-17 (P) Sindh, Industrial Area P.O - Domgarh, Dist - Dhanbad

Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1505

Date: 04.09.2022

TEST REPORT OF EFFLUENT

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. E.T.P. Outlet Garage
 2. E.T.P. Outlet T.C.H.

Date of Sample Collection: 24.08.2022 To 25.08.2022
 Date of Testing : 26.08.2022 To 02.09.2022

Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF TEST	VA	LUE	MoEF&C	Test
No.		E.T.P. Outlet E.T.P. Outlet T.C.H Garage		Notification 1 st Jan.2016 Permissible Max. Desirable Limit	Method
1.	pH,	8.6	8.8	6.0-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	584	690	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	36	28	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	19	12	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	80	48	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	10	IS-3025 (P-39):2021

Sr. Chemist Aditi R&D Services



Technical Wanager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. -1-8-17 (P) Sindn, Industrial Area.

P.O.- Domgarh, Dist - Dhanbad

Jharkhand - 828107

Date: 04.09.2022

Email ID: sindriaditi@gmail.com Website: aditimdservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1506

TEST REPORT OF DRINKING WATER

· Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. Canteen Jamadoba Colliery

Canteen Jamadoba Washery
 Canteen Digwadih Colliery

4. Canteen 6&7 Pit Colliery

• Date of Sample Collection: 24.08.2022 To 25.08.2022

Date of Testing : 26.08.2022 To 02.09.2022

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

SI.	PARAMETERS OF		VAL	JE			per IS	Test
No	TEST	Canteen Jamadoba Colliery	Canteen Jamadoba Washery	Canteen Digwadih Colliery	Canteen 6&7 Pit Colliery	Desira ble	0:2012 Permiss ible	Method
1.	Colour, (Hazen Unit)	. 1	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreea ble	Agreeabl e	IS 3025 (P- 5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreea ble	Agreeabl e	1S 3025 (P- 7):2017
4.	Turbidity, NTU	1	1	1	1	1.0	5.0	IS 3025 (P 10):1984
5.	рН	8.0	8.2	8.3	8.0	6.5-8.5	No. Relax.	IS-3025 (P 11):1983
6.	Total Hardness as CaCO ₃ , mg/l	380	372	405	362	200	600	IS 3025 (P 21):2009
7,	Chloride as CI, mg/l	58	60	62	52	250	1000	IS 3025 (P 32):1988
8.	Res. Free chlorine as Cl ₂ mg/l	NIL	NIL	NIL	NIL	0.20	1.0	1S 3025 (P 26):2021
9.	Total Dissolved Solids, mg/l	767	825	773	767	500	2000	IS 3025 (P- 16):1984
10.	Calcium as CaCO ₃ , mg/l	104	96	96	90	7.5	200	IS 3025 (P 40):1991
11	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P- 42):1992

Statements

1. The test report refers only to the particular item(s) submitted for

2 The test results reported in this report are valid at the time of an

3. This particular test report cannot be reproduced except in full wit

ed cundition of measurement.

mission of Quality Manager of the laboratory.

ontinued on Page 2



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-8-17 (P) Sindri, Industrial Area.

PO - Domgarh, Dist. - Dhanbad

Jharkhand - 828107

Email ID sindraditi@gmail.com Website aditimdservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

- 2

SI.	PARAMETERS OF		VAL	JE			per IS	Test
No.	TEST	Jamadoba Canteen Colliery	Jamadob a Canteen	Canteen Digwadi h	Canteen 6&7 Pit Colliery	Desira ble	0:1991 Permiss	Method
12.	Manganese as Mn,	BDL	Washery BDL	BDL	BDL	0.10	0.30	IS 3025 (P 59):2006
13.	Sulphate as SO ₄ , mg/l	69	62	79	66	200	400	IS 3025 (P 24):1986
14.	Nitrate as NO ₃ , mg/I	2.6	3.2	2.9	2.8	45	No. Relax	IS 3025 (P 34):1988
15.	Fluoride as F, mg/l	0.29	0.32	0.33	0.34	1.0	1.5	IS 3025 (F 60):2008
16.	Phenolic Compound as (C6H5OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (F 43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (F 48):1994
18.	Cadmium as Cd, mg/I	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (F 41):1992
19.	Arsenic as As, mg/l	BDL	BDL	BDL	BOL	0.01	No. Relax	IS 3025 (F 37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (F 27):1986
21.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (F 47):1994
22.	Zinc as Zn, mg/l,	0.12	0.14	0.18	0.15	5	15	IS 3025 (F 42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (F 49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (F 52):2003
25.	Mineral Oil, mg/l	BDL	BDL	BDL	BDL	0.5	No. Relax	IS 3025 (F 39):1989
26.	Alkalinity as CaCO ₃ , mg/l,	496	492	496	348	200	600	IS 3025 (F 23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	BDL	BDL	0.03	0.2	1S 3025 (F 55):2003
28.	Boran as B, mg/l	BDL	BDL	BDL	BDL	0.5	1.0	IS 3025 (F 57):2005

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated cundition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area

PO - Domgarn, Dist - Dhanbad

Jharkhand - 828107

Email ID: sindnaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile, 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1507

Date: 04.09.2022

TEST REPORT OF GROUND WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

· Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Sample Code

1. Bhowra 13 No. 2. Mohalbani Basti

Monalbani Bast
 Lower Dungi

4. Jorapokhar Khustand

· Date of Sample Collection :

Jamadoba 3 No.
 24.08.2022 To 25.08.2022

Date of Testing

26.08.2022 To 02.09.2022

Test

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium,

Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity,

Aluminium & Boron.

TEST RESULT

SI	PARAME-TERS OF TEST		1	VALUE				per IS 1:1991	Test Method
	0, 120	Bhowra 13 No.	Mohalbani Basti	Lower Dungi	Jorapo khar Khust and	Jamado ba 3 No.	Desir- able	Permi- ssible	
1	Colour, (Hazen Unit)	2	1	2	,2	1	5	15	IS 3025 (P-4):2021
2.	Temperature ⁶ C	28	29	28	29	28	-		-
3.	Electrical Conductivity, umhos/cm	880	1030	1270	865	1370	1.5	7	
4.	Total Disselved Solids, mg/l	572	669	825	562	890			IS 3025(P-16):1984
5	рН	7.0	7.3	6.9	7.6	7.6	6.5-8.5	No Relax	IS-3025(P-11):1983
6	Total Hardness as CaCO ₃ , mg/l	276	388	424	576	344	200	600	IS 3025(P-21):2009
7	Calcium as Ca, mg/l	78.4	97.6	110.2	132.8	84.8	75	200	IS 3025(P-40):1991
8	Magnesium as Mg, mg/l	19.2	39.4	34.58	56.85	30.8	30	100	IS 3025(P-46):1994
9.	Chloride as CI, mg/l	64	54	82	42	94	250	1000	IS 3025(P-32):1988
10.	Fluoride as F, mg/l	0.33	0.40	0.42	0.43	0.46	1.0	1.5	IS 3025(P-60):2008

Statements .

1. The test report refers only to the particular item(s) submitted for testing.

2. The test results reported in this report are valid at the time of and under the

3. This particular test report cannot be reproduced except in full without prior of

E CO

Continued

Quality Manager of the laboratory



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O.- Domgarn, Dist.- Dhanbad

Jharkhand - 878107

Email ID sindnaditi@gmail.com Website aditimdservices.com Phone 0326-2952377 (O)

Mobile 09471358492, 09431512608

2

1.	PARAMETERS OF TEST			VALUE				per IS 0:1991	Test Method
		Bhowra 13 No.	Mohalbani Basti	Lower Dungi	Jorap okhar Khust and	Jamado ba 3 No.	Desir -able	Permis -sible	
1	Sulphate as SO ₄ , mg/l	52	66	70	62	58	200	400	IS 3025(P-24):1986
2.	Nitrate as NO ₃ , mg/l	11.2	13.8	9.5	11,2	10.3	45	No. Relax	IS 3025(P-34):1988
3.	Alkalinity as CaCO ₂ , mg/l,	304	500	408	285	295	200	600	IS 3025(P-23):1983
4.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
5.	Zinc as Zn, mg/l,	0.13	0.18	0.15	0.14	0.16	5	15	IS 3025(P-42):1992
6.	Iron a Fe, mg/I	0.15	0.2	0.15	0.25	0.18	0.3	No. Relax	IS 3025(P-53):2003
7.	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P-42):1992
8.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
9.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
0.	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
1.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
2.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
3.	Total Chromium as Cr. mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Technical Managèr Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

.

Plot No. - I-B-17 (P) Sindh, Industrial Area,

P.O.- Domgarh, Dist - Dhanbad

Jharkhand - 828107

Email ID: sindriadit@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/1506

Date: 03.09.2022

TEST REPORT OF SEWAGE

Name of the industry

M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code

S.T.P. Outlet Jamadoba Canteen
 S.T.P. Outlet Railway Colony

· Date of Sample Collection:

24.08.2022 To 25.08.2022

Date of Testing

26.08.2022 To 02.09.2022

Test

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI	PARAMETERS OF	V	ALUE	MoEF&C Notification	Test
Wa.	TEST	S.T.P. Outlet S.T.P. Outlet Jamadoba Railway Colony Canteen		1 st Jan.2016 Permissible Max. Desirable Limit	Method
1.	pH,	7.6	8.0	6.0 - 9.0	IS-3025 (P-11):1983
2.	Total Dissolved Solids, mg/I	648	698	2100	IS-3025 (P-16):1984
3.	Total Suspended Solids, mg/I	37	29	100	IS-3025(P-17):1984
4.	Bio chemical Oxygen Demand, mg/l	14	16	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	56	64	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	10	IS-3025 (P-39):2021

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.