

The Additional Principal Chief Conservator of Forest, Regional Office (Eastern Central Zone) Ministry of Environment, Forests and Climate Change, Govt. of India Bungalow No. A-2, Shyamali Colony, Ranchi – 834002, Jharkhand.

Ref No. - JMB/ENV/JCPP/38/371/2023 May 29, 2023

Ref.: Environmental Clearance letter no. - J-11015/203/2011-IA.II(M) dated- 3rd March 2014.

Sub: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEFCC, New Delhi to Jamadoba Coal Washery, Tata Steel Limited, Dhanbad for the period October'22 to March'23

Dear Sir,

We are enclosing herewith compliance report for the period **October'22 to March'23** for the EC granted vide letter no.- J-11015/203/2011-IA.II(M) dated- 3rd March 2014 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

Head (Planning)

Jharia Division, Tata Steel Ltd.

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5th Floor 1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa, Ranchi - 834004.

Copy to: Regional Officer, JSPCB, HIG-1 Sardar Patel Nagar, Housing Colony, Hirapur, Dhanbad

HALF YEARLY COMPLIANCE REPORT

(PERIOD: OCT'22 – MAR'23)

JAMADOBA COAL WASHERY

(CAPACITY: EXPANSION FROM 1 TO 2 MTPA RAW COAL THROUGHPUT)

TEHSIL: JHARIA, DIST: DHANBAD, JHARKHAND



TATA STEEL LIMITED, JHARIA DIVISION

P.O.- JAMADOBA, DIST. - DHANBAD, STATE- JHARKHAND, PIN CODE – 828112.

ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/203/2011-IA.II(M) DATED- 03.03.2014 ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW DELHI.

S. No.	Condition	Compliance Status			
Specific Condition					
(i)	Adequate green belt shall be provided around coal handling and other areas.	Greenery has been developed in many areas around the washery premises. Since the expansion job has been completed, remaining area is also being developed. Attached as Annexure-1 .			
(ii)	Action plan be developed and implemented for abandoned tailing ponds and for their restoration to the original land use.	Action plan for cut-off of tailing ponds from tailing management system is in place. Abandoned tailing ponds have been reclaimed by backfilling. Technical reclamation have taken place in two large ponds. Biological reclamation is going on by planting native species.			
(iii)	Fly ash generated from the captive power plant of the washery be utilized for house construction, roads and such uses, strictly complying to the timeline in the EIA Notification, 2006 and maintaining proper records.	This is not applicable as we have ceased the operation of our captive Jamadoba power plant since April'15.			
(iv)	No use of fly ash with sand will take place for stowing in underground mines.	This will be strictly followed for our captive underground mines.			
(v)	Transportation of fly ash to be done properly by mechanically covered trucks.	This is not applicable as there is no fly ash being generated since April'15.			
(vi)	The proponent shall connect all the villages in the leasehold area with water pipeline connection.	All the villages in the leasehold areas are being supplied safe drinking water through pipeline connection. A network of more than 22000 metres of pipeline connection has been established along with 33 water tanks (capacity of 4500 litres).			
(vii)	The proponent shall expedite and implement the pilot plant to convert mine water into drinking/domestic water to supply the same to the population of Dhanbad and surrounding areas and shall continue to carry out this activity.	Mine water is already being converted into potable water by Tata Steel in our 4 nos. Water Treatments Plants (located at Jamadoba, Digwadih, Bhelatand and Malkera having cumulative capacity of around 8000 KL/D). The treated water is then supplied to our colonies and leasehold villages. This will continue in future too.			

(viii)	Tanks/ponds shall be regularly cleaned	Tanks/ ponds are regularly cleaned and
	and maintained. Plantation activities	maintained by TSRDS. Plantation activities
	shall be intensified in the mine areas.	are undertaken every year in the barren mine
		leasehold areas. Further, TSRDS engages
		with the villagers for plantation in the village
		lands.
(ix)	The proponent shall expedite the	CSR activities of TSRDS are managed by a
(1.1)	activities undertaken by TSRDS in over	team of experts who are dedicatedly involved
	30 villages in the leasehold area over	in providing benefits and improving standard
	15000 households covering a population	of living in over 30 villages. The list of
	of about 1.4 lakh.	activities are developed in consultation with
	or accut 1.1 lakii.	the village representatives and implemented
		in a time-bound manner.
(x)	CSR activities of TSRDS are managed	The proposed CSR expenditure for the entire
	by a team of experts who are dedicatedly	company is decided as per the new Company
	involved in providing benefits and	Rules. Once the CSR budget for company is
	improving standard of living in over 30	fixed, a share of that amount is dedicated and
	villages. The list of activities are	utilized for implementing the CSR activities
	developed in consultation with the	at our Jharia Division level. The CSR
	village representatives and implemented	expenditure for FY22 is Rs. 11.84 crores.
	in a time-bound manner.	
(xi)	Cost for additional environmental	The regular expenditure incurred for
	protection measures shall be not less	environment protection and management are
	than Rs. 503.00 lakhs. The status of	submitted to MoEF&CC & SPCB in Annual
	implementation including costs incurred	Environment Statement and the status is
	shall be regularly reported to this	uploaded on company website as a part of
	Ministry and its respective Regional	compliance report of AES.
	Office in the region as part of the	
	compliance report and also uploaded on	
	the company website.	
(xii)	The slope of the embankment towards	The washery is about 1.5 kms away from the
	the river shall be at least 1:3 for stability	Damodar River. Hence it is not applicable.
	and shall be stabilized with plantation	
	using native species selected from the	
	study area.	
(xiii)	Top soil shall be stored in the earmarked	There are no top soil dumps hence it is not
	area and used within a year of its	applicable.
	generation for green belt development	

	J-11015/203/2011-IA.II (M) dated Marc	·
(xiv)	No external OB dump shall be created for the expansion project. Monitoring and management of existing reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its respective Regional Office on yearly basis.	Not applicable as this is a washery project.
(xv)	Catch drains and siltation ponds of appropriate size shall be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected shall be utilised for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly.	There are no soil or OB dumps in the washery premises. Only the by-products are stored in the stockyards located in the washery premises which are sold off within a week.
(xvi)	Garland drains (size, gradient and length) and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	Garland drains of adequate size and gradient already exist around the washery area to channelize the surface runoff. The runoff is diverted to the tailing ponds and clear water is utilized in the washery.
(xvii)	Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.	Not applicable as we do not have any opencast mines.
(xviii)	Crushers at the CHP shall be operated with high efficiency bag filters/water sprinkling system shall be provided to check fugitive emissions from crushing operations, conveyor system which shall be closed, haulage roads, transfer points, etc.	The following measures have been implemented: i) Dry-fog system at all transfer points of CHP ii) Enclosures around crushers. iii) Belts have been covered on top and both sides. These arrangements will protect the coal mass moving on belt from blowing wind. In this way, the dust getting air borne is being minimized. iv) Fixed water sprinklers on the haulage roads.

	o 11013/200/2011 II wil (wi) dated water	v) In addition, movable water sprinklers are
		also being deployed on the roads for dust
		suppression.
		vi) Dust Extraction System
		vii) Strengthening of tailing management
		system
		viii) Concretization of working complex
(xix)	Drills shall be wet operated only.	Not applicable as this is coal beneficiation
(AIA)	Diffis shall be wet operated only.	plant
(xx)	Controlled blasting shall be practiced	Not applicable as this is coal beneficiation
(AA)	with use of delay detonators and only	plant
	-	piant
	2 3	
	measures for control of ground	
	vibrations and to arrest the fly rocks and	
(')	boulders shall be implemented.	Western in storeds
(xxi)	The Washery shall be a zero-discharge	Washery is already operating on a zero-
	and no wastewater shall be discharged	discharge principle. No waste-water is
	from the washery into the drains/natural	discharged into the drains/ natural water
	watercourses. No groundwater shall be	systems. Only mine water is utilized for the
	used for washery operations. Recycled	washery operations as make up water
	water shall be used for development and	requirement. The recycled water is again
	maintenance of green belt and in the	used for plant operations and green-belt
(•••	plant operations.	development.
(xxii)	The raw coal, washed coal and middling	The material is being stacked properly at
	and coal wastes (rejects) shall be stacked	stockyards located within the washery. We
	properly at earmarked site(s) within	have a well-established system for disposal
	sheds/stockyards fitted with wind	of rejects/ tailings to consumers so that
	breakers/shields. Adequate measures	storage period is not more than 2-3 days.
	shall be taken to ensure that the stored	
	minerals do not catch fire. The storage	
	period shall be not more than 2-3 days.	
(xxiii)	The proponent shall maintain proper	Proper records are being maintained and the
	records of the ash content of raw (ROM)	details are uploaded on the company website.
	coal, clean coal, middling and coal	
	rejects along with quantum of raw coal	
	obtained and washed and dispatched	
	every month and the same shall be	
1	uploaded on the company website every	
	month.	
(xxiv)	All internal roads shall be concreted or	All the internal roads have been concreted
(xxiv)	All internal roads shall be concreted or black topped and the approach roads	while the approach roads are black-topped.
(xxiv)	All internal roads shall be concreted or	

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no	J-11015/203	/2011-IA.II ((M) dated Mar	ch 3, 2014
Letter no) J-11U15/2U3/	/ZUII-IA.II (IVI) dated Mar	cn 3, 2014

	carrying raw coal from the linked	
	coalmines shall be created within the	
	Unit.	
(xxv)	Roads used for coal transportation to the linked DRI/TPP shall be developed with	There is no linked DRI/TPP.
	3-tier avenue plantation using a mix of native species. The trucks used for coal transportation shall be high capacity	- Raw coal is received via underground coal conveyor belt network from captive collieries.
	trucks. Drivers of trucks for coal transportation shall be engaged based on past records of road safety and compliance of safety regulations and shall be suitably sensitized about road	- Clean coal is dispatched via rail from the Rail-yard situated on the washery premises. The clean coal is kept in storage bins and directly transferred to the rail wagons through covered coal-conveying system.
	safety and maintenance of vehicles to keep vehicular emissions to be within prescribed limits.	- As for the trucks moving for transportation of tailings and rejects are properly covered with tarpaulin. All the given provisions related to road safety and driver competence are being strictly complied with.
(xxvi)	The roads (internal/approach and roads used for the project) shall be regularly cleaned with mechanical sweepers and with water sprinklers. A 3-tier avenue plantation shall be developed along the major approach roads, internal roads and nearby roads used by the company.	Fixed Water sprinklers have already been installed in the washery premises. Plantation along the road-side is done wherever feasible. A three-tier green belt development is in progress
(xxvii)	Green belt shall be developed along the areas such as the washery unit, crushing unit, and stockyards and at transfer points and in between mine operations and habitations.	Greenery has been developed in many areas around the washery premises. Saplings have been planted along the boundary of washery for greenbelt development.
(xxviii)	Hoppers of the coal crushing unit at the crushing shed and washery unit shall be fitted with high efficiency bag filters/Dust extractors and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of belt conveyor systems which shall be closed and from transportation roads	Dry-fog dust suppression system has been already installed to suppress the dust generated at CHP and transfer points of belt conveyor systems. Fixed-type water sprinklers are also installed on the internal roads of the washery. These are always operated effectively to check the fugitive emissions. Fugitive dust emission monitoring is done on
	closed and from transportation roads.	Fugitive dust emission monitoring is done or regularly. The values are within the stipulate norms.

1	The preparent shall ensure that and	It is being followed.
(xxix)	The proponent shall ensure that coal	it is being followed.
	such as stones, shale and other wastes of	
	an ash content of 77% or more only shall	
	be dumped into the mine voids. Coal	
	rejects with an ash content of 76% or less	
	shall be fully utilized for power	
	generation in linked TPP.	
(xxx)	Regular monitoring of groundwater level	The monitoring of groundwater level and
	and quality including levels of heavy	quality is done regularly as per the
	metals such as Hg, Cd, Cr, Se, etc shall	requirements. The groundwater quality
	be carried out by establishing a network	report & groundwater level are provided in
	of existing wells and construction of new	Annexure II.
	peizometers. The monitoring for	
	quantity and quality of ground water as	The monitoring of heavy metals such as Hg,
	per IS: 10500 shall be done four times a	Cd, Cr, Se, etc in the groundwater is done on
	year in pre-monsoon (May), monsoon	quarterly basis by NABL accredited third
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	party and the report has been provided in
	(August), post-monsoon (November)	Annexure-II.
	and winter (January) seasons. Proper	
	records of the data thus collected shall be	
	maintained submitted to the Ministry of	
	Environment & Forests and to the	
	Central Pollution Control Board	
	quarterly within one month of	
	monitoring.	
(xxxi)	As the entire mine water is proposed to	Some of the water pumped out during
	be used for the mine-cum-washery	underground mining activity is re-circulated
	operations, measures shall be taken for	back into the mine for the purpose of stowing.
	recharging ground water in and around	Backfilling of mine voids by stowing is done
	the mine in the study area. A Plan for	using and which is having the peresity to
		using sand which is having the porosity to
	water conservation and recharge	hold the underground water thus helping
	<u>-</u>	
	water conservation and recharge	hold the underground water thus helping aquifer to retain the underground water.
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put up artificial groundwater recharge	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put up artificial groundwater recharge measures for augmentation of	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal.
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring of groundwater levels indicate decline of	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal. The water requirement of the nearby villages
	water conservation and recharge measures of ground water along with budgetary provisions be prepared and implemented in consultation with the Central/State Ground Water Board to mitigate the adverse impact of mining which may lead to depletion of ground water in the area. The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring	hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal.

Letter no	he met from neinvesten was only. The	3,2011
	be met from rainwater use only. The	
	project authorities shall meet water	
	requirement of nearby village(s) in case	
	the village wells go dry due to	
	dewatering of mine.	
(xxxii)	ETP shall also be provided for treatment	No effluent is discharged outside of the
	of effluents from workshop, CHP and an	washery. There is no separate workshop in
	STP shall be provided in the colony and	the washery premises. A central workshop
	the treated effluents shall be used for	exists in Jamadoba Colliery with Effluent
	green belt development. Outflow of	Treatment Plant facility having Oil and
	rainfall, if any, from the mine shall meet	Grease Trap. One Sewage Treatment Plant
	prescribed norms and the water quality	(STP) of 50 KLD and one STP of 10 KLD
	of such discharge including levels of	has been installed in one of the colonies of
	heavy metals such as Hg, Cd, Cr., Se, etc	Jamadoba and Jamadoba canteen. Their
	shall be monitored at the exit points and	treated water is used for gardening and other
	records maintained thereof and also	purpose.
	uploaded on the company website.	1 1
	Online monitoring equipment shall be	
	installed by the proponent to ensure that	
	the water quality parameters of mine	
	water discharge are well within the	
	General Discharge Standards under EP,	
	Rules, 1986.	
(xxxiii)	Besides carrying out regular periodic	Not applicable as this is coal beneficiation
(XXXIII)	health check-up of their workers, 10% of	plant. Though PME is done for washery
	_	2
	the workers identified from workforce	workers periodically at our Occupational
	engaged in active mining operations	Health centre. Records of the same has been
	shall be subjected to health check-up for	furnished earlier.
	occupational diseases and hearing	
	impairment, if any, through a recognised	
	_	
(xxxiv)		•
	1 -	*
		· · · · · · · · · · · · · · · · · · ·
	(on a scale of 1: 5000) of the core zone	*
	and buffer zone, from the start of the	
	project until end of mine life shall be	_
	prepared once in 3 years (for any one	Ranchi
	particular season which is consistent in	
	1	
(xxxiv)	and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one	Complied. The land use study has been completed by Indian School of Mines (IIT-ISM) Dhanbad and the report is submitted vide letter no. JMB/ENV/BAC/38/467/2021 dated: 27.06.2021 to Regional Office, MoEFCC at Ranchi

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no J-11015/203/2011-IA.II (M) dated March 3, 2014

` /	
_	
<u> </u>	NT . 1' 11
-	Not applicable
-	
_	
Policy of the State Government	
whichever is higher.	
A Final Mine Closure Plan along with	Not applicable.
details of Corpus Fund shall be	
submitted to the Ministry of	
Environment & Forests five year before	
mine closure for approval. Habitat	
Restoration Plan of the mine area shall	
be carried out using a mix of native	
in an identified area within the lease for	
_	
de velopment of grassiands.	
Corporate Environment Responsibility:	The Company already has an Environment
) TT G 1111	Policy approved by the Managing Director
- ·	and it addresses all the issues mentioned.
	Attached as an annexure- III.
the Board of Directors.	
h) The Environment Policy shall	The status of adherence to the policy and
, , , , , , , , , , , , , , , , , , ,	compliance to Environmental laws and
1 2	regulations is regularly discussed at higher
	levels. Any non-compliance noticed is
•	corrected at divisional level. If any issue is
	beyond our control, it is brought to the notice
norms/conditions.	of higher management.
c) The hierarchical system or	or inguor managoment.
Administrative Order of the company to	Moreover, Jamadoba Coal Washery is IMS
<u> </u>	(Integrated Management System: Quality
	.
	Management System and OHSAS) certified
	unit addressing all environment aspects,
d) To have proper checks and balances,	impacts and needs and expectation of
d) To have proper checks and balances, the company shall have a well laid down	interested parties with respect to environment protection.
	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests five year before mine closure for approval. Habitat Restoration Plan of the mine area shall be carried out using a mix of native species found in the original ecosystem, which were conserved in-situ and ex-situ in an identified area within the lease for reintroduction in the mine during mine reclamation and at the post mining stage for habitat restoration and for development of grasslands. Corporate Environment Responsibility: a) The Company shall have a well laid down Environment Policy approved by the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for

compliances/violations of environmental
norms to the Board of Directors of the
company and/or shareholders or
stakeholders at large.

В.	GENERAL CONDITIONS	
(i)	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	The points mentioned in the EC letter will be strictly followed.
(ii)	No change in the calendar plan of production for quantum of mineral coal shall be made.	It will be strictly followed.
(iii)	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.	The Air quality monitoring stations are: (i)Jamadoba Group Office (Core Zone) (ii)New Village Colony, Jamadoba (Buffer Zone) (iii)Digwadih 12 No. Colony (Buffer Zone) (iv)6&7 Pits Kalimandir area (Buffer Zone) Monitoring of heavy metals in ambient air is being performed by an independent laboratory (recognised by NABL and JSPCB). The results are enclosed as Annexure-II .
(iv)	Data on ambient air quality (PM10, PM 2.5, SO2 and NOx) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	Ambient air quality report (PM10, PM 2.5, SO2 and NOx) for the period from Oct'22 to Mar'23 is attached as Annexure-I. Additionally, the third party monitoring is being done through a JSPCB & NABL accredited Laboratory for ambient air quality (PM10, PM 2.5, SO2, NOx, CO, NH3, O3) and heavy metals (As, Ni, Cd and Cr). The results are enclosed as Annexure-II.
(v)	Adequate measures shall be taken for control of noise levels below 85 dBA	Regular noise survey is being conducted in the underground work environment. Workers are

(vi)	in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs. Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May	provided with ear-plugs/ muffs in high noise areas. No waste-water is discharged outside the washery premises. 100% water is recirculated back for re-use in the washery. There is a central workshop and garage in Jamadoba Effluent Treatment Plant which includes oil
	1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	and grease trap has been provided.
(vii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	Only the vehicles having valid PUC certificates are being allowed to operate. Coal transportation through trucks is done only from BCCL mines till washery and it is ensured that only optimally loaded trucks with proper tarpaulin cover are allowed into the washery premises.
(viii)	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with SPCB and data got analysed through a laboratory recognized under EP Rules, 1986.	We have a fully equipped Environment Cell Laboratory with qualified personnel. The monitoring and analysis is also done at regular intervals by a JSPCB & NABL recognized laboratory. We have also installed a Continuous Ambient Air Quality Monitoring Station at Jamadoba for real time monitoring.
(ix)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Persons working in dusty area have been provided with dust masks & have been given awareness training on safety & health aspects. Regular PME (Periodic Medical Examinations) are being done.
(x)	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety	The occupational health surveillance programme of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME (Periodic Medical Examination) centre approved by DGMS where annually 20% of the workers identified from workforce engaged in active mining operations are

Letter no	J-11015/203/2011-1A.11 (M) dated Mar	*
(xi)	issues of the outsourced manpower should be addressed by the company while outsourcing. A separate environmental management	subjected to full medical checkup including hearing impairment checkup, etc. These results are regularly submitted to DGMS as per mines rules. Contractual workers health examination is also done by PME centre. We have a separate Environmental
	cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	Management Cell with qualified personnel. The reporting of Environmental Cell is directly to General Manager of the Division.
(xii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	The Environment Cell has a separate fund for Environmental protection measures and for complying with legal requirements. The annual environmental expenditure for the financial year 2021-22 is Rs. 1098.32 lakhs.
(xiii)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at http://envfor.nic.in .	It has been complied with. Attached as an Annexure-IV.
(xiv)	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It has been complied with. Attached as an Annexure-V.
(xv)	A copy of the clearance letter shall be displayed on the website of the	It has been complied with.
	· · ·	

Compliance status of Expansion of Jamadoba Coal washery (1 MTPA to 2 MTPA in 7 ha Area) of M/s Tata Steel Ltd. Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC

Letter no	J-11015/203	3/2011-	IA.II (M) d	lated Mar	ch 3, 2014
	a a ma a mm a d	State	Dallution	Control	

	concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office,	
	District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	
(xvi)	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	The clearance letter has been uploaded on the company's website. The compliance status (as Half-yearly compliance report) is being uploaded in company's website. The display of information near the washery's office has been provided.
(xvii)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It has been complied with.
(xviii)	The Regional Office of this Ministry	It will be complied with.
	located at Bhopal shall monitor compliance of the stipulated conditions.	
	The Project authorities shall extend full	
	cooperation to the office(s) of the Regional Office by furnishing the	
	requisite data/ information/monitoring reports.	
(xix)	The environmental statement for each	The environmental statement for financial year
	financial year ending 31st March in Form-V is mandated to be submitted by	2021-22 has been submitted to JSPCB on 28th September 2022 vide letter no.
	the project proponent tot the concerned	JMB/ENV/ESSA/05/719/2022 and it is also
	State Pollution Control Board as	uploaded on the company website. The soft

Ected no o Troic/200/2011 milit (11) auteu 111a	,
prescribed under the Environment	copy of Environment Statement is also sent to
(Protection) Rules, 1986, as amended	MOEF by email at ro.ranchi-mef@gov.in.
subsequently, shall also be uploaded on	
the company's website along with the	
status of compliance of EC conditions	
and shall be sent to the respective	
Regional Offices of the MOEF by E-	
mail.	

Annexure- I Greenbelt Development Report

Green belt developed around JCPP is given in the pictures below. Plantation in this monsoon has been done in JCPP to enhance the green belt. The plantations are done in areas in front of MCC building, and near the boundary wall of JCPP to enhance the green cover around the operational areas of washery. Since the washery is in construction phase, three tier plantation has been done in some patches around the boundary wall of the washery premises. Once the washery starts to operate, further plantation will be taken up.




Picture: Existing Green Belt around JCPP

Photographs of some recent plantation activities in this monsoon season are shown below:









Picture: Plantation in area in front of MCC building(JCPP) during this monsoon season.



Picture: Plantation around some patches of the boundary wall of washery (JCPP) during this monsoon season.

AIR QUALITY REPORT

Core zone & Buffer zone

Period- October'22 to December'22

No. of sampling points: 4

remou- Octo	ber 22 to Dece	mber 22	No. or sampling points: 4					
	Core zone	(as per Air qu	ality standard	s for coal mines	in EPA Notifica	ntion, 1988)		
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m³	RSPM 24 Hourly Limit- 300 µg/m³	SO₂ 24 Hourly Limit- 120 µg/m³	NOx 24 Hourly Limit-120 μg/m³	
	23°42'15.3"	20.10.22	Clear	208.9	76.3	14.8	16.2	
Jamadoba Group Office	N/ 86°24'11''	10.11.22	Clear	236.7	88.2	15.8	17.3	
Group Office	E	12.12.22	Clear	242.3	94.5	14.8	16.9	
	Buff	er zone (as p	er NAAQS 200	9 for ambient a	ir quality stand	ards)		
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100µg/m³	PM2.5 24 Hourly Limit- 60µg/m³	SO ₂ 24 Hourly Limit- 80µg/m ³	NO ₂ 24 Hourly Limit- 80μg/m³	
D:	23°41'42'' N/ 86°24'45.3'' E	18.10.22	Clear	74.6	38.2	12.4	14.7	
Digwadih 12 No. Colony		08.11.22	Clear	80.2	46.5	13.7	14.1	
No. Colony	00 24 43.3 E	07.12.22	Clear	86.3	44.2	12.7	14.8	
New Village	0004415411411	17.10.22	Clear	77.3	42.6	13.1	15.8	
Colony,	23°41'51" N/ 86°23'19" E	03.11.22	Clear	89.4	49.2	14.8	16.2	
Jamadoba	00 23 19 E	05.12.22	Clear	82.7	42.6	13.2	15.7	
6&7 Pits	2004014511511	19.10.22	Clear	86.2	45.7	14.5	16.8	
Kalimandir	23°43'15" N/ 86°24'12" E	07.11.22	Clear	78.6	42.6	12.4	14.9	
colony	00 24 12 E	06.12.22	Clear	89.2	46.5	15.1	17.2	



AIR QUALITY REPORT

Core zone & Buffer zone

Period- January'23 to March'23

No. of sampling points: 4

	Core zone	(as per Air qu	ality standard	s for coal mines	in EPA Notifica	ition, 1988)	
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m³	RSPM 24 Hourly Limit- 300 µg/m³	SO₂ 24 Hourly Limit- 120 µg/m³	NOx 24 Hourly Limit-120 μg/m³
1	23°42'15.3"	09.01.23	Clear	238.7	92.6	15.6	17.8
Jamadoba Group Office	N/ 86°24'11''	17.02.23	Clear	234.6	90.3	13.7	15.4
Group Office	E	20.03.23	Cloudy	187.6	70.8	12.5	14.8
	Buff	er zone (as pe	er NAAQS 200	9 for ambient ai	r quality standa	ards)	
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100µg/m³	PM2.5 24 Hourly Limit- 60µg/m³	SO ₂ 24 Hourly Limit- 80µg/m³	NO₂ 24 Hourly Limit- 80µg/m³
Digwadih 12	23°41'42" N/	06.01.23	Clear	84.1	42.6	13.9	15.2
No. Colony	86°24'45.3'' E	15.02.23 17.03.23	Clear Clear	96.3 75.4	52.7 36.1	15.8 13.2	17.1 15.7
New Village			O.Ca.	73.1	30.1	10.2	15.7
Colony,		12.01.23	Clear	90.7	46.0	15.8	16.3
ū	23°41'51'' N/	12.01.23 16.02.23	Clear Clear	90.7 94.8	46.0 50.3	15.8 14.2	16.3 16.8
ū	23°41'51" N/ 86°23'19" E						
Colony,	86°23'19'' E	16.02.23	Clear	94.8	50.3	14.2	16.8
Colony, Jamadoba	1	16.02.23 15.03.23	Clear Clear	94.8 92.2	50.3 49.7	14.2 15.4	16.8 18.4

(Produce)

Ground Water Quality Analysis (Hand Pump & Dung Well) (Post- Monsoon Season- November'2022)

S.No	Date	Location	Time	Depth in	рН	Electrical
				meter		Conductivity, μS/m
1	06 11 22	Durnadih (laranakhar)	11.55 ANA	2.00	7.2	924
1	06.11.22	Purnadih (Jorapokhar)	11:55 AM	2.98	7.2	834
2	06.11.22	Bhowra 13 No	12:25 PM	2.09	7.0	946
3	06.11.22	Mohalbani Basti	12:50 PM	3.94	7.3	834
4	06.11.22	Digwadih 10 No F & J	01:15 PM	2.97	7.2	1087
5	06.11.22	Kalimela Shivmandir	11:20 AM	1.38	7.1	938
6	06.11.22	Kalimela Kalimandir	11:35 AM	3.28	7.2	1024
7	06.11.22	Lower Dungari	11:00 AM	3.49	7.2	736
8	06.11.22	Upper Dungari	10:35 AM	3.12	7.3	824
9	06.11.22	Pattia Basti	10:05 AM	2.52	7.2	798
10	06.11.22	Kenduadih Basti	09:40 AM	2.14	7.1	766
11	06.11.22	Jorapokhar Kushtand	02:25 PM	1.47	7.2	844
12	06.11.22	Jamadoba 3 No	02:05 PM	2.52	7.1	795
13	06.11.22	6&7 Pits (Ayodhya Nagri)	01:45 PM	2.08	7.1	938
14	06.11.22	Jorapokhar Basti Chhattand	02:50 PM	1.74	7.2	732

(Sode Ed)

Ground Water Quality Analysis (Hand Pump & Dung Well) (Winter Season- January'2023)

S.No	Date	Location	Time	Depth in meter	pН	Electrical Conductivity µS/m
1	30.01.2023	Purnadih (Jorapokhar)	12:15 PM	3.21	7.1	936
2	30.01.2023	Bhowra 13 No	12:55 PM	2.45	7.2	998
3	30.01.2023	Mohalbani Basti	01:20 PM	4.21	7.1	842
4	30.01.2023	Digwadih 10 No F & J	01:40 PM	3.48	7.2	1139
5	30.01.2023	Kalimela Shivmandir	11:25 AM	1.85	7.2	924
6	30.01.2023	Kalimela Kalimandir	11:45 AM	3.78	7.3	1086
7	30.01.2023	Lower Dungari	11:05 AM	3.73	7.2	748
8	30.01.2023	Upper Dungari	10:40 AM	3.68	7.1	839
9	30.01.2023	Pattia Basti	10:15 AM	2.87	7.2	834
10	30.01.2023	Kenduadih Basti	09:45 AM	2.26	7.3	773
11	30.01.2023	Jorapokhar Kushtand	11:50 AM	2.64	7.2	831
12	30.01.2023	6&7 Pits (Ayodhya Nagri)	02:05 PM	2.35	7.2	956
13	30.01.2023	Jorapokhar Basti Chhattand	02:25 PM	1.82	7.2	747
14	30.01.2023	Jorapokhar Babu Basa	12:35 PM	2.77	7.2	1038

(Produce)



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. + I-B-17 (P) Sindn, Industrial Area, P.D.- Domgarti, Dist.- Dhenbad Jharkhand - 828107

Email ID: sindraditi@gmail.com Websita: adilimdservicus com Prigne: 0325-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2051

Date: 12.11.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 07.11.2022 to 08.11.2022

Date of Testing

: 09.11.2022 to 11.11.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	49%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	74.81	100 µg/m³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	37.84	60 µg/m³	
3.	SO ₂ µg/m ³	14.60	80 µg/m ³	
4.	NO ₂ , µg/m ³	26.61	80 µg/m³	
5.	Ozone, µg/m³	20.12	180 µg/m ³	
6.	NH ₃ , µg/m ³	16.53	400 µg/m³	
7.	CO, mg/m ³	0.96	4 mg/m ³	
8.	Pb, µg/m³	BDL	1 μg/m ³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL ,	5 µg/m ³	
12.	Benzoapyrene ng/m3	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

B12000 Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area. P.O.- Domgarh, Dist. Dhanbed Jharkhand - 828107 Email (D. sindriaditi@gmail.com Website: aditimdservices com

Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Date: 12.11.2022

Ref. No.: - ARDS/22-23/2052

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 07.11.2022 to 08.11.2022

Date of Testing

: 09.11.2022 to 11.11.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	49%	
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD	
1.	Particulate Matter (PM ₁₀), µg/m ³	86.9	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	46.8	60 μg/m ³		
3.	SO ₂ , µg/m ³	17.52	80 µg/m ³		
4.	NO _{Z,} µg/m ³	26.61	80 µg/m³		
5.	Ozone, µg/m³	17.84	180 µg/m³		
6	NH ₃ , µg/m ³	17.26	400 µg/m ³		
7.	CO, mg/m ³	0.99	4 mg/m ³		
8.	Pb, μg/m ³	BDL	1 µg/m³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Nì, ng/m³	BDL	20 ng/m ³		
11.	Benzene, µg/m³	BDL	5 µg/m²		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		

NOTE: BDL - Below Detection Limit

B. 2004 Sr. Chemis Aditi R&D Services



12.11.2025 Quality Manager Aditi R&D Services, Sindri

phonodary

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No -1-B-17 (P) Sindri, Industrial Area P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107 Email ID: sindriadhi@gmail.com Website adilimdservices.com Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2055

Date: 12.11.2022

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 07.11.2022 to 08.11.2022

Date of Testing

: 09.11.2022 to 11.11.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	LOCATION - TATA	CENTRAL H	OSPITAL		
	Avg. Ambient Temperature	29°C	Avg. Humidity	49%	
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD	
1.	Particulate Matter (PM ₁₀), µg/m ³	73.24	100 μg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	36.49	60 µg/m ¹		
3.	SO ₂ µg/m ³	14.52	80 μg/m ¹		
4.	NO _{z,} µg/m ³	23,19	80 µg/m ³		
5.	Ozone, µg/m³	16.57	180 µg/m ³		
6.	NH ₃ , µg/m ³	14.62	400 μg/m ³		
7.	CO, mg/m ³	0.83	4 mg/m ³		
8	Pb, µg/m³	BDL	1 µg/m³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ²		
11.	Benzene, µg/m ³	BDL '	5 μg/m ¹		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		

NOTE: BDL - Below Detection Limit

B.D. BOY Sr. Chemut Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. -I-B-17 (P)
Sindri, Industrial Area.
P.O. - Domgarh, Cist. - Diranbad
Jharkhand - 628107
Email ID: sindriaditi@gmail.com
Website. aditimdservices.com
Phone. 0326-2952377 (O) _____
Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

Ref. No. & Date					NAME AND ADDRESS OF THE CLIENT					
ARDS/22-23/2028 Date: 09.11.2022				M/S TATA STEEL, JAMADOBA,						
	Date of M	onitorin	g	TATA	TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST DHANBAD (JHARKHAND)					
_				Aug				Weather	Status of the	
	07.11.2022 TO	08.11	.2022	Temp	Ambier perature (°C)		verage umidity (%)	Condition	plant	
Work Order 4700092573/932 Dt. 20.07.2021				28		50	Clear	Running		
				MONITO	RING	RESUL	.TS			
SI Na	Place of Monitoring	į	Day Ti 6 AM to 1 Avg. di	10 PM)		Night 10 PM to Avg. d	o 6 AM)	for Industr CPCB No (Regulatio (Amendmen notified vio Dt. 23 Limit in	mbient standard lal Area as per ise Pollution n and Control) nt) Rules , 2000 te S.O. 1046(E) 2,11,2020 ndB(A) Leq	
								Day Time	Night Time	
	LOCATION	MAX	MIN	AVG. dB(A)	MAX	MIN	dB(A) Leg	Industrial	Industrial Area	
JAN	ADOBA GROUP			Leq			aplul red	Area	Alea	
1.	Central Workshop	67.3	59.8	65.0	53.7	44.6	51.19			
2.	6 & 7 Pits Colliery Office	64.9	59.6	63.01	51.4	42.5	48.92	75	70	
								Residential Area	Residential Area	
3.	Officer Colony 12 No. Digwadih	50.7	47.8	49.49	43.5	39.8	42.03	65	55	
								Silence Zone	Silence Zone	
4.	Tata Central Hospital	46.9	42.4	45.21	40.1	37.9	39.14	50	40	

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P) Sindri, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad inanchand - 82B107 Email ID: sindnaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2048

Date: 11.11.2022

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 08.11.2022

Date of Testing

: 09.11.2022 - 10.11.2022

TEST RESULTS

SI No.	Particulars	Mineralogical Composition (%)					
		SiO ₂	FeO	Al ₂ O ₃	CaO		
1.	Central Workshop Area Jamadoba	1.13	0.04	0.97	2.6		
2.	Officer's Colony,12 No. Digwadih	1.42	0.09	0.92	2.1		

8. 2.00 Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. =I-B-17 (P)
Sindn, Industrial Area.
P.O. - Domgarh, Dist - Dhanbad
Jharkhand - 824107
Email ID: sindhadill@gmail.com
Website: aditindservices.com
Phone: 0326-2952377 (O)
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2101

Date: 17.11.2022

TEST REPORT OF SURFACE WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code

1. Damodar River Up Stream

2. Damodar River Down Stream

Date of Sample Collection:

07.11.2022 To 08.11.2022

Date of Testing

09.11.2022 To 16.11.2022

Test :

pH, TDS, Turbidity, DO, BOD, CI, F, SO4

TEST RESULT

SI.	PARAMETERS OF TEST	VAI	LUE	Limit as	Test
No.		Damodar River Up Stream	Damodar River Dn Stream	per IS 2296 Class - C	Method
1.	рН	7.5	7.6	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	595	625	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	9.5	11.2		IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	6.8	6.4	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	2.0	2.2	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	44	52		IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.52	0.54	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	36	48	400	IS-3025 (P-24):1986

Sr. Chemist



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O - Domgarh, Dist. - Dhanbad
Uharkhand - 826107
Email ID: sindriaditi@gmail.com
Website: addirmdservices.com
Phone: 0326-2952377 (O)
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2102 Date: 17.11,2022

TEST REPORT OF MINE WATER DISCHARGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. 2 Pit Jamadoba Colliery

2. 3 Pit Jamadoba Colliery 3. 2 Incline Jamadoba Colliery

4. 6 & 7 Pits Colliery 5. Digwadih Colliery

Date of Sample Collection: 07.11.2022 To 08.11.2022
 Date of Testing : 09.11.2022 to 16.11.2022

Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS		V	ALUE			Limit as	Test
Na.	OF TEST	2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Collie ry	Digwadih Colliery	per IS-2296 Class B (For Bathing)	Method
1.	pH,	7.9	7.3	7.3	7.6	7.8	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	896	680	610	660	742		IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	38	26	32	18	28		IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	2.4	2.7	2.2	1.6	2,4	3	IS-3025 (P- 44):1994
5,	Chemical Oxygen Demand, mg/l	48.	54	44	32	48		IS-3025 (P- 58):2006
6	Oil & Grease, mg/l	BDL.	BDL	BDL	BDL	BDL	-	IS-3025 (P- 39):2021

Sr. Chemist Aditi R&D Services



Quality Manager

Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindn, Industrial Area,
P.O.- Domgarh, Dist.- Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditimdservices.com
Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2104 Date: 17.11.2022

TEST REPORT OF SEWAGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1, S.T.P. Outlet Jamadoba Canteen

2. S.T.P. Outlet J.C.P.P. Canteen 3. S.T.P. Outlet Railway Colony

Date of Sample Collection: 07.11.2022 to 08.11.2022
 Date of Testing : 09.11.2022 to 16.11.2022

Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF		VALUE		MoEF&C Notification	Test	
lo.	TEST	S.T.P. Outlet Jamadoba Canteen	S.T.P. Outlet J.C.P.P. Canteen	S.T.P. Outlet Railway Colony	1 st Jan.2016 Permissible Max. Desirable Limit	Method	
1	pH,	7,3	7.6	7,3	6.0-9.0	IS-3025 (P-11):1983	
	Total Dissolved Solids, mg/l	648	725	760	2100	IS-3025 (P-16):1984	
	Total Suspended Solids, mg/l	28	22	32	100	IS-3025(P-17):1984	
	Bio chemical Oxygen Demand, mg/l	11.5	10.0	12.0	30	IS-3025 (P-44):1994	
i.	Chemical Oxygen Demand, mg/l	58	52	60	250	IS-3025 (P-58):2006	
i.	Oil & Grease, mg/l	0.4	B.D.L	1.2	10	IS-3025 (P-39):2021	

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Flot No. -1-B-17 (P)
Sindri, Industrial Area,
P.O.- Domgarh, Dist.- Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website addimdservices.com

Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2110

Date: 18.11.2022

TEST REPORT OF EFFLUENT

Name of the industry

M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code :

1. E.T.P. Outlet T.C.H.

2. E.T.P. Outlet Garage

Date of Sample Collection:

07.11.2022 to 08.11.2022 09.11.2022 to 16.11.2022

Date of Testing
 Test

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

	PARAMETERS OF TEST	VA	LUE	MoEF&C	Test
0,		E.T.P. Outlet T.C.H	E.T.P. Outlet Garage	Notification 1 st Jan.2016 Permissible Max. Desirable Limit	Method
	pH,	7.5	7.6	6.0-9.0	IS-3025 (P-11): 1983
	Total Dissolved Solids, mg/l	635	560	2100	IS-3025 (P-16): 1984
	Total Suspended Solids, mg/l	23	25	100	IS-3025(P-17) : 1984
	Bio chemical Oxygen Demand, mg/l	08	10	30	IS-3025 (P-44):1994
	Chemical Oxygen Demand, mg/l	48	53	250	IS-3025 (P-58):2006
	Oil & Grease, mg/l	B.D.L.	B.D.L	10	IS-3025 (P-39):2021

Sr. Chemis Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindn, Industrial Area,
P.O. - Domgarh, Dist - Dhanbad
Uharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditimdservices.com

Phone: 0326-2952377 (O) Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2111

Date: 18.11.2022

TEST REPORT OF DRINKING WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.;

: 4700092573/932 Dt. 20.07.2021

Sample Code

1. Canteen Jamadoba Colliery

2. Canteen Jamadoba Washery

3. Canteen Digwadih Colliery

4. Canteen 6&7 Pit Colliery

Date of Sample Collection:

07.11.2022 to 08.11.2022

Date of Testing

09.11.2022 to 16.11.2022

Test

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

Si.	PARAMETERS OF		VAL	UE		IS as	Test	
No	TEST	Canteen Jamadoba Colliery	Canteen Jamadoba Washery	Canteen Digwadih Colliery	Canteen 6&7 Pit Colliery	Desira ble	Permiss ible	Method
1.	Colour, (Hazen Unit)	3	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreea ble	Agreeabl e	IS 3025 (P 5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreea ble	Agreeabl	IS 3025 (P 7):2017
4,	Turbidity, NTU	1	4	NIL	NIL	1.0	5.0	IS 3025 (P 10):1984
5,	pH	7.6	7.3	7.5	7.6	6.5-8.5	No. Relax.	IS-3025 (P 11):1983
6.	Total Hardness as CaCO ₃ , mg/l	320	368	340	310	200	600	IS 3025 (P 21):2009
7.	Chloride as CI, mg/l	58	54	56	44	250	1000	IS 3025 (P 32):1988
8.	Res. Free chlorine as Cl ₂ mg/l	NIL	NIL	NIL +	NIL	0.20	1.0	IS 3025 (P 26):2021
9.	Total Dissolved Solids, mg/l	795	760	735	715	500	2000	IS 3025 (P 16):1984
10.	Calcium as CaCO ₃ , mg/l	41.6	46	38	32	75	200	IS 3025 (P 40):1991
11	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P 42):1992

Statements :

1. The test report refers only to the particular item(s) submitted for test

2. The test results reported in this report are valid at the time of and units the state condition of meas

3. This particular test report cannot be reproduced except in full without profipermission of Quality Manager of the laboratory.

Continued on Page 2



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. Domgarn, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditimdservices.com Phone: 0326-2952377 (O) ..

Mobile: 09471358492, 09431512608

SI.	PARAMETERS OF		VAL	UE			perIS	Test
No.	TEST	Jamadoba Canteen Colliery	Jamadob a Canteen Washery	Canteen Digwadi h Colliery	Canteen 6&7 Pit Colliery	Desira ble	0:1991 Permiss ible	Method
12.	Manganese as Mn, mg/l	BDL	BDL	BDL	BDL	0.10	0.30	IS 3025 (P 59):2006
13.	Sulphate as SO ₄ , mg/l	48	52	62	46	200	400	IS 3025 (P 24):1986
4:	Nitrate as NO ₃ , mg/l	2.6	2.8	2.9	3.2	45	No. Relax	IS 3025 (P 34):1988
5.	Fluoride as F, mg/l	0.32	0.28	0.34	0.33	1.0	1.5	IS 3025 (P 60):2008
6.	Phenolic Compound as (C6H5OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (P 43):1992
7.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (P 48):1994
8.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (P 41):1992
9.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P 37):1988
0.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P 27):1986
1.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax •	IS 3025 (P 47):1994
2.	Zinc as Zn, mg/l,	0.16	0,18	0.12	0.12	5	15	IS 3025 (P 42):1992
3.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (P 49):1994
4.	Hexavalent Chromium as Cr, mg/l	BDL	BOL	BDL	BDL	0.05	No. Relax	IS 3025 (P 52):2003
5.	Mineral Oil, mg/l	BDL	BDL	BDL	BDL	0.5	No. Relax	IS 3025 (P 39):1989
6.	Alkalinity as CaCO ₃ , mg/l,	370	330	365	345	200	600	IS 3025 (P 23):1983
7.	Aluminium as Al, mg/l	BDL	BDL	BDL	BDL	0.03	0.2	IS 3025 (P 55):2003
8.	Boran as B, mg/l	BDL	BDL	BDL	BDL	0.5	1.0	IS 3025 (P 57):2005

NOTE: BDL - Below Detection Limit

8 202 Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area
P.O.- Domgarh, Dist. - Dhanbad
Jharkhand - 829107
Email ID: sindriaditi@gmail.com
Website, additindservices.com
Phone. 0326-2952377 (O)
Mobile, 09471358492, 09431512608

Date: 18.11.2022

Continued on Page

Ref. No.: - ARDS/22-23/ 2112

TEST REPORT OF GROUND WATER

Name of the industry.

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Sample Code

1. Purnadi Joraphokhar 2. Digwadih 10 No. F&J 3. Kalinala Kali Mandir

4. Upper Dungri 5. Kenduadih Basti 6. 6 & 7 Pit Ayodha Nagari

Date of Sample Collection :

07.11.2022 to 08.11.2022

. Date of Testing

09.11.2022 to 16.11.2022

. Test

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc. Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity,

Aluminium & Boron.

TEST RESULT

PARAME-TERS OF TEST		_	VALUE					per IS 0:1991	· Method
OF IEST	Purandi Joraphok har	Digwadih 1 No. F&J	Kalinala Kali Mandir	Upper Dungri	Kendu jadih Basti	6 & 7 Ayodh a Nagari	Desir	Permi- ssible	
Colour, (Hazen Unit)	1	2	1	2	1	2	5	15	4):2021
Tomperature "C	22	24	23	24	22	23	6-	-	
Electrical Conductivity, unbos/cm	1020	1045	1065	1080	940	1070	~	-	200
Total Dissolved Solids, mg/l	683	680	693	702	611	696	9	14	IS 3025(P- 16):1984
pii	7.7	7.6	7,3	7.5	7.6	7.8	6.5- 8.5	No Relax	1S-3025(P- 11):1983
Total Hardness as CaCO ₁ , mg/l	328	280	365	258	385	260	200	600	IS 3025(P- 21):2009
Calcium as Ca.	67.2	59.2	73.6	51.6	77,2	52	75	200	IS 3025(P- 40):1991
Magnesium as Mg. mg/l	37.2	95	42.1	30	44	30.2	30	100	IS 3025(P- 46):1994
Chloride as Cl	38	32	48	28	52	28	250	1000	IS 3025(P- 32):1988
Fluoride as F _v	0.28	0.26	0.44	0.46	0.36	0.32	1.0	1.5	IS 3025(P 60):2008

Statements :

1. The test report refers only to the particular item(s) submitted for testing

2. The test results reported in this report are valid at the time of and under the stated condition of measurement.

3. This particular test report cannot be reproduced except in full without prior the mission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindn, Industrial Area.
P.O.- Domgarn, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindnaditi@gmail.com
Website: aditimdservices.com

Phone: 0326-2952377 (O) =

Mobile: 09471358492, 09431512608

2

PARAMETERS OF TEST			VALUE					s per IS 00:1991	Test Method
-	Purandi Jorapho khar	Digwadih 1 No. F&J	Kalinala Kali Mandir	Upper Dungri	Kendui adih Basti	6 & 7 Ayod ha Nagar	Desi r- able	Permi s- sible	
Sulphate as SO ₄ ,	42	66	70	62	58	54	200	400	IS 3025(P- 24):1986
Nitrate as NO ₃ . mg/l	11.8	12.4	8.2	10.4	9.8	9.4	45	No. Relax	IS 3025(P- 34):1988
CaCO ₃ , mg/l,	285	260	310	325	345	340	200	600	IS 3025(P- 23):1983
Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P- 47):1994
Zinc as Zn, mg/l,	0.18	0.14	0.18	0.16	0.14	0.16	5	15	IS 3025(P- 42):1992
Iron a Fe, mg/l	0.2	0.1	0.1	0.2	0.2	0.2	0.3	No. Relax	IS 3025(P- 53):2003
Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P- 42):1992
Mercury as Hg, mg/I	BDL	BDL	BDL	BDL	BDL	BDL	0.00	No. Relax	IS 3025(P- 48):1994
Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.00	No. Relax	1S 3025(P- 41):1992
Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025[P- 37]:1992
Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P- 37):1988
Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P- 27):1986
Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P- 52):2003

NOTE: BDL - Below Detection Limit

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

Statements:

20

2

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area P.O.- Domgarh, Dist - Dhenbad Jharkhand - 82B107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Date: 12.11.2022

Ref. No.: - ARDS/22-23/2050

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 07.11.2022 to 08.11.2022

Date of Testing

: 09.11.2022 to 11.11.2022

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	29°C	Avg. Humidity	49%
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	93.80	100 µg/m³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	47.92	60 µg/m ³	
3.	SO ₂ , µg/m ³	20.75	80 µg/m³	
4.	NO ₂ , µg/m ³	28.60	80 μg/m ³	
5.	Ozone, µg/m³	24.19	180 µg/m³	
6.	NH ₃ , µg/m ³	18.82	400 µg/m³	
7.	CO, mg/m ³	1.98	4 mg/m ³	
8.	Pb, µg/m ³	BDL	1 μg/m ³	
9.	As, ng/m³	BDL	6 ng/m ³	
10.	Ni, ng/m³	BDL	20 ng/m ³	
11.	Benzene, µg/m³	BDL ,	5 µg/m ³	
12.	Benzoapyrene ng/m³	BDL	1 ng/m ³	

NOTE: BDL - Below Detection Limit

8.20 QUY Sr. Chemist Aditi R&D Services



12-11.30 **Quality Manager** Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- 3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Ptat No. - I-B-17 (P) Sindn, Industrial Area, P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2908

Date: 18.02.2023

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 10.02.2023 to 11.02.2023

Date of Testing

: 15.02.2023 to 17.02.2023

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	24°C	Avg. Humidity	43%		
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	81.37	100 µg/m ³			
2.	Particulate Matter (PM _{2.5}), µg/m ³	48,62	60 μg/m ³			
3.	SO ₂ , µg/m ³	20.19	80 μg/m ³			
4.	NO ₂ , µg/m ³	25.58	80 µg/m ¹			
5.	Ozone, µg/m³	17.29	180 µg/m³			
6.	NH ₃ , µg/m ³	14.49	400 µg/m ³			
7.	CO, mg/m ³	0.83	4 mg/m ³			
8.	Pb, µg/m³	BDL	1 μg/m³			
9.	As, ng/m ³	BDL	6 ng/m ³			
10.	Ni, ng/m³	BDL	20 ng/m ³			
11.	Benzene, µg/m³	BDL	5 μg/m ³			
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³			

NOTE: BDL - Below Detection Limit

A. Das.

Sr. Chemist

Aditi R&D Services



Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindn, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 82B107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com. Phone: 0326-2952377 (O). Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2909 Date: 18.02.2023

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 10.02.2023 to 11.02.2023 Date of Testing

: 15.02.2023 to 17.02.2023

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	24°C	Avg. Humidity	42%		
SI No.	Particulars	Value	NAAQ - CPCB STAND			
1.	Particulate Matter (PM ₁₀), µg/m ³	87.76	100 µg/m³			
2.	Particulate Matter (PM _{2.5}), µg/m ³	52.66	60 μg/m ³			
3.	SO ₂ , µg/m ³	19.41	80 µg/m ¹			
4.	NO ₂ , µg/m ³	26.35	80 μg/m ³			
5.	Ozone, µg/m³	17.63	180 µg/m³			
6.	NH ₃ , µg/m ³	14.82	400 µg/m³			
7.	CO, mg/m ³	0.79	4 mg/m ³			
8.	Pb, μg/m ³	BDL	1 µg/m³			
9.	As, ng/m ³	BDL	6 ng/m ³			
10.	Ni, ng/m ³	BDL	20 ng/m³			
11.	Benzene, µg/m³	BDL	5 µg/m³			
12.	Benzoapyrene ng/m³	BDL	1 ng/m ¹			

NOTE: BDL - Below Detection Limit

A. Dar.

Sr. Chemist

Aditi R&D Services

diti R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plat No. - I-B-17 (P) Sindri, Industrial Area, P.O - Domgarh, Dist. - Dhanbad Jhankhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O). Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2910

Date: 18.02.2023

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection: 10.02.2023 to 11.02.2023

Date of Testing

: 15.02.2023 to 17.02.2023

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	26°C	Avg. Humidity	39%	
SI No.	Particulars	Value	NAAQ - CPCB STANDAR		
1,	Particulate Matter (PM ₁₀), µg/m ³	86.77	100 µg/m³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	52.12	60 µg/m ³		
3.	SO ₂ , µg/m ³	19.64	80 µg/m³		
4.	NO ₂ , µg/m ³	28.23	80 µg/m³		
5.	Ozone, µg/m³	16.60	180 µg/m³		
6.	NH ₃ , µg/m ³	17.65	400 µg/m³		
7.	CO, mg/m ³	1.06	4 mg/m ³		
8.	Pb, µg/m³	BDL	1 μg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m³	BDL	20 ng/m ³		
11.	Benzene, µg/m³	BDL	5 µg/m³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ¹		

NOTE: BDL - Below Detection Limit

A. Dar.

Sr. Chemist

Aditi R&D Services

DHANBAD

Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O). Fax: 0326-2952377

Mobile: 09471358492, 09431512608.

Ref. No.: - ARDS/22-23/2911

Date: 18.02.2023

Technical Manager

Aditi R&D Services, Sindri

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 10.02.2023 to 11.02.2023

Date of Testing

: 15.02.2023 to 17.02.2023

Test Procedure

: As per IS-5182

TEST RESULTS

	Avg. Ambient Temperature	24°C	Avg. Humidity	40%		
SI No.	Particulars	Value	NAAQ - CPCB STA	NDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	78.07	100 µg/m³			
2.	Particulate Matter (PM _{2.5}), µg/m ³	45.84	60 µg/m³			
3.	SO ₂ µg/m ³	17.68	80 µg/m³			
4.	NO ₂ , µg/m ³	26.61	80 µg/m³			
5.	Ozone, µg/m³	16.44	180 µg/m³			
6.	NH ₃ , µg/m ³	17,38	400 µg/m³			
7.	CO, mg/m ³	0.89	4 mg/m ³			
8.	Pb, μg/m ³	BDL	1 µg/m³			
9.	As, ng/m ³	BDL	6 ng/m³			
10.	Ni, ng/m ³	BDL	20 ng/m ³			
11.	Benzene, µg/m³	BDL	5 µg/m ³			
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ¹			

NOTE: BDL - Below Detection Limit

A. Dar.

Sr. Chemist

Aditi R&D Services

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plat No. - I-B-17 (P) Sindri, Industrial Area, P.O - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID. sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

		. & Date			NAME AND ADDRESS OF THE CLIENT							
AR	DS/22-23/2862		100	023		M/S T	ATA STEE	EEL, JAMADOBA,				
	Date of M	lonitorii	ng	TAT	TATA STEEL LIMITED, JAMADOBA GROUP DIST DHANBAD (JHARKHAND)							
	10.02.2023 To	D23 TO 11.02.2023 Avg. Ambient Average Temperature Humidity		Average	Weather Condition	Status of the plant						
	Work Order 47 Dt. 20.0	73/932		24		40	Clear	Running				
_				MONITO	DRING	RESU	LTS					
SI. No	Place of Monitoring	(Day To 6 AM to Avg. di	10 PM)		(10 PM	to 6 AM)	for Industr CPCB No (Regulatio (Amendmen notified vid Dt. 22	mbient standard ial Area as per ise Pollution n and Control) nt) Rules . 2000 le S.O. 1046(E) 2.11.2020 dB(A) Leq			
	LOCATION	****	0					Day Time	• Night • Time			
JAM	ADOBA GROUP	MAX	MIN	AVG. dB(A) Leq	MAX	MIN	dB(A) Leq	Industrial Area	Industrial Area			
1.	Central Workshop	67.4	53.2	64.55	54.4	47.5	52.2	-				
2.	6 & 7 Pits Colliery Office	69.2	61.8	66.92	56.8	50.3	54.67	75	70			
. = I								Residential Area	Residential Area			
3.	Officer Colony 12 No. Digwadih	52.4	48.6	50.9	47.8	42.8	45.98	65	55			
								Silence Zone	Silence Zone			
4.	Tata Central Hospital	48.2	44.6	46.76	46.2	38.2	43.83	50	40			

A. Dar.

Sr. Chemist

Aditi R&D Services

Technical Manager Aditi R&D Services, Sindri

Statements .

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Siridri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website, aditimdservices.com Phone: 0325-2952377 (O),

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2912

Date: 18.02.2023

Fax: 0326-2952377

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the industry

: M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.

: 4700092573/932 Dt. 20.07.2021

Date of Sample Collection : 11.02.2023

Date of Testing

: 15.02.2023 - 17.02.2023

TEST RESULTS

SI No.	Particulars	Mineralogical Composition (%)					
		SiO ₂	FeO	Al ₂ O ₃	CaO		
1.	6 & 7 Pits Colliery Office	1.70	0.06	1.18	2.3		
2.	Tata Central Hospital	2.08	0.12	1.26	2.78		

A. Dar.

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindh, Industrial Area, P.O. - Domgarh, Dist.- Ohanbad Jharkhand - 828107

Email ID; sindnaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Fax 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2931

Date: 20.02.2023

TEST REPORT OF SURFACE WATER

· Name of the industry

: M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT,

DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.:

4700092573/932 Dt. 20.07.2021

Sample Code

1. Damodar River Up Stream

2. Damodar River Down Stream

Date of Sample Collection:

11.02.2023

Date of Testing

13.02.2023 To 18.02.2023

Test

pH, TDS, Turbidity, DO, BOD, CI, F, SO4

TEST RESULT

SI.	PARAMETERS OF TEST	VAI	LUE	Limit as	' Test	
No.		Damodar River Up Stream	Damodar River Dn Stream	per IS 2296 Class - C	Method	
1.	pH	8.2	8.2	6.5 -8.5	IS-3025 (P-11): 1983	
2.	Total Dissolved Solids, mg/l	328	328	1500	IS-3025 (P-16): 1984	
3.	Turbidity, NTU	01	01		IS-3025 (P-10):1984	
4.	Dissolved Oxygen, mg/l	5.6	5.8	4.0	IS-3025 (P-38):1989	
5.	Bio chemical Oxygen Demand, mg/l	2.2	2.4	3.0	IS-3025 (P-44):1994	
6.	Chloride as CI, mg/I	32	34	- 3	IS-3025 (P-32):1988	
7.	Fluoride as F, mg/l	0.49	0.52	1.5	IS-3025 (P-60):2008	
8.	Sulphate as SO ₄ , mg/l	53	54	400	IS-3025 (P-24):1986	

A. Dar.

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. + I-B-17 (P) Sindn, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindnaditi@grnail.com Website: aditimdservices.com Phone: 0325-2952377 (O)

Date: 18.02.2023

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2916

TEST REPORT OF MINE WATER DISCHARGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
 Sample Code : 1. 2 Pit Jamadoba Colliery

2. 3 Pit Jamadoba Colliery
3. 2 Incline Jamadoba Colliery

4. 6 & 7 Pits Colliery 5. Digwadih Colliery

Date of Sample Collection: 10.02.2023 to 11.02.2023
 Date of Testing: 13.02.2023 To 18.02.2023

Test
 pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS		V	Limit as	Test			
No.	OF TEST	2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Collie ry	Pits Colliery IS-2296 collie ry (For Bathing)	IS-2296 Class B	Method
1.	pH,	7.3	8.0	7.8	6.5	7.9	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	658	699	788	683	892	7	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	36	32	36	23	34	-1	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	2.4	1.8	2.4	1.2	2.4	3	IS-3025 (P- 44):1994
5.	Chemical Oxygen Demand, mg/l	40,2	48	59.5	52	54	-	IS-3025 (P- 58):2006
6.	Oil & Grease, mg/l	0.4	0.4	BDL	BDL	BDL		IS-3025 (P- 39):2021

A. Dar.

Sr. Chemist

Technical Manager
Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditimdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2917 Date: 18.02.2023

TEST REPORT OF SEWAGE

Name of the industry : M/S TATA STEEL, JAMADOBA,

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021

Sample Code : 1. S.T.P. Outlet J.C.P.P. Canteen 2. S.T.P. Outlet Jamadoba Canteen

3. S.T.P. Outlet Railway Colony

Date of Sample Collection: 10.02.2023 to 11.02.2023
 Date of Testing: 13.02.2023 to 18.02.2023

Test
 pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF		VALUE		General Standards For	Test	
No.	TEST	S.T.P. Outlet J.C.P.P. Canteen	S.T.P. Outlet Jamadoba Canteen	S.T.P. Outlet Railway Colony	Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	* Method	
1.	pH,	7.7	7.9	7.5	5.5-9.0	IS-3025 (P-11):1983	
2.	Total Dissolved Solids, mg/l	638	678	693	2100	IS-3025 (P-16):1984	
3.	Total Suspended Solids, mg/l	28 .	30	38	100	IS-3025(P-17):1984	
4.	Bio chemical Oxygen Demand, mg/l	13.6	12.4	14.8	30	IS-3025 (P-44):1994	
5.	Chemical Oxygen Demand, mg/l	80	73	86.8	250	IS-3025 (P-58):2006	
6.	Oil & Grease, mg/l	BDL	BDL	1.6	10	IS-3025 (P-39):2021	

A. Dar. Sr. Chemist

Aditi R&D Services

P.O. DOMESARIA

Technical Manager

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. -Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website; aditimdservices.com
Phone: 0326-2952377 (O).
Fax: 0326-2952377

Ref. No.: - ARDS/22-23/2918

Date: 18.02.2023

Mobile: 09471358492, 09431512608

TEST REPORT OF EFFLUENT

Name of the industry

M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)

. Work Order Ref. NO .:

4700092573/932 Dt. 20.07.2021 _

Sample Code

1. E.T.P. Outlet T.C.H.

2 E.T.P. Outlet Garage

Date of Sample Collection:

10.02.2023

Date of Testing

13.02.2023 to 18.02.2023

Test

pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

SI.	PARAMETERS OF TEST	VA	LUE	General Standards	Test	
No.		E.T.P. Outlet T.C.H	E.T.P. Outlet Garage	For Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	Method	
1.	pH,	7.3	7.2	5.5-9.0	TIS-3025 (P-11): 1983	
2.	Total Dissolved Solids, mg/l	890	752	2100	IS-3025 (P-16): 1984	
3.	Total Suspended Solids, mg/l	28	27	100	IS-3025(P-17) : 1984	
4.	Bio chemical Oxygen Demand, mg/l	8.6	9.5	30	IS-3025 (P-44):1994	
5.	Chemical Oxygen Demand, mg/l	54	59	250	IS-3025 (P-58):2006	
6.	Oil & Grease, mg/l	8.0	BDL	10	IS-3025 (P-39):2021	

A. Dars.

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurment.
- This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area. P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2932

Date: 20.02.2023

Continued on Page 2

TEST REPORT OF DRINKING WATER

 Name of the industry : M/S TATA STEEL, JAMADOBA.

TATA STEEL LIMITED

JAMADOBA GROUP PLANT. DIST. - DHANBAD (JHARKHAND)

Work Order Ref. NO .: : 4700092573/932 Dt. 20.07.2021

Sample Code 1. Canteen - Jamadoba Colliery

2. Canteen - Digwadih Colliery 3. Canteen - 6 & 7 Pit Colliery 4. Canteen - Jamadoba Washery

Date of Sample Collection: 10.02.2023

Date of Testing 13.02.2023 to 18.02.2023

Test

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

SI.	PARAMETERS		VAL	UE		IS as	per IS	Test
No	OF TEST	Canteen	Canteen	Canteen	Canteen		:2012	Method
		Jamadoba Colliery	Digwadih Colliery	6 & 7 Pit Colliery	Jamadoba Washery	Desirabl e	Permiss ible	1
1.	Colour, (Hazen Unit)	1	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeabl e	Agreeabl é	IS 3025 (P- 5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeabl e	Agreeabl e	IS 3025 (P- 7):2017
4.	Turbidity, NTU	NIL	NIL	NIL	NIL	1.0	5.0	IS 3025 (P- 10):1984
5.	рН	7.5	8.2	7.8	8.0	6.5-8.5	No. Relax.	IS-3025 (P- 11):1983
6.	Total Hardness as CaCO ₃ , mg/l	376	380	224	416	200	600	IS 3025 (P- 21):2009
7.	Chloride as CI, mg/l	58	60	36	60	250	1000	IS 3025 (P- 32):1988
8.	Res. Free chlorine as Cl ₂ mg/l	NIL	NIL	NIL	NIL	0.20	1.0	IS 3025 (P- 26):2021
9.	Total Dissolved Solids, mg/l	828	750	406	738	500	2000	IS 3025 (P- 16):1984
10.	Calcium as CaCO ₃ , mg/l	43.2	43.2	36.8	52.8	75	200	IS 3025 (P- 40):1991
11	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P- 42) 1992

Statements:

1. The test report refers only to the particular item(s) submitted fat lestinguit

The test results reported in this report are valid at the time of and under the stated condition of measurment.

3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O.- Domgarh, Dist.- Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirndservices.com
Phone: 0326-2952377 (O).
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

- 2

SI.	PARAMETERS OF		VAL	JE		IS as	perIS	Test
No.	TEST	Canteen Jamadob	Canteen Digwadih	6 & 7 Pit	Jamado ba	1050 Desira	0:1991 Permiss	Method
40		a Colliery	Colliery	Colliery	Washery Canteen	ble	ible	
12.	Manganese as Mn, mg/l	BDL	BDL	BDL	BDL	0.10	0.30	IS 3025 (P 59):2006
13.	Sulphate as SO ₄ , mg/l	72.7	36.6	31.3	62	200	400	IS 3025 (P 24):1986
14.	Nitrate as NO ₃ , mg/l	3.3	3.1	2.8	2.9	45	No. Relax	IS 3025 (P 34):1988
15.	Fluoride as F, mg/l	0.38	0.32	0.34	0.28	1.0	1.5	IS 3025 (P 60):2008
16.	Phenolic Compound as (C6H5OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (P 43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (P 48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (P 41):1992
19.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P 37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax*	IS 3025 (P 27):1986
21.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P 47):1994
22.	Zinc as Zn, mg/l,	0.14	0.12	0.12	0.18	5	15	IS 3025 (P 42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (P 49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P 52):2003
25.	Mineral Oil, mg/l	BDL	BDL	BDL	BDL	0.5	No. Relax	IS 3025 (P 39):1989
26.	Alkalinity as CaCO ₃ , mg/l,	492	500	220	492	200	600	IS 3025 (P- 23):1983
27.	Aluminium as AI, mg/I	BDL	BDL	BDL	BDL	0.03	0.2	IS 3025 (P 55):2003
28.	Boran as B, mg/l	BDL	BDL	BDL	BDL	0.5	1.0	IS 3025 (P 57):2005

NOTE: BDL - Below Detection Limit

A. Dar.

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area. P.O.- Domgarh, Dist. - Dhanbad Jharkhand - 828107

Email ID: sindriadili@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Fax: 0326-2952377

Date: 21.02.2023

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/22-23/2937

TEST REPORT OF GROUND WATER

Name of the industry : M/S TATA STEEL, JAMADOBA.

> TATA STEEL LIMITED JAMADOBA GROUP PLANT.

DIST. - DHANBAD (JHARKHAND) : 4700092573/932 Dt. 20.07.2021

Work Order Ref. NO.

Sample Code

1. Moholbani Basti

2. Jorapukhar Kushtand

3. Bhowra 13 No 4. Jamadoba 3 No 5. Lower Dungri

Date of Sample Collection :

10.02.2023

Date of Testing

Test

13.02.2023 to 18.02.2023

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium,

Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity,

Aluminium & Boron.

TEST RESULT

SL No	PARAME-TERS OF TEST	VALUE				IS as per IS 10500:1991		· Test	
			Moholban i Basti	Jorapukhar Kushtand	Bhowra 13 No	Jamadoba 3 No	Lower Dungri	Desir	Permi- ssible
-	Colour, (Hazen Unit)	1	1	1	1	1	5	15	IS 3025 (P- 4):2021
7.	Temperature °C	22	23	23	22	23			17.2021
1	Electrical Conductivity, µmhos/cm	930	1280	750	350	630	-	1 4	*
1	Total Dissolved Solids, mg/l	609	835	489	232	414	-	-	IS 3025(P- 16):1984
-	pН	7.0	8.1	7.5	7.9	7.7	6.5- 8.5	No Relax	IS-3025(P- 11):1983
	Total Hardness as CaCO ₃ , mg/l	436	544	356	140	264	200	600	IS 3025(P- 21):2009
	Calcium as Ca, mg/l	144	81.6	72	33.6	70.4	75	200	IS 3025(P- 40):1991
	Magnesium as Mg, mg/l	18.2	81.6	42.2	13.4	21.1	30	100	IS 3025(P- 46):1994
4	Chloride as CI, mg/l	99.9	70	52	22	62	250	1000	IS 3025(P- 32):1988
D.	Fluoride as F, mg/l	0.36	0.26	0.28	0.32	0.36	1.0	1.5	IS 3025(P- 60):2008

Continued on Page -2

- 1. The test report refers only to the particular item(s) submitted for testing Ban
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory
NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindnaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O)

Mobile: 09471358492, 09431512608

Fax: 0326-2952377

2

SI. No	PARAMETERS OF TEST	VALUE				IS as per IS 10500:1991		Test Method	
	,		Moholba ni Basti	Jorapukhar Kushtand	Bhowra 13 No	Jamadoba 3 No	Lower Dungri	Desi r- able	Permi s- sible
1	Sulphate as SO ₄ , mg/l	75	44	58.4	45.3	21.8	200	400	IS 3025(P- 24):1986
2.	Nitrate as NO ₃ , mg/l	9.8	12.4	11.3	9.4	9.8	45	No. Relax	IS 3025(P- 34):1988
3,	Alkalinity as CaCO ₃ , mg/l,	328	504	312	104	184	200	600	IS 3025(P- 23):1983
4.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P- 47):1994
5.	Zinc as Zn, mg/l,	0.14	0.16	0.12	0.10	0.16	5	15	IS 3025(P- 42):1992
6.	Iron a Fe, mg/l	0.1	0.1	80.0	0,08	0.1	0.3	No. Relax	IS 3025(P- 53):2003
7.	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P- 42):1992
8.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	0.00	No. Relax	IS 3025(P- 48):1994
9.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	0.00	No. Relax	IS 3025(P- 41):1992
0.	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	0.02	. No. Relax	IS 3025(P- 37):1992
1.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P- 37):1988
2.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P- 27):1986
3.	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P- 52):2003

NOTE: BDL - Below Detection Limit

A. Dar.

Sr. Chemist Aditi R&D Services



Technical Manager Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.





ENVIRONMENTAL POLICY

Tata Steel's environmental responsibilities are driven by our commitment to preserve the environment and are integral to the way we do business.

- We are committed to deal proactively with Climate Change issue by efficient use of natural resources & energy; reducing and preventing pollution; promoting waste avoidance and recycling measures; and product stewardship.
- We shall identify, assess and manage our environment impact.
- We shall regularly monitor, review and report publicly our environmental performance.
- landscaping and shall protect and preserve the biodiversity in the areas of our We shall develop & rehabilitate abandoned sites through afforestation and operations.
- We shall enhance awareness, skill and competence of our employees and contractors so as to enable them to demonstrate their involvement, responsibility and accountability for sound environmental performance.
- We are committed to continual improvement in our environmental performance. 7
 - We shall set objective-targets, develop, implement and maintain management standards and systems, and go beyond compliance of the relevant industry standards, legal and other requirements.
- We will truly succeed when we sustain our environmental achievement and are valued by the communities in which we work. n

Date: November 1, 2017

CEO & Managing Director

Publication PRABHAT KHABAR, DHANBADDate 11-3-14



जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या -J-11015/203/2011-IA.II(M) के जरिए जामाडोबा कोल वाशरी (1.0 मिलियन टन प्रतिवर्ष से 2.0 मिलियन टन प्रतिवर्ष विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, जामाडोबा, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गयी है, जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखण्ड राज्य प्रदूषण नियंत्रण परिषद, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट http://envfor.nic.in पर भी देखी जा सकती है।

महाप्रबंधक (झरिया) टाटा स्टील, जामाडोबा (धनबाद)

> CORPORATE COMMUNICATIONS **JHARIA DIVISION**



जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या - J-11015/203/2011-IA.II(M) के जरिए जामाडोबा कोल वाशरी (1.0 मिलियन टन प्रतिवर्ष से 2.0 मिलियन टन प्रतिवर्ष विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, जामाडोबा, जिला—धनबाद को पर्यावरण स्वीकृति प्रदान की गयी है, जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखण्ड राज्य प्रदूषण नियंत्रण परिषद, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट http://envfor.nic.in पर भी देखी जा सकती है।

महाप्रबंधक (झरिया) टाटा स्टील, जामाडोबा (धनबाद) Publication DAINIK BHASKAR, DHANBADDate 11-3-14



जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या -J-11015/373/2010-IA.II(M) के जरिए 6 एवं 7 पिटस कोलियरी (0.28 मिलियन टन प्रतिवर्ष से 0.6 मिलियन टन प्रतिवर्ष विस्तारीकरण परियोजनां) मेसर्स टाटा स्टील लिमिटेड, जामाडोबां, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गयी है, जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखण्ड राज्य प्रदूषण नियंत्रण परिषद, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट http://envfor.nic.in पर भी देखी जा सकती है।

महाप्रबंधक (झरिया) टाटा स्टील, जामाडोबा (धनबाद)

> CORPORATE COMMUNICATIONS JHARIA DIVISION

Publication DAINIK JAGRANI, DHANBAD Date 11-3-14



जन साधारण को सूचित किया जाता है कि मारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या — J-11015/373/2010-IA.II(M) के जरिए 6 एवं 7 पिट्स कोलियरी (0.28 मिलियन टन प्रतिवर्ष से 0.6 मिलियन टन प्रतिवर्ष विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, जामाडोबा, जिला—धनबाद को पर्यावरण स्वीकृति प्रदान की गयी है, जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखण्ड राज्य प्रदूषण नियंत्रण परिषद, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट http://envfor.nic.in पर भी देखी जा सकती है।

महाप्रबंधक (झरिया) टाटा स्टील, जामाडोबा (धनबाद) Municipal Commissioner, Dhanbad.

Ref No.: JMB/ENV/DIG/37/ 805 /2018

September 17, 2018

Sub: Submission of copy of Environmental Clearance granted to units of M/s Tata Steel Limited

Dear Sir,

Please find enclosed the letter of Environmental Clearance (EC) granted by MoEFCC to various units of Tata Steel Limited, Jharia Division, Dhanbad as per the following details-

- 1. Digwadih Colliery (for expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand.
- 2. 6 & 7 Pits Colliery (for expansion from 0.28 MTPA to 0.6 MTPA in ML area 168.12 ha), dist. Dhanbad, Jharkhand.
- 3. Jamadoba Coal Washery (for expansion from 1 MTPA to 2 MTPA in 7 Ha area), dist. Dhanbad, Jharkhand.

The copy of EC letter and its compliance is also uploaded in website (http://www.tatasteel.com/sustainability/environment-compliance-reports/) for your kind perusal.

Thanking You,

Yours faithfully,

Head, Planning Jharia Division प्राप्ति तिथि ३६, १० १८

धनबाद

Executive Summery

Tata Steel Foundation is focused upon co-creating solutions, with tribal and excluded communities, to address their development challenges. Working for the overall development of community through its interventions in Health, livelihood, Education and Skill development.

Followings are the key highlights of the work carried out by Tata Steel Foundation in FY'23:

- In Public Health camp, 24968 villagers from 35 villages got free health check-up and medicines.
- A total of 79 camps were organized for Non communicable diseases (hypertension, diabetes, breast, and oral cancers) in which 2,296 beneficiaries got screened and were provided health services.
- Under the Ni-kshya Mitra program, 673 food packets were provided in Baghmara block.
- Under Cataract, 85 Nukar natak were organised to create awareness among villagers on blindness and a total of Eight camps organized in which 1,021 surgeries were successfully done.
- In Nutritional Garden, TSF Jamadoba distributed seed, plants and Agri materials to 1500 Households and wall paintings around nutrition were done at 180 places in different villages.
- Tata Steel started SPARSH centre with technical collaboration with LEPRA Society in which 1570 patients got benefitted.
- Under RISHTA project, TSF Jamadoba is working with 1465 beneficiaries through Pre and post-test.
- Total number of students enrolled in Pre-Matriculation Couching in FY'23 is 2378 in 18 centres.
- TSF Jamadoba has recently organized the `placement-drives for the job-openings at Tata Electronics Private Limited (TEPL) in which 24 candidates joined Tata Electronics.
- The total enrolment of the candidates in Community Youth coaching program for Uniform services is 64.
- Tata Steel Foundation (TSF), in collaboration with NIIT Foundation (NF), has been offering IT and English Courses in which total enrolment is 755.
- To promote paddy cultivation a total of 92 farmers (36 from Jamadoba and 56 from Sijua) of the leasehold area were supported with paddy seeds having acreage of 92 acres.
- 20 acre of horticulture plantation has been done through providing plants of Banana, papaya, Mango, coconut, guava, and lemon.
- TSF Jamadoba is supporting 140 landless families with critical inputs around various types of micro enterprises.
- Gender and Leadership for Disha, in which 240 women leaders are being developed. Out of 240, 60 women have completed training till module 4.
- Tata feeder centre, training of budding sports talent in three sporting segments i.e., Football, Archery and Athletics. As of now the total intake of the players under these sporting segments is 188.

Index Page


S. No.	Particulars	Page No.	No. of
			Beneficiary
1.	Introduction	3	,
2.	Public Health	4-9	
2.1	Major Achievement	4	
2.2	Nutritional Garden	4-5	1500
2.3	Cataract	5-6	1021
2.4	RISHTA	6-7	1465
2.5	SPARSH	7-10	1570
3	Education	10-11	
3.1	Pre-Matriculation Coaching	10	2378
3.2	Jyoti Fellowship Scholarship	10	346
3.3	Tribal Language	11	71
4.	Employability	11-12	
4.1	Placement Drive	11	24
4.2	Uniform Services	11-12	64
4.3	Skill Development Centre	12	755
5.	Livelihood Enhancement	12-15	
5.1	Support to farmers during kharif	12	92
	season		
5.2	Horticulture Development	13	142
5.3	Leveraging Government Resources	13	946
5.4	Distribution of Micro-Enterprise	14	140
	Toolkit		
5.5	Promoting fish farming	14	208
6.	Livelihood Empowerment	15	240
7.	Sports	15-16	188
8.	Infrastructure	17-18	29,149

INTRODUCTION

Tata Steel Foundation (the Foundation), a wholly owned subsidiary of Tata Steel Limited, was incorporated on August 16, 2016, under Section 8 of the Companies Act 2013. The Foundation is focused upon co-creating solutions, with tribal and excluded communities, to address their development challenges. During this process of co- creation, the Foundation endeavours to develop and implement change models that are replicable at a national scale, enable significant and lasting betterment in the well-being of communities proximate to the Company's operating locations and embed a societal perspective in key business decisions. The Foundation strives for excellence by ensuring that all programmes are aligned with community needs and focus on national priority areas enabling communities to access and control resources to improve the quality of their lives with dignity.



TSF, Jamadoba is working in 44 villages of three blocks (Jharia, Dhanbad and Baghmara). Working in different areas like Health, Livelihood, Education, and Infrastructural development for livelihood enhancement and make community self-sufficient.



PUBLIC HEALTH

Tata Steel provides both curative and preventive healthcare services to improve levels of health amongst the community. Tata Steel Foundation is committed to provide best health care facility to people in Tata Steel leasehold area. TSF Jamadoba, acts as strengthening agency for awareness generation, promotion of good health and hygiene, and bridge gap between community and government health facilities.

Major Achievement:

- In Public Health camp, 24968 villagers from 35 villages got free health check-up and medicines.
- Focusing the preventive aspects of public health, a total of 79 camps were organized for Non communicable diseases (hypertension, diabetes, breast, and oral cancers) in which 2296 beneficiaries got screened and were provided health services.
- Under the Ni-kshya Mitra program, 673 food packets were provided in Baghmara block.

Nutritional Garden:

The kitchen/home gardens have been found to play an important role in improving food security for the poor rural household. Keeping in view the importance of vegetables in daily diets and its low availability, TSF Jamadoba has started Nutritional Garden program for villagers of Tata Steel lease hold area. TSF Jamadoba, provides seed, plants and Agri materials to villagers for Kitchen Garden and have the benefits of good quality of food without using external fertilizer or chemicals.

TSF Jamadoba, distributed seed, plants and Agri materials to 1500 Households and wall paintings around nutrition were done at 180 places in different villages.

Case Study of Mrs. Dhani Devi

"Connecting with nature is connecting with God" is the story of Dhani Devi (Age -29) wife of Mr. Devan Kalindi, and resident of Harijan Tola of Patia Panchayat. TSF Jamadoba reached her during seed distribution campaign in her village. During the home visit TSF Jamadoba team came to know that they have to rely on daily wages for their livelihood as they are landless. After monitoring the troublesome and pathetic condition of the family during home visit. Mrs. Dhani Devi was suggested to do kitchen gardening and explained about the benefits of kitchen garden. Which will not only increase her family nutritional intake but also save money which they spend on buying vegetable or for medical purpose which arises due to malnourishment. Kitchen garden will also help her generate additional income if the produce is high through selling of vegetable.

She decided to own an uncultivated and useless land in her village with the consent of community and SHG members. The issue was discussed in front of village community, and she got a small piece of land. TSF Jamadoba has supported her with seed, plants and Agri materials and provided one day training session.

Now after three months, she has done one of the best kitchen gardens and promised to continue it in near future. Mrs. Dhani Devi thanked TSF Jamadoba team for their effort and handholding support.





CATARACT

Tata steel has collaborated with Shankar Netralaya during the year 2017-18 to do cataract camps through Mobile Eye surgical unit (MESU) which carries out operations for the cataract infected patients. Under the program for preventable blindness a total of 85 Nukar natak were organised to create awareness among villagers on blindness because of cataract in Tata Steel lease hold area villages and a total of Eight camp organised (2 at Baghmara CHC, Rajganj, 2 at Bhelatand and 3 at Digwadih) in which 1441 patient were screened, and total surgery done is 1,021.

Case Study of Mr. Niranjan Mahato:

It has been correctly said "I have a very poor eyesight, and I can't imagine a world without my glasses or contacts". Mr. Niranjan Mahato of Nunidih Basti, was working as a helper at Tata Steel canteen, he uses to put coal in the cooking stove. During his mid-forties he notice that his vision is getting blur. He started wearing spectacles for clear vision. His right eye vision deteriorated dramatically.

He gets to know about Tata Steel Foundation, Eye check-up camp from one of the beneficiaries residing near his house. So, he visited the camp and diagnosed with cataract. After all the screening done by doctors, operation date was given. But on the date of operation, he was diagnosed with Hypertension and was referred to TSF Medical department. He visited TSF, Jamadoba and the medical team provided all the necessary support and medicines. The next day he visited again as per the advice of TSF medical team, and he was found normal and sent for cataract surgery.

On 20.09.2022, Cataract surgery was done. And now he can see the world clearly and does all his work without any support from others. He expresses his happiness and gratitude to Tata Steel Foundation.





RISHTA

Regional Initiative for Safe Sexual Health by Today's Adolescents, formally known as "Project RISHTA" is a consortium project on Adolescents' Reproductive and Sexual Health, which aims "to improve the sexual and reproductive health and wellbeing of adolescents in Jharia Division.

RISHTA project aims at empowering adolescents to know and exercise their adolescent rights and be sensitive to issues of adolescent health (preventive and curative). Furthermore, pregnancy during adolescence is associated with higher risk of health problems like anaemia, sexually transmitted infections, unsafe abortion, and mental disorders (like depression). Pregnant adolescents also bear negative social consequences and often have to leave school reducing their employability leading to long-term economic implications. Unmet needs for family planning especially for spacing are high among adolescents.

Key objectives of RISHTA project

- Enable adolescents to take right decision with right information for their future.
- Inculcating the importance of adolescents' health, which otherwise remains ignored.
- Reduce Early Age of Marriage across the block
- Inducing the importance of life skills in adolescents as catalysts to cater to their life approach in a more progressive manner.
- Orienting the adolescents with adolescent rights which are powerful tools for them to exercise.



- Number of adolescents reached through ARSH sessions -1465.
- 4 number of National/International Day observed in which 567 number of participants participated.
- 4 Kishor Navdampatti samaroh was organized with 56 adolescent couple participation.



- Total 123 meeting with AWW, Asha and PRI member with 1470 participants.
- Total 3 Child marriage delayed.
- 135 Sathiya were trained around various aspects of sexual and reproductive health
- Total 13 no. of pregnancy delayed.

Case Study of Mohini Kumari Khetrapal

Mohini Kumari Khetrapal is 20 years (DOB – 11/11/2002) old girl who believes that education and hard work never goes in vain. Her father Mr. Deepak Kumar Khetrapal is a daily wage labor, and her mother Mrs. Anjana Devi is a house manager. She has one younger sibling, who works as a daily wage laborer with his father. The monthly income of the family was Rs. 8000 /-. And the financial condition was not good.

She is associated with RISHTA team for last 4 years. She has completed her intermediate and wanted to help her family financially. One day Mohini came to attend RISHTA meeting in which one of the TSF staff was discussing on F&B training which is given by PACE Centre Jamshedpur. She found this training fruitful for her career growth and to make her family financial stable.



She contacted RISHTA team after few days of training to know the procedure of selection in F&B course and wanted RISHTA team to convince her parents. The team visited her house and counselled her parents and convinced them.

The team lined up with PACE training Centre for F&B training and Mohini got admission in 2 months training program. After successful completion of her training, she got placed at Ramada Hotel Jamshedpur. Now she is earning Rs. 14,500/- per month with free accommodation, which enabled her to take care of both her and her family financial need.

With regular guidance of TSF RISHTA team, she completed her graduation and now enrolled herself in Hotel Management course for departmental promotion. She and her family are very thankful to TSF Jamadoba and RISHTA team for all the support and guidance.

SPARSH

In 2005, India was declared with leprosy eliminated. Vertical system comprising Non-Medical Assistants and Supervisors were abolished. Health personals dedicated for NLEP2 have been deployed in other health vertical. Rigorous screening and monitoring system became poor post 2005. Considering the fact of high endemicity in Dhanbad (adjacent to

Purulia), a joint venture namely "SPARSH centre- A healing Touch" had been started in 2009.

Above all, new cases have been found in special pockets of India through Leprosy Case Detection Campaign by NLEP, GoI (14th September to 4th October 2016). According to WHO report, India accounts for 60% of total new cases of Leprosy across the world. Many new cases have been found in Bihar, Jharkhand, and Chhattisgarh.

Tata Steel started SPARSH centre with technical collaboration with LEPRA Society, for the benefit of the Leprosy affected persons in the year 2009 (26th October) and the reconstructive surgery unit started during the year 2017. This reconstructive surgery unit which is one-of-its-kind in Eastern India will play a major role in the leprosy eradication programmes, benefitting the patients from the States of Jharkhand and Bihar.





Coverage Area

The SPARSH centre caters to the patients from Jharkhand and Bihar. Till today patients from 13 blocks have been able to access health services.

Objective of SPARSH Centre

- Provide healthcare facilities to leprosy affected people and helping them to cope up with the societal stigma attached to the disease.
- To correct the deformities of people suffering from Leprosy, so that they come in the mainstream society.
- Restoring livelihood opportunities for those who have undergone reconstructive surgery.

Services offered

- OPD services for patients suffering from leprosy
- Providing specially designed footwear to the patients
- Raising awareness regarding leprosy through a Mobile IEC Van in 200 villages in Dhanbad district
- Capacity building of health officials in leprosy

Key achievements during this period

• A total of 1570 persons suffering from leprosy and related illness were provided health facilities.

- 1,53,500 persons were covered under the IEC campaign which creates awareness around the early identification and treatment of leprosy in 200 villages of the Dhanbad district.
- 454 MCR footwear manufactured for person affected of Leprosy.
- Reconstructive surgery to correct deformity was organised in which total 23 RCS was done.


Case Study of Mr. Prahalad Mahato:

Mr. Prahalad Mahato (Age – 26 years) son of Ramlochan Mahto, Resident of Nischitpur

village, Baghmara. He lives in his sister's house in Baghara village due to leprosy. His wife and son left him and his father lives alone at Nischitpur village, where he works as a daily wage worker.

He was referred by PHC Baghmara for reconstructive surgery at SPARSH centre to correct left claw hand after one year treatment from MDT. During examination, SPARSH Doctors found that he is suffering with Type II(ENL) reaction with right Ulnar, bilateral lateral popliteal and posterior tibial neuritis.

Prahalad Mahato was suffering from Leprosy for last 4 year and started his treatment at Nirmal Leprosy



After examination and diagnose at SPARSH centre, the treatment started with Storied therapy for a period of one month. The reaction was subsided, and muscle power improved. Again, he gets recurrent reaction. The centre started second line drug for Lepra rection with clofazimine therapy with proper counselling for a period of 4 month. He was declared cured of ENL reaction.

The reason of reaction was psychological problem caused due to disease, family, and future. The centre counsels Prahalad and his family time to time for proper case holding and management. Finally, he copped and accepted mental health treatment and case management of SPARSH centre.



The reason of reaction was psychological problem caused due to disease, family, and future. The centre counsels Prahalad and his family time to time for proper case holding and management. Finally, he copped and accepted mental health treatment and case management of SPARSH centre.

Now he is doing good and works as a daily wage worker with his father at his hometown. He believes that his deformity will correct, and his family will live together after surgery. He is very thankful to TSF Jamadoba and SPARSH team.

EDUCATION

Pre-Matriculation coaching:

PMC (Pre-Matriculation Coaching) classes have been running since 2012 in government and private (J.A.C. Board) schools for class VI to X in the leasehold areas of Jamadoba and Sijua. PMC was started in 2011-12 with 1,025 students at 11 centres, especially for the poor students, who cannot afford private tuition classes for bringing improvement in their studies. Pre- Matriculation coaching classes have been operated in two parts from Class VIII - X and Preparatory classes for classes VI to VII.

Total number of students enrolled last year (FY22) was 1548 in 09 centres. The Pre-Matriculation Coaching class is a boon for the students as it has been observed that the students have gained a lot from this program. Due to this program, they have been able to score good marks in their academic exams. According to the survey done before starting of PMC class, the passing % of the class 10th was 70%. In FY 22, TSF Jamadoba has achieved 100% result in the matriculation exam.

The purpose of running this Pre-Matriculation Coaching class is to provide quality tuitions to the poor students in English, Math, and Science. The total number of teachers in one centre is 5 - two teachers for Classes VI-VII and three teachers for classes VIII-X. The teachers are being paid through the school committees or the SHGs (Self Help Group).

In FY 23, TSF Jamadoba have conducted PMC classes at 18 centres covering 2378 students.



Jyoti Fellowship Programme:

As part of affirmative action policy and effort towards inclusive growth and development of Scheduled Caste and Scheduled Tribe community. Tata Steel Foundation awarded Jyoti Fellowship to 346 meritorious students of Jamadoba region. Total scholarship amount is Rs. 17,98,750/-.

The objective of Tata Steel Jyoti Fellowship is to ensure that meritorious student from economically-challenged SC/ST families have an opportunity to continue and pursue their

educational goals and fulfil career aspirations. Tata Steel's Tribal Cultural Society (TCS) identifies deserving candidates from operational areas of the company on the merit-based test.

Language Classes:

Language classes on 'Ol-chiki' script was started for the Santali communities residing in and around Tata Steel leasehold areas that is Bhowra-parsiabad village (Jamadoba) and Bhelatand Majhi tola (Sijua location). The classes are held during the weekend. The total enrolment is 71 (JMB- 33 students and Sijua-38 students).



Employability Programme

Placement Drives

With an objective to provide employment opportunity for youths. TSF Jamadoba has recently organized the `placement-drives (for the job-openings at Tata Electronics Private Limited (TEPL) in collaboration with the Model Career Centre,

Jamshedpur.

The placement –drive was specially meant for the local female candidates who are aged between 18-20 years (21 for the SC/ST category) and have passed out their intermediate exam during the year 2021 and 2022.

This placement drive was attended by total 128 candidates out of which 64 were shortlisted and finally 24 female candidates from Tata Steel leasehold areas have joined Tata Electronics.



Community Youth coaching program for Uniform services:

With an objective to support the youth prepare for entry into uniformed services, TSF Jamadoba is running `Community Youth Coaching Program` for the local youths. The coaching is provided to prepare for written as well as physical tests for clearing various competitive exam(s) of the Uniformed Services like State Police, CMPF like BSF, CRPF, ITBP, Coast Guards, Army, Navy, and Air Force etc.

As of now, the total enrolment of the candidates is 64 (31 at Jamadoba and 33 at Sijua). While this coaching program, the enrolled candidates have started appearing at the competitive exam related to the Uniformed Services.

Total 29 candidates (11 from Jamadoba, 18 from Sijua) have appeared at the SSC GD EXAM-2022 which was held in January`23. The SSC has declared the results of SSC GD Exam on 08th April,2023. Total 9 candidates (6 from Sijua and 3 from Jamadoba) have cleared the

written exam of SSC GD. The physical exam is likely to be held soon for the candidates who have cleared the written exam of SSC GD-2022.





Skill development centre:

Tata Steel Foundation (TSF), in collaboration with NIIT Foundation (NF), has been offering IT and English Courses in small towns and interior villages of the Company's operational areas since FY15. This program was initiated in response to the high demand for these skills among youth. The goal is to empower communities within Tata Steel operational areas by developing IT (Information Technology) and English capabilities among them. This would include youths, women (SHG, ANM, Asha, etc.), adolescents and migrant laborers.

Progress made during the period

- A total of 755 enrolment has been done for FY'23.
- Out of 755 375 enrolled in Jamadoba and 380 in Sijua centre.
- A total of 677 students completed their course 330 at Jamadoba and 347 at Sijua.



LIVELIHOOD ENHANCEMENT

Support to farmers during kharif season:

To promote paddy cultivation a total of 92 farmers (36 from Jamadoba and 56 from Sijua) of the leasehold area were supported with paddy seeds having acreage of 92 acres. The improved varieties of seeds promoted were KV21 and Purnima Gold. The farmers contributed 50% of the cost of seeds and each farmer was supported with a maximum of 1 acre. A total of 200 kg of seeds were promoted (164 kg of Purnima Gold seeds and 36 kg of KV2 seeds).

Horticulture Development:

Horticulture development is a very useful method of income augmentation for the farmers. During the year 20 acre of horticulture plantation has been done through providing plants of Banana, papaya, Mango, coconut, guava, and lemon. Out of which the district horticulture department has also supported in this initiative by providing plants for 10 acres. In which total of 142 farmers got benefited.



Leveraging Government Resources:

Community mobilization has been done by raising awareness levels of the farmers so that they can access the agriculture related schemes. During the year following progress has been made:

- 13 farmers have received 5350 banana and papaya plant from District Horticulture Department Dhanbad having an acreage of 6 acre of land.
- 4 animal health camps have been organized with support of district animal husbandry department in which a total of 1414 animal received medical check-up.
- TSF Jamadoba in collaboration with MSME Dhanbad has organised 30 days stitching training program in Petia Panchyat Bhawan, Petiya.
- FLD project of District Horticulture Department is being implemented in Tundi.
- 15 Diesel pump sets and 2 tractors was lesioned with govt. on 90% subsidiary under which 15 farmers got benefitted.
- 331 farmers got free elephant yam seed from District Horticulture Department.
- 160 women attended 3 days training on mushroom farming and received free Mushroom spawn.





Distribution of Micro-Enterprise Toolkit:

Micro-Enterprise businesses not only help in promoting quality of life for business runners but also add value to the local economy. They produce numerous jobs at small-scale, improve income, and boost purchasing power.

TSF Jamadoba is supporting 140 landless families with critical inputs around various types of micro enterprises which will help them in self- employment and entrepreneurship.





Promoting Fish Farming:

"Promoting fish farming" is one of the key initiatives towards improving the livelihood of the people living in Tata Steel leasehold area. During the FY'23, total 52 ponds were supported with fingerlings having 208 beneficiaries. Total 312 kg of fingerlings were distributed. The fingerlings were provided at 50% contribution from the pond-beneficiaries.

Besides providing fingerlings to the pond beneficiaries and build their capacities, much emphasis is given on improving the feeding practice. In this respect, TSF Jamadoba is facilitating farmers in getting proper-feed packets from the District Fishery Department at 50% subsidy.

Case Study of Mr. Abhimanyu Mahato:

A young farmer Mr. Abhimanyu Mahato (Age 35), his father's name Mr. Shankar Mahato resident of Patia Panchayat of Dhanbad district. Just a matric pass is growing rapidly with increase interest in the field of fish production. It is correctly said "The capacity to learn is a gift; the ability to learn is a skill; the willingness to learn is a choice." With his willingness and support from TSF Jamadoba, made him earn his livelihood with dignity.

He used to support his family by doing agriculture which was not sufficient for overall development and give a dignified life to his family. Then he comes to know about Tata Steel Foundation and about its programmes from his friend. With keen interest in fish farming, he reached TSF Jamadoba office. And after knowing that TSF Jamadoba is supporting with fingerlings and capacity building on fish farming.

On the next day he meets TSF field staff and gives the application for fish farming. After that he received 5 days training on fish farming from Government Fishery Department at Ranchi.

When he returned from training, decided to start his own business of fish production. Mr. Abhimanyu Mahato improved his pond by expanding the area of pond to 1.5 acer and cleaned grass under water that can harm fishes. Then the TSF provided 100 kg fingerlings at 50% subsidy. Currently his annual income is one Lakh from Fish farming.

Mr. Abhimanyu Mahato is very happy with the support provided by TSF and said that now he can send his children for higher education and live his life with dignity. The help from TSF Jamadoba made him economically as well as socially strong.

LIVELIHOOD EMPOWERMENT

Disha Training:

The primary objective of Disha project is to enable women leaders through social-political empowerment by making systematic investments in community-based organizations to enhance their participation and productivity, and to create and sustain model of rural women. The project has an objective to increase knowledge, awareness, and income of women through capacity building.

Training of active SHG members on Gender and Leadership for Disha, in which 240 women leaders are being developed. Out of 240, 60 women have completed training till module 4.





SPORTS

Organising sporting events/activities etc. has been a key strategy for ensuring the community engagement and to nurture the local young talents across Tata Steel leasehold areas. The children from the leasehold-villages will be given opportunities to take part in various sporting events/ activities towards shaping their future career in the Sports field.



During this year in the feeder centre training of budding sports talent is being done in three sporting segments i.e., Football, Archery and Athletics. As of now the total intake of the players under these sporting segments is 188.

Major achievement in Sports:

Achievement in Archery

S. No.	Name	Village	Medal	Event
1	Ms. Nazia Parween	Digwadih No.10	Selected	Centre for excellence (Govt.
				of Jharkhand), U-16
2	Ms. Madhu Kumari	Patherdih	Selected	Centre for excellence (Govt.
				of Jharkhand), U-16
3	Ms. Riya Kumari	Digwadih No.10	Selected	Centre for excellence (Govt.
				of Jharkhand), U-16
4	Ms. Pinky Kumari	Jealgora	Selected	Centre for excellence (Govt.
				of Jharkhand), U-16
5	Ms. Simran Kumari	Jealgora	Selected	Centre for excellence (Govt.
				of Jharkhand), U-16
6	Ms. Versha	Noonidih	Selected	Centre for excellence (Govt.
	Chakroborty			of Jharkhand), U-16
7	Khusi Kumari	Digwadih	Gold	NTPC Mini National Archery
				Competition
8	Md. Adil	Digwadih	Selected	Tata Archery Academy

Achievement in Football

S. No.	Name	Village	Selection	Event
9	Mr. Pankaj Basti	Bhowra -36 No.	Selected	National Camp at
		PO Bhowra		Bhubneshwar
10	Mr. Mrinal	Jealgora Basti	Selected	National Camp at
				Bhubneshwar
11	Mr. Prashant Diger	Nagina Bazar,	Selected	Residential sports training
		Mohalbani		centre, Kumaitha Stadium
				Deoghar
12	Ms. Anju Sharma	Domgarh	Selected	Jharkhand state team camp u-
				17 at Chaibasa
13	Master Narayan	Digwadih No.10	Selected	SAIL Football Academy,
	Mahato			Bokaro
14	Raj Kr. Mahato	Upper Dungri	Selected	CISF Delhi
15	Md. Irfan	Bhaga	Selected	Kuljeet Football Academy,
				Punjab
16	Mr. Vishnu Hajari	Noonidih Basti	Selected	Kuljeet Football Academy,
				Punjab
17	Mr. Vikky Kr.	Dumariatand	Selected	Kuljeet Football Academy,
	Mahato			Punjab

INFRASTRUCTURE

7600 people got benefitted through construction of 6,193 mts. long roads in 10 villages (Sijua 12 no., Dukhitdih, Rampur 2, Chetudih, Kanchanpur Bauritola, Upper dungri, Petiya, Banskapuria, Suyakanali, Malkera) and drain of length 1,552 mts constructed in were (Belubakhar, Lahargora, Purnadih, Sundarpur, Petiya, Kalimela, Lower Dungri, Upper Dungri, Mahato basti, Kasiatand, Digwadih Fatehpur, Rampur, Barughutu, Malkera illages) of Tata Steel intervention area.



 1000 people got benefitted through repair of 4 deep bore well in 4 villages ((Lower Dungri, Rampur Md tola, Kapuria, Kanchanpur)



 In 11 villages (Debogram harijan tola, Debogram bangali tola, Banskapuria, Azadnagar, Belubakhar, Suyakanali, Upper dungri, Dungri no.3, Dungri no.7, Digwadih Majhi basti, Sunderpur) of Tata Steel leasehold area, 11,435 people got benefitted through installation of 8,878 mts. long piped drinking water supply.



 Renovation and construction of 282 mts long irrigation drain which is benefitting 34 farmers in 5 villages (Chattand, Petiya, Chaitudih, Kasiatand, Lower Dungri).



• In 4 villages of Sijua (Banskapuria, Rampur, Debogram, Sawaldih) deepening of 4 ponds is done to solve water crises at village level.



• 9080 people got benefitted through construction of 39 Rural infrastructure like pond steps (17), sitting platform (15), community center (3), culvert (1), community shed (2), Biswanath club.

