



सत्यमेव जयते

File No: IA-J-11011/497/2021-IA-II(IND-I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
IA Division

\*\*\*



Date 09/07/2024



To,

M/s/ Tata Steel Limited  
Bombay House, 24 Homy Modi Steet, Fort, MUMBAI, MAHARASHTRA, 400001  
Email: ravi.prasoon@tatasteel.com

**Subject:** Existing production facilities for 0.91 MTPA Cold rolled strips & sheets (1250 MT/Day) and Galvanized plain/corrugated sheets (1250 MT/Day) at Plot no-23, Site-IV, Industrial Area, Sahibabad, District Ghaziabad, Uttar Pradesh by M/s Tata Steel Limited - Grant of Environmental Clearance as per Ministry's notification dated 20.07.2022

Sir/Madam,

M/s. Tata Steel Limited has made an online application vide Proposal No. IA/UP/IND1/450271/2023 dated 01.02.2024 along with copy of EIA/EMP report, Forms (Part A, B and C) and certified compliance report seeking Environment Clearance (EC) under the provisions of the EIA Notification, 2006 for the project mentioned above. Further, the PP has uploaded the information on portal on 14.06.2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC23A1012UP5722103N
(ii) File No.	IA-J-11011/497/2021-IA-II(IND-I)
(iii) Clearance Type	Fresh EC
(iv) Category	A
(v) Project/Activity Included Schedule No.	3(a) Metallurgical Industries (ferrous and non ferrous)
(vi) Sector	Industrial Projects - 1 Regularization of existing production facilities for 0.91 MTPA Cold rolled strips & sheets (1250 MT/Day) and Galvanized plain/corrugated sheets (1250 MT/Day) at Plot no-23, Site-IV, Industrial Area, Sahibabad, District Ghaziabad, Uttar Pradesh by M/s Tata Steel Limited
(vii) Name of Project	Tata Steel Limited
(viii) Name of Company/Organization	GHAZIABAD, UTTAR PRADESH
(ix) Location of Project (District, State)	

(x) Issuing Authority

MoEF&CC

(xi) Applicability of General Conditions as per  
EIA Notification, 2006

Yes

3. The proposed project activity is listed at S. No. 3(a) Metallurgical Industries (ferrous & non-ferrous) under Category "B" of the schedule of the EIA Notification, 2006 and attracts General Condition due to interstate boundary of Uttar Pradesh and Delhi at an approx. distance of 0.6 km in West direction from plant site and location of unit is in Sahibabad Industrial area, Ghaziabad (CEPI Score 72.30) which falls under the Critically Polluted Area and therefore appraised at Central Level.

4. The instant Proposal was considered by the EAC in its 59<sup>th</sup> meeting held on 24<sup>th</sup> May 2024 wherein after detailed deliberations, the committee recommended the proposal for grant of Environment Clearance under the provisions of EIA Notification, 2006 subject to the stipulation of specific conditions and general conditions. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at <https://parivesh.nic.in>.

5. The details of the proposal are as per the EIA/EMP report submitted by the proponent. The salient features of the proposal as presented during the above-mentioned meetings of EAC (Industry 1 Sector) are at **Annexure-II**.

6. The Unit configuration and capacity of the proposed project is at **Annexure-III**.

7. The EAC, in its 59<sup>th</sup> meeting held during 24<sup>th</sup> May, 2024, inter-alia, deliberated the following:

i. The instant proposal is for Regularization of existing production facilities for 0.91 MTPA Cold rolled strips & sheets (1250 MT/Day) and galvanized plain/corrugated sheets (1250 MT/Day), as per issued notification MoEF&CC vide S.O. 3250(E) dated 20<sup>th</sup> July, 2022 and extension vide S.O. 3372(E) dated 26<sup>th</sup> July, 2023.

ii. The existing project was accorded Consent to Establish vide 4918/C-1/NOC/2192, dated 14<sup>th</sup> August 1992. The project being established before EIA Notification 1994 and 2006, it did not fall under purview of Environmental Clearance. All the units are operating on the basis of Consent to Operate obtained from Uttar Pradesh Pollution Control Board vide latest CTO under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 (as amended) -Vide letter no. 96499/UPPCB/Ghaziabad (LAB) /CTO/air/GHAZIABAD/2020 dated 22/12/2020 and letter no. 97147/UPPCB/Ghaziabad (LAB) /CTO/ water/GHAZIABAD/2020 dated 22/12/2020, valid till 31/12/2024.

iii. The Commission for Air Quality Management in National Capital Region and Adjoining Areas is opinion that air pollution is generated in the reheating furnaces of the Steel rolling mills and therefore made compulsory the use of clean fuel to control air pollution and improve air quality. Commission has issued various direction in GNCTD & NCR to switch over on PNG/LSHS (Low Sulphur Heavy Stock) by 30.09.2022.

iv. The Ministry has issued a notification on 20<sup>th</sup> July 2022 and directed that all the standalone re-rolling units or cold rolling units, which are in existence and in operation as on the date of this notification, with valid CTE and CTO from the concerned SPCB/PCC, shall apply online for grant of Terms of Reference (ToR) followed by Environment Clearance and the said units shall be granted Standard Terms of Reference and shall be exempted from the requirement of public consultation, Provided that the application for the grant of ToR shall be made within a period of one year i.e. up to 19<sup>th</sup> July 2023.

v. The EAC, constituted under the provision of the EIA Notification, 2006 comprising Expert Members/domain experts in various fields, examined the proposal submitted by the Project Proponent in desired format along with EIA/EMP reports prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

vi. The EAC noted that the Project Proponent has given an undertaking that the data and information given in the

application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP reports. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

vii. The Committee noted that the EIA reports are in compliance of the ToR issued for the project, reflecting the present environmental status and the projected scenario for all the environmental components. The Committee deliberated on the proposed mitigation measure towards Air, Water, Noise and Soil pollutions. The Committee suggested that the storage of toxic/explosive raw materials/products shall be undertaken with utmost precautions and following the safety norms and best practices.

viii. The EAC also took into consideration the drone survey of the project site and kml file on the Google Earth presented by the project proponent along with DSS of the project site on PARIVESH and made following deliberations accordingly.

ix. The total project land is 17.80 ha (43.98 acres). PP has reported that complete land is under the possession of the company & converted for industrial purpose.

x. Project falls in critically polluted area (CPA) of Ghaziabad. PP has reported that compliance to the action plan for Critically Polluted Areas of Ghaziabad has been done. The compliance status report has been submitted to CPCB & UPPCB vide letter no TSL/UPPCB//2022/12-4 dated 28<sup>th</sup> December 2022. The EAC deliberated on the same and is of the opinion that the recommendations of CPCB & UPPCB on the report shall be strictly complied.

xi. Ghaziabad is at a distance of 1 km and other sensitive areas such as Health centers, Schools etc. within the study area of the project site. Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. The project proponent needs to strengthen green belt all around the plant area to reduce the dust pollution. The PP shall also include some of these locations in its environmental monitoring programme.

xii. As reported, Hindon Cut is at a distance of 1.5 km, eastern Yamuna Canal at 2 km along with other water bodies within the study area of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.

xiii. PP has reported that project site is at a distance of 8.2 km from the ESZ of Okhla Bird Sanctuary notified under MoEF&CC notification vide S.O. 2262(F) dated 19<sup>th</sup> August, 2015. PP has submitted the authenticated map of ESZ projecting distance of ESZ from project site. A Management plan for Okhla Bird Sanctuary (2022-23 to 2031-32) has been prepared by Divisional Forests Officer, Gautam Budh Nagar and same has been approved from Principal Chief Conservator of Forest, Wildlife, Uttar Pradesh vide letter no. 3115/ 23-7-9, Lucknow dated 26<sup>th</sup> May 2022. The EAC opined that Management plan for Okhla Bird Sanctuary shall be strictly implemented.

xiv. The total freshwater requirement, after the installation of the ZED system with a capacity of 750 KLD treatment, will decrease from 2400 KLD to 1962 KLD. Groundwater is being used as a source of freshwater for industrial and domestic applications inside the plant. To phase out the use of groundwater, the company has planned and initiated actions to use treated sewage from STP for industrial purpose. The EAC deliberated on the water requirement is of the opinion that PP shall obtain necessary permission from the Competent Authority in this regard. Also as committed, PP shall undertake gradual phasing out of groundwater and switch to alternate source of water.

xv. The Committee has deliberated on the baseline data along and incremental GLC due to the proposed project and is of the opinion that PP shall strictly implement the mitigation measures to minimise the ambient air pollution.

xvi. There are 55 Schedule-I fauna species recorded within 10 km radius of the study area of the plant site. Accordingly, Forest Division has allocated budget provision of Rs. 3.6 Crores for conservation of species in the area. The EAC opined that Wildlife Conservation Plan shall be strictly implemented post approval.

xvii. The PP has submitted that existing greenbelt has been developed in 5.09 ha area (0.83 inside plant premises and 4.26 ha outside plant premises) which is about 28.5% of the total existing plant area of 17.08 ha with total of 39,500 trees. Further greenbelt will be developed in 2.03 ha which is about 11.9 % of the total existing plant area. Thus, total of 7.12 ha area (~40% of the total existing plant area) will be developed as greenbelt. Total no. of 5075 saplings will be planted and nurtured in 2 years. PP has also reported that Plantation is being done in and around the existing plant as per the patches of land as allotted by Ghaziabad Nagar Nigam. Efforts are being put to plant more no. of saplings to go beyond the compliance requirement of 40% (7.12 ha) of the total existing plant area of 17.8 ha. Requirement of watering the plants in all the above areas will be fulfilled by reusing treated water from existing ETP and STP and included in the water balance. The EAC deliberated on the greenbelt layout plan along with action plan and the budget earmarked and is of the opinion that greenbelt shall be completed within a period of 1 year.

xviii. The public consultation for the project is exempted with valid CTO for Rolling Mills, as per issued notification from MoEF&CC vide S.O. 3250(E) dated 20<sup>th</sup> July, 2022 and extension vide S.O. 3372(E) dated 26<sup>th</sup> July, 2023.

xix. The EAC noted that there are two legal cases going on against this plant of Tata Steel limited which are pending in Honourable Supreme Court & National Green Tribunal respectively vide Civil Appeal No. 3639 of 2023 & OA 859 of 2022. The EAC discussed on the status of the court cases and is of the opinion that PP shall strictly abide by the judgement of the court cases.

xx. The committee deliberated details of carbon foot prints and carbon sequestration study w.r.t. proposed project and found them to be satisfactory.

xxi. The EAC deliberated on the verification cum compliance report of RO, SPCB and found it satisfactory.

xxii. The EAC deliberated on the ADS reply of the project proponent and found it satisfactory.

xxiii. The EAC also deliberated on the written submission of the project proponent and found it satisfactory.

xxiv. The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC found the proposal in order and recommended for grant of environmental clearance.

xxv. The environmental clearance recommended to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

xxvi. The EAC also reviewed the EC conditions (specific and general) pertaining to Industry-I projects and observed that some of the specific conditions stipulated so far in the previously recommended EC projects are common and applicable to most of the projects in general. In view of the same, the General Conditions (in case of EC projects) have been revised through reallocation of these common conditions from specific to General Conditions (in case of EC projects). Accordingly, the instant project is also being stipulated with the modified General conditions.

8. The EAC (Industry-1 Sector), in its 59<sup>th</sup> meeting held during 24<sup>th</sup> May, 2024, based on information & clarifications provided by the project proponent and after detailed deliberations **recommended** the proposal for grant of Environment Clearance subject to stipulation of specific and general EC conditions.

9. The MoEF&CC has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the Expert Appraisal Committee (Industry-1 Sector) hereby decided to grant **Environment Clearance for instant proposal of M/s Tata Steel Limited** under the provisions of EIA Notification, 2006 subject to the following specific conditions and general conditions ( **Annexure-I**)

10. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

11. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

12. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

13. The above conditions shall be enforced, *inter-alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

14. This issues with approval of the competent authority.

(Dr. R. B. Lal)  
Scientist 'F'/Director  
Tel: 011-20819346  
[Email-rb.lal@nic.in](mailto:Email-rb.lal@nic.in)

#### **Copy To**

1. Secretary, Department of Environment, Government of Uttar Pradesh, Sachivalaya, Babu Bhawan, Adjacent to Vidhan Sabha, Lucknow – 226001.
2. The Director General of Forest, Ministry of Environment, Forest and Climate Change, New Delhi
3. The Deputy Director General of Forests (C), Integrated Regional Officer, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020
4. Chief Wildlife Warden, Government of Uttar Pradesh, 17, Rana Pratap Marg, Lucknow, U.P.
5. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi -32
6. The Member Secretary, Uttar Pradesh State Pollution Control Board, Building. No. TC-12V. Vibhuti Khand, Gomti Nagar. Lucknow-226 010
7. The Member Secretary, Uttar Pradesh State Pollution Control Board, PICUP Bhawan, 3rd Floor, B-Block, Vibhuti Khand, Gomti Nagar Lucknow – 226 010.
8. The Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001
9. The District Collector, Gaziabad District, Uttar Pradesh
10. Director, IA CMD, Ministry of Environment, Forest and Climate Change, New Delhi
11. Guard File/Monitoring File/Website/Record File/Parivesh Portal.

## Specific EC Conditions for (Metallurgical Industries (Ferrous And Non Ferrous))

## 1. Specific

S. No	EC Conditions
1.1	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
1.2	The PP shall strictly comply with the Directions issued by the Commission for Air Quality Management in National Region and Adjoining Areas.
1.3	In pursuance to MoEF&CC OMs dated 31st October, 2019 & 30th December, 2019 issued in compliance of the order of Hon'ble NGT in OA No. 1038/2018 dated 19th \August, 2019, the compliance of all the conditions applicable to CEPI shall be implemented as per the submitted plan.
1.4	The industry shall use PNG gas as per direction no. 64 of the Commission for Air Quality Management in National Region and Adjoining Areas by 30.09.2022.
1.5	The PP shall strictly implement the mitigation measures to minimise the ambient air pollution so that the Air Quality Data will be as per notified Standards.
1.6	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
1.7	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
1.8	Ghaziabad is at a distance of 1 km and other sensitive areas such as Health centers, Schools etc. within the study area of the project site. Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. The project proponent needs to strengthen green belt all around the plant area to reduce the dust pollution. The PP shall also include some of these locations in its environmental monitoring programme.
1.9	As reported, Hindon Cut is at a distance of 1.5 km, eastern Yamuna Canal at 2 km along with other water bodies within the study area of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.
1.10	Approved Management plan for Okhla Bird Sanctuary shall be strictly implemented.
1.11	The water requirement of 1962 KLD, is proposed to be obtained from ground water. PP shall obtain necessary permission from the Competent Authority. Also as committed, PP shall undertake gradual phasing out of groundwater and switch to alternate source of water.
1.12	Three tier Green Belt shall be developed in atleast 40% of the project area in a period of 1 year of

S. No	EC Conditions
	adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. PP shall develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees & broad leaves with thick canopy along with windshield inside the plant premises to act as green barrier for air pollution & noise levels towards sensitive areas nearby project site. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.
1.13	All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.
1.14	The project proponent shall undertake village adoption programme and prepare and implement the action plan to develop them into a model village.
1.15	The recommendations of the approved Site-Specific Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.
1.16	<b>Tree Plantation to be developed in 7.12 Ha and the same should be taken up under # एक_पेड़_माँ_के_नाम campaign and their survival be ensured.</b>

**Standard EC Conditions for (Metallurgical Industries (ferrous and non ferrous))**

**1. Statutory Compliance**

S. No	EC Conditions
1.1	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.
1.2	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**2. Air Quality Monitoring And Preservation**

S. No	EC Conditions
2.1	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 04 Nos. Continuous Ambient Air Quality Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier

S. No	EC Conditions
	specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous and their no's.)
2.2	The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
2.3	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2.4	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
2.5	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
2.6	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
2.7	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
2.8	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
2.9	The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces.
2.10	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
2.11	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.
2.12	Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.
2.13	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.
2.14	Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at



S. No	EC Conditions
	regular intervals.
2.15	Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.
2.16	The particulate matter emissions from the process stacks shall be less than 30 mg/Nm <sup>3</sup> and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.
2.17	Following additional arrangements to control fugitive dust shall be provided: a. Fog / Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas. b. Proper covered vehicle shall be used while transport of materials. c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system.

### 3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
3.2	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
3.3	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
3.4	Water meters shall be provided at the inlet to all unit processes in the steel plants.
3.5	The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.
3.6	The proposed project shall be designed as Zero Liquid Discharge Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.
3.7	All stockyards shall have impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.
3.8	Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.

#### 4. Water Quality Monitoring And Preservation In Case Of Rolling Mills

S. No	EC Conditions
4.1	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time. (in case of rolling mills)
4.2	Cold Rolling Mill (CRM), color coating and galvanizing plants shall have CETP to treat and recycle the treated water from CRM complex. Sludge generated at CRM ETP shall be sent to TSDF. (in case of cold rolling mills)

#### 5. Noise Monitoring And Prevention

S. No	EC Conditions
5.1	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof, and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
5.2	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### 6. Energy Conservation Measures

S. No	EC Conditions
6.1	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
6.2	Provide LED lights in their offices and residential areas.

#### 7. Waste Management

S. No	EC Conditions
7.1	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
7.2	Kitchen waste shall be composted or converted to biogas for further use.
7.3	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
7.4	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical

S. No	EC Conditions
	guidelines issued by the CPCB in this regard is available at <a href="https://cpcb.nic.in/technical-guidelines-3/">https://cpcb.nic.in/technical-guidelines-3/</a> . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.
7.5	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.

## 8. Green Belt

S. No	EC Conditions
8.1	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.
8.2	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.
8.3	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.

## 9. Public Hearing And Human Health Issues

S. No	EC Conditions
9.1	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
9.2	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
9.3	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
9.4	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

## 10. Environment Management

S. No	EC Conditions
10.1	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.
10.2	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
10.3	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
10.4	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Integrated Regional Office of the MoEF&CC.

#### 11. Miscellaneous

S. No	EC Conditions
11.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
11.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
11.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
11.4	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
11.5	Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines shall be implemented
11.6	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and

S. No	EC Conditions
	Climate Change at environment clearance portal.
11.7	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
11.8	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
11.9	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
11.10	The recommendations of the approved Site-Specific Wildlife Management Plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.
11.11	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
11.12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
11.13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11.14	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
11.15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
11.16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
11.17	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**Details of the proposal are as per the EIA/EMP report**

<b>S. No.</b>	<b>Particulars</b>	<b>Details</b>																		
a.	Terms of Reference for undertaking EIA study	05.08.2022																		
b.	Period of baseline data collection	December, 2021 to February 2022																		
c.	Date of Public Consultation	The public consultation for the project is exempted with valid CTO for Rolling Mills, as per issued notification from MoEF&CC vide S.O. 3250(E) dated 20th July, 2022 and extension vide S.O. 3372(E) dated 26th July, 2023.																		
d.	Action plan to address the PH issues	The public consultation for the project is exempted with valid CTO for Rolling Mills, as per issued notification from MoEF&CC vide S.O. 3250(E) dated 20th July, 2022 and extension vide S.O. 3372(E) dated 26th July, 2023.																		
e.	Location of the project	Plot no-23, Site-IV, Industrial Area, Sahibabad, District Ghaziabad, Uttar Pradesh																		
f.	Total land	Existing Plant area is 17.80 ha (43.98 acres).																		
g.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014	Complete land is under the possession of the company & completely industrial in nature.																		
h.	Existence of habitation & involvement of R&R, if any	Not Applicable as this is an existing established project.																		
i.	Elevation of the project site	224m to 247m above mean sea level.																		
j.	Involvement of Forest land if any.	No involvement of Forest Land																		
k.	Water body exists within the project site as well as study area	Plant site: None Study area: 5 water bodies fall within 10 km radius: <table border="1"> <thead> <tr> <th><b>Water body</b></th> <th><b>Distance (km)</b></th> <th><b>Direction</b></th> </tr> </thead> <tbody> <tr> <td>Hindan Cut</td> <td>~1.5</td> <td>ESE</td> </tr> <tr> <td>Eastern Yamuna Canal</td> <td>~2.0</td> <td>SW</td> </tr> <tr> <td>Hindan River</td> <td>~5.5</td> <td>E</td> </tr> <tr> <td>Yamuna River</td> <td>~6.0</td> <td>SSW</td> </tr> <tr> <td>Noida Drain</td> <td>~6.0</td> <td>SSE</td> </tr> </tbody> </table>	<b>Water body</b>	<b>Distance (km)</b>	<b>Direction</b>	Hindan Cut	~1.5	ESE	Eastern Yamuna Canal	~2.0	SW	Hindan River	~5.5	E	Yamuna River	~6.0	SSW	Noida Drain	~6.0	SSE
<b>Water body</b>	<b>Distance (km)</b>	<b>Direction</b>																		
Hindan Cut	~1.5	ESE																		
Eastern Yamuna Canal	~2.0	SW																		
Hindan River	~5.5	E																		
Yamuna River	~6.0	SSW																		
Noida Drain	~6.0	SSE																		

S. No.	Particulars	Details		
l.	Existence of ESZ / ESA / national park / wildlife Sanctuary / biosphere Reserve / tiger reserve / elephant reserve etc. if any within the study area	<p><b><u>Study area</u></b>  <b><u>Name of the ESZ/ESA:</u></b> Okhla Bird Sanctuary  <b><u>Status of Notification:</u></b> Notified under MoEF&amp;CC notification vide S.O. 2262(F) dated 19<sup>th</sup> August, 2015  <b><u>Distance of project from ESZ/ESA:</u></b> ~8.2 Km in SSW direction  <b><u>Authenticated map of ESZ projecting distance of ESZ from project site:</u></b> Attached in the EIA/EMP report  <b><u>List of Reserved and protected forests:</u></b>  1.Garhi Mendhu PF (~9.5 km in WNW direction)</p>		
m.	Project cost	Existing – INR Rs 2117.70 Crores		
n.	EMP cost	<b>Type</b>	<b>Capital (Rs. in Crores)</b>	<b>Recurring (Rs. in Crores)</b>
		Existing	410	15
o.	Employment opportunity	3526 persons (1536 persons regular & 1990 persons contractual)		
p.	Water and Power requirement	(Total )Water 2400 KLD, Power –27 MW		
q.	CPA/SPA	<ul style="list-style-type: none"> <li>• The plant is in Ghaziabad (CEPI Score 72.30) which falls under the Critically Polluted Area. Compliance to the action plan for Critically Polluted Areas of Ghaziabad has been done.</li> <li>• The compliance status report has been submitted to CPCB &amp; UPPCB vide letter no TSL/UPPCB//2022/12-4 dated 28<sup>th</sup> December 2022.</li> <li>• Acknowledgement copy of compliance status report is submitted.</li> </ul>		

## Unit configuration and capacity

S. No.	Plant Equipment/Facility	Existing facilities as per latest CTO dated 22/12/2020		Final (Existing + Proposed)	
		Configuration	Capacity	Configuration	Capacity
1.	Cold Rolled Strips & Sheets	<b>Cold Rolled Strips &amp; Sheets- HR Slitting Line:0.22 MTPA,</b> <b>Rolling capacity:0.91 MTPA,</b> <b>Electrolytic Cleaning line :0.365 MTPA,</b> <b>Skin Pass Mill:0.5 MTPA,</b> <b>Annealing :0.4 MTPA, H &amp; T: 0.014 MTPA</b>	<b>Pickling line capacity :0.919 MTPA</b>  <b>Cold Rolled Strips &amp; Sheets capacity - 0.456 MTPA</b>	<b>Cold Rolled Strips &amp; Sheets- HR Slitting Line:0.22 MTPA,</b> <b>Rolling capacity:0.91 MTPA,</b> <b>Electrolytic Cleaning line :0.365 MTPA,</b> <b>Skin Pass Mill:0.5 MTPA,</b> <b>Annealing :0.4 MTPA, H &amp; T: 0.014 MTPA</b>	<b>Pickling line capacity :0.919 MTPA</b>  <b>Cold Rolled Strips &amp; Sheets capacity - 0.456 MTPA</b>
2.	Galvanized Plain/ Corrugated Sheets	<b>Color coating line :0.12 MTPA, CR Slitter 1:0.52 MTPA, CR Slitter 2:0.14 MTPA, Cut to Length Lines: 0.425 MTPA</b>	<b>Galvanizing line capacity :0.456 MTPA</b>	<b>Color coating line :0.12 MTPA, CR Slitter 1:0.52 MTPA, CR Slitter 2:0.14 MTPA, Cut to Length Lines: 0.425 MTPA</b>	<b>Galvanizing line capacity :0.456 MTPA</b>