



The Member Secretary,  
Jharkhand State Pollution Control Board,  
T.A. Division (Ground Floor),  
H.E.C. Dhurva, Ranchi – 834004  
Jharkhand

WBD/EMC/4016/084/24  
Date: 27.09.2024

**Subject: Submission of Environmental Statement of Washery-III unit of West Bokaro Division,  
Tata Steel Limited for the year 2023-24**

Dear Sir,

Please find enclosed herewith the duly filled “Environmental Statement” (Form-V) **Washery-III** unit of West Bokaro Division, Tata Steel Ltd. for the year 2023-24.

Kindly acknowledge the same & oblige.

Thanking you,  
Yours faithfully,

**Head (Environment Management)  
Raw Material Division  
Tata Steel Ltd.**

Encl: As Above

**Copy to: The Regional Officer, Jharkhand State Pollution Control Board, PTC Chowk, Matwari,  
Hazaribagh – 825301 (Jharkhand)**

**TATA STEEL LIMITED**

West Bokaro Division Ghatotand Jharkhand 825 314 India  
Tel 91 6545 262356 (O) Fax 91 6545 262221 262172

Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001  
Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website [www.tatasteel.com](http://www.tatasteel.com)

**FORM - V**  
(See Rule -14)

**ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31<sup>st</sup> MARCH, 2024**

**UNIT: WASHERY - III, WEST BOKARO DIVISION, TATA STEEL LIMITED**

**PART - A**

- 1 Name and address of the owner/ occupier of the industry, operation or process : Mr. B.V. Sudhir Kumar  
Chief (CB),  
West Bokaro Division,  
TATA Steel Limited, P.O.- Ghatotand  
Dist. Ramgarh, Jharkhand-825314
- 2 Industry Category : Major (Coal Beneficiation)
- 3 Production Capacity : 4.5 MTPA Raw Coal Throughput
- 4 Year of Establishment : 1994
- 5 Date of last Environmental Statement submitted. : 07.09.2023

**PART - B**

**WATER AND RAW MATERIAL CONSUMPTION**

**i. Water Consumption (m3/d):**

- Process : 2116.35  
Cooling/ Spraying in mine pits : Not Applicable  
Colony : This is included in the Environmental Statement of West Bokaro Colliery

Name of the product	Process water consumption per product output (m3/ton)	
	During the Previous Financial Year (2022-23)	During the current Financial Year (2023-24)
Clean Coal	0.79	0.56

**ii. Raw Material Consumption:**

Name of Raw materials	Name of the product	Consumption of Raw Material per unit of output	
		During previous financial year (2022-23)	During current financial year (2023-24)
Raw Coal	Clean Coal	2.48 t/t of clean coal	2.22 t/t of clean coal
Magnetite	Middling	0.0033 t/t of coarse coal	0.0020 t/t of coarse coal
Synthetic Collector		0.0005 t/t of fine raw coal	0.0003 t/t of fine raw coal
Frother		0.0001 t/t of fine raw coal	0.0001 t/t of fine raw coal
Flocculent		0.0001 t/t of fine raw coal	0.0001 t/t of fine raw coal

Since Magnetite, Synthetic Collector, Frother and Flocculant are being maintained combined for Washery-II and Washery-III so consolidate value for both washeries is given.

**PART - C**

**POLLUTION DISCHARGES TO ENVIRONMENT/ UNIT OF OUTPUT (PARAMETERS AS SPECIFIED IN THE CONSENT ISSUED)**

Pollutants	Quantity of pollutants discharged (mass /day)	Concentration of pollutants in discharges (mass / volume)	Percentage of variation from prescribed standards with reason
Water	Zero Effluent Discharge is maintained.		

Air	<p>Air quality is monitored and found within prescribed limit. Details for FY-24 are as follows:</p> <p><b>AAQ Report: Core Zone</b></p> <table border="1"> <thead> <tr> <th>Parameter</th> <th>Washery Complex</th> <th>Standard</th> </tr> </thead> <tbody> <tr> <td>SPM</td> <td>285</td> <td>700</td> </tr> <tr> <td>RPM</td> <td>190</td> <td>300</td> </tr> <tr> <td>SO2</td> <td>25</td> <td>120</td> </tr> <tr> <td>Nox</td> <td>26</td> <td>120</td> </tr> </tbody> </table> <p>All values are in (<math>\mu\text{g}/\text{m}^3</math>)</p> <p><b>AAQ Report: Buffer Zone</b></p> <table border="1"> <thead> <tr> <th>Parameter</th> <th>Chainpur</th> <th>Duni</th> <th>EMC</th> <th>Parsabeda</th> <th>Standard</th> </tr> </thead> <tbody> <tr> <td>PM10</td> <td>63.09</td> <td>53.13</td> <td>53.92</td> <td>59.13</td> <td>100</td> </tr> <tr> <td>PM2.5</td> <td>42.21</td> <td>38.24</td> <td>40.26</td> <td>38.24</td> <td>60</td> </tr> <tr> <td>SO2</td> <td>19.73</td> <td>21.48</td> <td>18.91</td> <td>21.48</td> <td>80</td> </tr> <tr> <td>Nox</td> <td>21.26</td> <td>20.01</td> <td>20.12</td> <td>20.01</td> <td>80</td> </tr> </tbody> </table> <p>All values are in (<math>\mu\text{g}/\text{m}^3</math>)</p> <p>Due to absence of stationary source, it is difficult to measure pollutants load. So, the quantity of air pollutants discharged in Kg/day cannot be ascertained. The above data shows the average ambient air quality during FY-24.</p>	Parameter	Washery Complex	Standard	SPM	285	700	RPM	190	300	SO2	25	120	Nox	26	120	Parameter	Chainpur	Duni	EMC	Parsabeda	Standard	PM10	63.09	53.13	53.92	59.13	100	PM2.5	42.21	38.24	40.26	38.24	60	SO2	19.73	21.48	18.91	21.48	80	Nox	21.26	20.01	20.12	20.01	80
Parameter	Washery Complex	Standard																																												
SPM	285	700																																												
RPM	190	300																																												
SO2	25	120																																												
Nox	26	120																																												
Parameter	Chainpur	Duni	EMC	Parsabeda	Standard																																									
PM10	63.09	53.13	53.92	59.13	100																																									
PM2.5	42.21	38.24	40.26	38.24	60																																									
SO2	19.73	21.48	18.91	21.48	80																																									
Nox	21.26	20.01	20.12	20.01	80																																									

**PART-D**

**HAZARDOUS WASTE**

[as specified under Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016]

Hazardous Waste	Total Quantity	
	During the previous financial year (2022-23)	During the current financial year (2023-24)
a) From Process: Oil soaked cotton (jute)	2.10 tonn	0.50 tonn
b) From Pollution control facilities: Used lubricating Oil	10.03 KL	4.81 KL

**PART-E**

**SOLID WASTE**

Solid Wastes		Total Quantity	
		During the previous financial year (2022-23)	During the current financial year (2023-24)
(a)	From Process: <ul style="list-style-type: none"><li>• Rejects (by products)</li><li>• Tailings</li></ul>	<ul style="list-style-type: none"><li>• 548236 ton</li><li>• 601791 ton</li></ul>	<ul style="list-style-type: none"><li>• 567048 ton</li><li>• 683979 ton</li></ul>
(b)	From pollution control facilities	Nil	Nil
(c)	I. Quantity recycled or reutilized within the unit <ul style="list-style-type: none"><li>• Coal Reject</li></ul>	<ul style="list-style-type: none"><li>• 2.26 lakh ton used in captive power plant. (Rejects are being used in FBC power plant, disposed-off to outside agencies &amp; stacked in specified locations). (Above quantity includes coal reject and tailing of washery-III also).</li></ul>	<ul style="list-style-type: none"><li>• 2.14 lakh ton used in captive power plant. (Rejects are being used in FBC power plant, disposed-off to outside agencies &amp; stacked in specified locations). (Above quantity includes coal reject and tailing of washery-III also).</li></ul>
	II. Sold (to reuse as fuel) <ul style="list-style-type: none"><li>• Coal Reject</li> <li>• Tailings</li></ul>	<ul style="list-style-type: none"><li>• 7.58 lakh ton to institutionalized customer operating power plant.</li><li>• 8.98 lakh ton to Brick Kiln, and power plant operator. (Above quantity includes coal reject and tailing of washery-II also).</li></ul>	<ul style="list-style-type: none"><li>• 9.27 lakh ton to institutionalized customer operating power plant.</li><li>• 11.08 lakh ton to Brick Kiln, and power plant operator. (Above quantity includes coal reject and tailing of washery-II also).</li></ul>
	III. Disposed	Nil	Nil

**PART – F**

**THE CHARACTERISTICS (in terms of composition and quantum) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES**

Category of Waste	Characteristics	Quantity	Disposal Practice
<b>Solid Waste</b>			
1. Rejects	Coal of -13mm size (Solid)	567048 ton	Used in power house and disposed-off to outside parties operating power plant / stacked. Disposed-off to outside agencies (Brick kiln manufacturer, institutionalized customer).
2. Tailings	Coal of -0.5mm size (Solid)	683979 ton	
<b>Hazardous Waste</b>			
1. Used Oil	Used Oil (Liquid)	4.81 KL	Disposed-off to authorized recycler.
2. Oil soaked cotton/jute	Used Cotton (Solid)	0.50 ton	Safely collected and stored.

**PART - G**

**IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION**

- Adequate fixed type dust suppression arrangement is working inside Washery roads.
- Dry fog system is operational in coal handling plant.
- In addition to above, modifier has been introduced in froth-flotation process for additional recovery of clean coal, which is not only increases the yield of process reduces the raw coal quantity for the same quantity of clean coal thus conserves the natural resources.
- Fixed type water spraying system inside washery complex are being used for dust suppression.
- We have established Environment Laboratory for monitoring purpose. Online Ambient Air Quality monitoring is being practiced.
- One Sewage Treatment Plant (STP) of capacity 5 KLD is installed for canteen liquid waste.
- The combined impact due to implementation of pollution prevention and control measures on cost per tonne of ROM coal, of entire west Bokaro division (Washery, PH, Mines, Eng. services, Logistic, etc.) is Rs. 110.0.

In addition to the above Tata Steel Foundation, West Bokaro is engaged in peripheral developmental activities in villages around the mine. The projects of the Society include irrigation and agricultural extension projects, plantation programmes, installation of solar streetlights and illuminate villages on through low cost, construction of ponds in support to provision of irrigation water and for other domestic use and in recharging groundwater by arresting the flow of rainwater in downstream, civic amenities development, medi-care and health education, rural sports, skill development and promotion of rural cultural activities.

**PART-H**

**ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION**

- Dry fog dust suppression system is also extended to raw coal screen area to minimize fugitive emission.
- Efficient LED lights are introduced in canteen areas.

**PART-I**

**ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT**

- West Bokaro Division of TATA Steel Ltd. is committed to improve safety and environment by strictly practicing Environment Management System (ISO:14001). Various programs are arranged such as Sustainability Month, Green Month, World Environmental Day, World River Day, Earth Day, Biological Diversity Day, Forestry Day, World Water Day, Van Mohotsav for public awareness. West Bokaro Division of TATA Steel Ltd. is also certified to ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018.
- EMS ISO 14001 & ISO 45001 are being monitored and practiced strictly to protect and preserve the environment by eco-friendly operations and prevent any potential hazard to become risk posing serious threat to environment in a proactive manner. Reduction in water consumption by ensuring its use in judicious manner, further, working on to reduction of power consumption by improving / replacing various energy efficient equipment. Mechanical Tailing dewatering plant is in operation to recover tailings and ensure recycling of water to wash plant. This has reduced the use of tailing ponds, a commitment towards continual improvement of environmental performance.
- The Company is having a full-fledged Environmental Management Department with personnel from relevant fields to take care of all environmental aspects relating to the mines of TATA STEEL. This department has in-house capabilities for monitoring various environmental parameters and suggesting to the management for necessary abatement measures.

*B.V. Sudhir Kumar*

**CHIEF (C B)**  
West Bokaro

**Mr. B. V. Sudhir Kumar, Chief (Coal Beneficiation)**  
West Bokaro Colliery, TATA Steel Limited,  
P.O. - Ghatotand, Dist.- Ramgarh, Jharkhand - 825314

## Soumya Ranjan Rath

---

**From:** Soumya Ranjan Rath  
**Sent:** Friday, September 27, 2024 4:45 PM  
**To:** ranchijspcb@gmail.com; jspcb\_hazaribagh@rediffmail.com  
**Cc:** Mukesh Kumar Prasad  
**Subject:** Submission of Environmental Statement of all the units of West Bokaro Division, Tata Steel Limited for the FY 2023-24  
**Attachments:** 2024.09.27\_Env Statement\_FY24\_WBW3\_S.pdf; 2024.09.27\_Env Statement\_FY24\_WBC\_S.pdf; 2024.09.27\_Env Statement\_FY24\_WBLD\_S.pdf; 2024.09.27\_Env Statement\_FY24\_WBPH\_S.pdf; 2024.09.27\_Env Statement\_FY24\_WBTMH\_S.pdf; 2024.09.27\_Env Statement\_FY24\_WBW2\_S.pdf

Dear Sir,

Please find enclosed herewith the duly filled “Environmental Statement” (Form-V) of **West Bokaro Division**, Tata Steel Ltd. for the FY 2023-24, details as below:

SI NO	Unit	Letter No
1	West Bokaro Colliery	WBD/EMC/4016/082/24
2	Washery - 2	WBD/EMC/4016/083/24
3	Washery - 3	WBD/EMC/4016/084/24
4	Power House	WBD/EMC/4016/085/24
5	Logistic Dispatch	WBD/EMC/4016/086/24
6	Tata Main Hospital	WBD/EMC/4016/087/24

Kindly acknowledge the same.

Thanks & Regards,

**Soumya Ranjan Rath**

Manager (Environment), West Bokaro Division

**Tata Steel Limited**

Environment Management Cell | Ghatotand | Jharkhand | 825314

Mobile: +917847014319, +919040650813 | [soumya.rath@tatasteel.com](mailto:soumya.rath@tatasteel.com)

<http://www.tatasteel.com>

**TATA STEEL**

#WeAlsoMakeTomorrow

