



CM/EC/ECCR/436/2024

Date:28 Nov 2024

Deputy Director General of Forests (C)

Ministry of Environment, Forest and Climate Change
Integrated Regional Office, 2nd Floor, Headquarter- Jharkhand State Housing Board
Harmu Chowk, Ranchi, Jharkhand – 834002, Ranchi

Sub.: Submission of Half Yearly (April 2024 to September 2024) Environment Clearances Compliance Reports (ECCR) for Tata Steel Limited, Combi Mill Division at Jamshedpur District East Singh bhum, Jharkhand

Reference:

1. EC of Combi Mill for 0.5 MTPA vide MoEF letter no. EC /SEIAA/2022-23/2693/2022/207) dated 21.08.2023

Dear Sir/Mam,

With reference to the captioned subject & cited references, we are submitting the Half Yearly EC Compliance report for the period from April 2024 to September 2024. You are requested to kindly acknowledgement the same and place in your records.

Thanking you

Yours Faithfully

For Tata Steel Limited, Combi Mill Division

Richa Singh
Head Combi Mill
Encl: As above

Copy to:

1. Member Secretary, Jharkhand State Pollution Control Board, T.A. Division Building, HEC Campus, Dhurwa, Ranchi – 834004
2. Regional Officer, Jharkhand State Pollution Control Board, Jamshedpur



परिवेश
PARIVESH
(CPC GREEN)

पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest and Climate Change



Back

View Half Yearly Compliance Report at Project Proponent

Proposal Details

Proposal No

SIA/JH/IND1/436639/2023

Category

Industrial Projects - 1

Name of Project

Installation of 0.5 MTPA combi mill (Special Bar Quality and Wire Rod Mill) located in khata no. 35, ward no. 19, Jamshedpur, district – East Singhbhum, Jharkhand

Plot / Survey/ Khasra No.

Khata no. 35, Plot no. 360 (P), 367, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400 (P), 401 (P), 402, 405

Village(s)

KALIMATI

Sub-District(s)

Golmuri-Cum-Jugsalai

State

JHARKHAND

District

EAST SINGHBUM

MoEF File No

EC/SEIAA/2023-24/2693/2023

Name of the Entity/**Corporate Office**

THE INDIAN STEEL AND WIRE PRODUCTS LIMITED

Entity's PAN

*****1067C

Entity Name as per PAN

THE INDIAN STEEL AND WIRE PRODUCTS LIMITED

Entity details mentioned above is correct ?

Agree

Covering Letter**Covering Letter**[Click to View](#)**Compliance Reporting Details****Reporting Year**

2024

Reporting Period

01 Dec(01 Apr - 30 Sep)

Remark(if any)**Details of Production and Project Area****Date of Commencement of Project/Activity**

11-08-2023

| | Project Area as per EC Granted(ha.) | Actual Project Area in Possession(ha.) |
|--------------|--|---|
| Private | 16.388 | 16.388 |
| Revenue Land | 0 | 0 |
| Forest | 0 | 0 |
| Others | 0 | 0 |
| Total | 16.388 | 16.388 |

Land Documents

NA

| Sr.No. | Name of the Product | Units | As per EC Granted | As per CTO Granted | CTO ID | Valid Up To | Production during last financial year |
|--------|---------------------------------------|----------------------|---|--------------------|--------|-------------|---------------------------------------|
| 1 | Special Bar Quality and Wire Rod Mill | Tons per Annum (TPA) | 0.5 MTPA combi Mill (Special Bar Quality and Wire Rod Mill) | | | null | 0 |
| 2 | Special Bar Quality and Wire Rod Mill | Tons per Annum (TPA) | 0.5 MTPA combi Mill (Special Bar Quality and Wire Rod Mill) | | | null | 0 |

Conditions

Specific Conditions

| Sr.No. | Condition Heading | Condition Details | Status of Compliance, Remarks / Reason and Supporting Documents | |
|--------|----------------------|--|---|---|
| 1 | Statutory compliance | This Environment Clearance is valid subject to the following condition below- That this project has: a. Obtained all legal rights to operate at concerned place. b. Complied with all existing concerned laws of the land. c. Complied with the decisions of SEIAA on the issue of the Environmental Clearance till date. | PPs Submission | We had abided all the compliance conditions made by SEIAA and as per the existing concerned laws on the issue of the Environmental Clearance. Complied 27-11-2024 Attachment:NA |

General Conditions

| Sr.No. | Condition Heading | Condition Details | Status of Compliance, Remarks / Reas Documents | |
|--------|----------------------|--|--|---|
| 1 | Statutory compliance | The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act 1980, in case of the diversion of forest land for non-forest purpose involved in the project. | PPs Submission | Not Applicable doesnt belong Complied 28-11-2024 Attachment:NA |
| 2 | Statutory compliance | The project proponent shall obtain clearance from the National Board for Wildlife if applicable. | PPs Submission | Not Applicable Complied 28-11-2024 Attachment:NA |
| 3 | Statutory compliance | The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six- monthly compliance report. (in case of the presence of schedule-1 species in the study area). | PPs Submission | Wildlife plan has through letter r ISWP/DFO/IWM 12.07.2023 to J and Letter No: ISWP/PCCF/IW 12.07.2023. and approval. Complied 28-11-2024 Attachment:NA |
| 4 | Statutory compliance | In the writ petition (Civil) no. 202/1995. T.N. Godaverman Thirumulpad vs union of India and ors. the Hon'ble Supreme Court passed an order dated 03.06.2022 National Park or Wildlife Sanctuary must have an ESZ of minimum 01 km in which the activities prescribed and prescribed in the guidelines of 09th February, 2011 shall be strictly adhered to". | PPs Submission | Not Applicable under the proh the ESZ(Eco Ser Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|----------------------|--|----------------|--|
| 5 | Statutory compliance | The project proponent shall obtain Consent to Establish Operate under the provisions of Air (Prevention & Control of Pollution) Act. 1981 and the Water Prevent on & Control of Pollution) Act 1974 from the concerned State pollution Control Board Committee. | PPs Submission | CTE has been o No: JSPCB/HO/16868989/2023 Complied 28-11-2024 Attachment:NA |
| 6 | Statutory compliance | The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project. | PPs Submission | Not Applicable, ground water is Complied 28-11-2024 Attachment:NA |
| 7 | Statutory compliance | The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules 2016 as amended from time to time. | PPs Submission | Hazardous Was Will be filed aft Complied 28-11-2024 Attachment:NA |
| 8 | Statutory compliance | No mining/activity shall be undertake in the forest land or deemed forest without obtaining requisite prior forestry clearance. | PPs Submission | Not Applicable, involved in our project site doe forest land. Complied 28-11-2024 Attachment:NA |
| 9 | Statutory compliance | This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India. Hlon'ble High Court. Hon'ble NGT. MOEF & CC and any other Court of Law, if any, as may be applicable to this project. | PPs Submission | Environmental obtained vide : 24/2693/2023/ Complied 28-11-2024 Attachment:NA |
| 10 | Statutory compliance | Environmental clearance is subject to obtaining prior clearance from forestry and Wildlife angle including clearance from standing committee of NBWL. as may be applicable to this project (in case any fauna occurs/is found in the Project area or if the area involves forest land or Wildlife habitat i.e. core zone of elephant/tiger reserve etc, and or | PPs Submission | Not Applicable Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|---|---|----------------|--|
| | | located with in 10 km. of protected area). | | |
| 11 | Statutory compliance | The project proponent may apply simultaneously for forest and NBWL clearance, in order to complete the formalities without undue delay, which till process on their respective merits, no rights will vest in or accrue to them unless all clearance are obtained. | PPs Submission | Not Applicable Complied 28-11-2024 Attachment:NA |
| 12 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (F) dated 31 March 2012 (applicable to IF/EAF) as amended from time to time: S.O. 3305 (E) dated 7th December 2015(Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act. 1986 or NABL accredited laboratories. | PPs Submission | CSMS to be ins and it will be cc and SPCB onlin SO2, SPM) thes be monitored Complied 28-11-2024 Attachment:NA |
| 13 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act. 1986 or NABL accredited laboratories. | PPs Submission | Fugitive emissi monitored in o third party with lab Reports are Annexure for y It will be monit after the compl project. Complied 28-11-2024 Attachment:NA |
| 14 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PMIO and PM25 in reference to PM emission. and SO2 and NOx in reference to SO2 and NOx | PPs Submission | Will be installex completion of t Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|---|---|----------------|---|
| | | emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions. (case to case basis small plants: Manual: Large plants: Continuous) | | |
| 15 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC. Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report. | PPs Submission | Stack monitorir shared after the project Complied 28-11-2024 Attachment:NA |
| 16 | AIR QUALITY MONITORING AND PRESERVATION | Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources. | PPs Submission | Water sprinklin daily basis at th and the project reheating furna where it doesn't Complied 28-11-2024 Attachment:NA |
| 17 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags | PPs Submission | The Project faci furnace which c bag filter as AP Complied 28-11-2024 Attachment:NA |
| 18 | AIR QUALITY MONITORING AND PRESERVATION | Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads. shop floors, roofs. regularly. | PPs Submission | To be complied of the project. Complied 28-11-2024 Attachment:NA |
| 19 | AIR QUALITY MONITORING AND PRESERVATION | Recycle and reuse iron ore fines, coul and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting) agglomeration. | PPs Submission | Not Applicable generation of ii and coke fines, such other fine pollution contr vacuum cleanir process after b agglomeration. |

| | | | | |
|----|--|--|----------------|---|
| | | | | Complied 28-11-2024 Attachment:NA |
| 20 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin | PPs Submission | Not Applicable material is non only. Complied 28-11-2024 Attachment:NA |
| 21 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall provide covered sheds for raw materials like scrap and sponge iron. lump ore. coke. coal, etc. | PPs Submission | All Raw materia the covered she Complied 28-11-2024 Attachment:NA |
| 22 | AIR QUALITY MONITORING AND PRESERVATION | . The project proponent shall provide primary and secondary fume extraction system at all melting furnaces. | PPs Submission | The Project faci furnace which c FES as APCD Complied 28-11-2024 Attachment:NA |
| 23 | AIR QUALITY MONITORING AND PRESERVATION | Design the ventilation system for adequate air changes as per ACGIH document for all tunnels. motor houses. Oil Cellars. | PPs Submission | Will be complie of the project Complied 28-11-2024 Attachment:NA |
| 24 | AIR QUALITY MONITORING AND PRESERVATION | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (F) dated 31st March 20 12 (applicable to IF/EAF) as amended from time to time: S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplie specification through labs recognised under Environment (Protection) Act 1986 or NABI. accredited | PPs Submission | Not Applicable, dont generate Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|---|---|----------------|---|
| | | laboratories. (case to case basis small plants: Manual: Large plants: Continuous). | | |
| 25 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (F) dated 31st March 20 12 (applicable to IF/EAF) as amended from time to time: S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplie specification through labs recognised under Environment (Protection) Act 1986 or NABI. accredited laboratories. (case to case basis small plants: Manual: Large plants: Continuous). | PPs Submission | The ground wa monitoring wer outside plant th accredited lab ; the project. Complied 28-11-2024 Attachment:NA |
| 26 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act. 1986 and NABL accredited laboratories. | PPs Submission | Not Applicable dont generate Complied 28-11-2024 Attachment:NA |
| 27 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC. Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report. | PPs Submission | Not Applicable dont generate Complied 28-11-2024 Attachment:NA |
| 28 | WATER QUALITY MONITORING AND PRESERVATION | Adhere to Zero Liquid Discharge | PPs Submission | There will be no waste water fro be complied af the project. Complied |

| | | | | |
|----|---|---|----------------|--|
| | | | | 28-11-2024 Attachment:NA |
| 29 | WATER QUALITY MONITORING AND PRESERVATION | Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards. | PPs Submission | STP is provided for domestic ef 150 KL Complied 28-11-2024 Attachment:NA |
| 30 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31 March 2012 (applicable to IF/EAF) as amended from time to time. | PPs Submission | Not Applicable, dont generate Complied 28-11-2024 Attachment:NA |
| 31 | WATER QUALITY MONITORING AND PRESERVATION | Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off | PPs Submission | Not Applicable stock piles at p Complied 28-11-2024 Attachment:NA |
| 32 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall practice rainwater harvesting to maximum possible extent. | PPs Submission | 2 nos. of rainwa structures will b the plant area c has the facility Recharge syste Complied 28-11-2024 Attachment:NA |
| 33 | WATER QUALITY MONITORING AND PRESERVATION | The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water | PPs Submission | The Waste wat will be installed waste water in Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|-------------------------------|---|----------------|--|
| 34 | Noise Monitoring & Prevention | Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. | PPs Submission | Noise level mo different part o assess the amb status. Monitor relevant param attached for yo Complied 28-11-2024 Attachment:NA |
| 35 | Noise Monitoring & Prevention | The ambient noise levels should conform to the standards prescribed under HPIA Rules: 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time. | PPs Submission | Reports for am through author NABL accredit submitted in JS noise level wer prescribed limit Complied 28-11-2024 Attachment:NA |
| 36 | Noise Monitoring & Prevention | The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces. | PPs Submission | Will be complie of the project a from furnace w reheating in Re Complied 28-11-2024 Attachment:NA |
| 37 | Noise Monitoring & Prevention | Practice hot charging of slabs and billets/blooms as far as possible. | PPs Submission | We are not hav hot charging of material is com units. Complied 28-11-2024 Attachment:NA |
| 38 | ENERGY PRESERVATION MEASURES | Ensure installation of regenerative type burners on all reheating furnaces. | PPs Submission | Recuperates wi exchanger to re loss. Complied 28-11-2024 Attachment:NA |
| 39 | ENERGY PRESERVATION MEASURES | Provide solar power generation on rooftops of buildings, for solar light system for all common areas. street lights, parking | PPs Submission | We have plan t within the plan subsequently re energy from gr Complied |

| | | | | |
|----|------------------------------|--|----------------|---|
| | | around project area and maintain the same regularly. | | 28-11-2024 Attachment:NA |
| 40 | ENERGY PRESERVATION MEASURES | Provide the project proponent for LED lights in their offices and residential areas. | PPs Submission | Will be complied of the project. Complied 28-11-2024 Attachment:NA |
| 41 | WASTE MANAGEMENT | Used refractories shall be recycled as far as possible. | PPs Submission | Used refractories auctioned to them will be recycled Complied 28-11-2024 Attachment:NA |
| 42 | WASTE MANAGEMENT | Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused in melting Furnaces | PPs Submission | Will be complied of project. Metals auctioned and authorized recycling Complied 28-11-2024 Attachment:NA |
| 43 | WASTE MANAGEMENT | 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office. | PPs Submission | Not Applicable do not generate waste. Complied 28-11-2024 Attachment:NA |
| 44 | WASTE MANAGEMENT | The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016. | PPs Submission | Waste oil will be authorized recycling completion of Complied 28-11-2024 Attachment:NA |
| 45 | WASTE MANAGEMENT | Kitchen waste shall be composted or converted to biogas for further use to be decided on a case-to-case basis depending on the type and size of the plant. | PPs Submission | Will be complied of the project. Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|--|---|----------------|--|
| 46 | GREENBELT | Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant. | PPs Submission | Proposed total cover within the approx. 15.06 acres. We have plantation cover trees in coming Complied 28-11-2024 Attachment:NA |
| 47 | GREENBELT | The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration including plantation. | PPs Submission | GHG inventory and Submitted, report Complied 28-11-2024 Attachment:NA |
| 48 | PUBLIC HEARING | Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented. | PPs Submission | EPRP plan is implemented a completion of t Complied 28-11-2024 Attachment:NA |
| 49 | PUBLIC HEARING | The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act | PPs Submission | In Rolling mill t high temperature workers are wo Complied 28-11-2024 Attachment:NA |
| 50 | PUBLIC HEARING | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project. | PPs Submission | All necessary a as toilets, drink and restroom v labour near cor Complied 28-11-2024 Attachment:NA |
| 51 | Corporate Environmental Responsibility | The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-1A.III dated 1 st May 2018, as applicable, regarding Corporate Environment Responsibility. | PPs Submission | All guidelines r be adhere. Complied 28-11-2024 Attachment:NA |

| | | | | |
|----|--|---|----------------|--|
| 52 | Corporate Environmental Responsibility | <p>The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest wildlife norms conditions. The company shall have defined system of reporting infringements deviation/violation of the environmental/forest/wildlife norms/conditions and/ or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.</p> | PPs Submission | <p>We have our er and attached ir Complied 28-11-2024 Attachment:NA</p> |
| 53 | Corporate Environmental Responsibility | <p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.</p> | PPs Submission | <p>We have our er mention in the Complied 28-11-2024 Attachment:NA</p> |
| 54 | Corporate Environmental Responsibility | <p>Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.</p> | PPs Submission | <p>All EMP plan is mentioned in E 1.5 lac is invest control measur investment will completion of t Complied 28-11-2024 Attachment:NA</p> |

| | | | | |
|----|--|---|----------------|---|
| 55 | Corporate Environmental Responsibility | Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out. | PPs Submission | Will be complied of the project. Complied 28-11-2024 Attachment:NA |
| 56 | Corporate Environmental Responsibility | All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented. | PPs Submission | Not Applicable, consist of rollin Complied 28-11-2024 Attachment:NA |
| 57 | Corporate Environmental Responsibility | Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act | PPs Submission | Will be complied of the project a of the plant. Complied 28-11-2024 Attachment:NA |
| 58 | MISCELLANEOUS | The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently. | PPs Submission | Advertisement newspaper (Ud mail) dated:- 26 Attached in anr Complied 28-11-2024 Attachment:NA |
| 59 | MISCELLANEOUS | The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies. Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. | PPs Submission | The copies of the clearance are submitted to the proponents to the local bodies. Panchayats and Municipal Bodies in addition to the relevant offices of the Government Complied 28-11-2024 Attachment:NA |
| 60 | MISCELLANEOUS | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on | PPs Submission | Will be complied of the project. Complied |

| | | | | |
|----|---------------|---|----------------|--|
| | | their website and update the same on half-yearly basis. | | 28-11-2024 Attachment:NA |
| 61 | MISCELLANEOUS | The project proponent shall monitor the criteria pollutants level namely: PMIO, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters. indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company. | PPs Submission | Display board v after completio Complied 28-11-2024 Attachment:NA |
| 62 | MISCELLANEOUS | The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment. Forest and Climate Change at environment clearance portal | PPs Submission | The compliance status : submitted to the parive half yearly basis through(EC/COMPLIAN Complied 28-11-2024 Attachment:NA |
| 63 | MISCELLANEOUS | The project proponent shall submit the environmental statement for each financial year in Form- V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. | PPs Submission | Will be complie of the project. Complied 28-11-2024 Attachment:NA |
| 64 | MISCELLANEOUS | The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. | PPs Submission | Will be complie of the project. Complied 28-11-2024 Attachment:NA |
| 65 | MISCELLANEOUS | The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. | PPs Submission | All guidelines v stated by SPCB Complied 28-11-2024 Attachment:NA |
| 66 | MISCELLANEOUS | The project proponent shall abide by all the commitments and recommendations made in | PPs Submission | All commitmen public hearing a |

| | | | | |
|----|---------------|---|----------------|--|
| | | the EIA/EMP report. commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee. | | be completed i frame. Complied 28-11-2024 Attachment:NA |
| 67 | MISCELLANEOUS | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment. Forests and Climate Change (MoEF&CC). | PPs Submission | No Expansion i construction ar submitted site Complied 28-11-2024 Attachment:NA |
| 68 | MISCELLANEOUS | Concealing factual data or submission of false fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986. | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |
| 69 | MISCELLANEOUS | The Ministry may revoke or suspend the clearance. if implementation of any of the above conditions is not satisfactory. | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |
| 70 | MISCELLANEOUS | The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |
| 71 | MISCELLANEOUS | The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports. | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |
| 72 | MISCELLANEOUS | The above conditions shall be enforced. inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act. 1981. the | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |

| | | | | | |
|----------------|--|--|--|----------------|--|
| | | Environment (Protection) Act. 1986. Hazardous and Other Wastes (Management and Transboundary Movement) Rules. 2016 and the Public Liability Insurance Act. 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter. | | | |
| 73 | MISCELLANEOUS | Any appeal against this FC shall lie with the National Green Tribunal. if preferred. within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act. 2010. | <table border="1"> <tr> <td>PPs Submission</td> <td>Will be adhere directives. Complied 28-11-2024 Attachment:NA</td> </tr> </table> | PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA |
| PPs Submission | Will be adhere directives. Complied 28-11-2024 Attachment:NA | | | | |

Document uploaded by the PP

Last Site Visit Report (if available)

NA

Last Site Visit Report Date (if available)

Additional Attachment (if any)

[Click to View](#)

Additional Remarks (if any)

- I 'THE INDIAN STEEL AND WIRE PRODUCTS LIMITED' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

Cover Letter From RO/SRO

Back