

**Half Yearly Compliance Report
2025
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name	Regularization of Existing Production Facilities for Steel Wires of Capacity 180000 TPA [Seeking EC for regularization of existing CTE Capacity as per NGT Order dtd. 12.02.2020 and MoEFCC, Notification S.O. 3250(E) dtd. 20.07.2022] At Plot No. 158 & 158A, Sector-III, Industrial Area Pithampur, Tehsil & District : Dhar, Madhya Pradesh 454775 by M/s. Tata Steel Limited		
Name of Entity / Corporate Office	M/s. Tata Steel Limited (Wire Division- Pithampur)		
Village(s)	BAGDAN		
District	DHAR		
Proposal No.	EC24B008MP172933	Category	Industrial Projects - 1
Plot / Survey / Khasra No.		Sub-District	Dhar
State	MADHYA PRADESH	Entity's PAN	*****2803M
MoEF File No.	9913/2023	Entity name as per PAN	UTSAV KASHYAP

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	The EC recived on 19 February 2024. This is the compliance status against each EC conditions for the period of Oct to March
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office M/s. Tata Steel Limited (Wire Division- Pithampur)

	Project Area as per EC Granted	Actual Project Area in Possession
Private	8.11	8.11
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	8.11	8.11

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Steel Wires	Tons per Annum (TPA)	31/05/2027	180000	124319.00	180000

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Risk Mitigation and Disaster Management	, - 1 1
PPs Submission: Being Complied The same is being complied with		1
		Date: 30/05/2025
2	Risk Mitigation and Disaster Management	, , 1
PPs Submission: Being Complied The same is being complied with		
		Date: 30/05/2025
3	MISCELLANEOUS	(waste heat)
PPs Submission: Agreed to Comply As on date this condition is not applicable for our plant. Our unit is secondary manufacturing plant., but in future if these type of condition will arise, we will comply the same.		
		Date: 31/05/2025
4	MISCELLANEOUS	waste heat 1
PPs Submission: Agreed to Comply As on date this condition is not applicable for our plant. Our unit is secondary manufacturing plant., but in future if these type of condition will arise, we will comply the same.		
		Date: 31/05/2025
5	WATER QUALITY MONITORING AND PRESERVATION	5. 1 1
PPs Submission: Complied 1		
		Date: 31/05/2025
6	MISCELLANEOUS	MPIDC 1
PPs Submission: Being Complied The same is being complied with.		
		Date: 30/05/2025
7	WASTE MANAGEMENT	1 1 .. 1
PPs Submission: Being Complied The same is being complied with.		1
		Date: 30/05/2025
8	WATER QUALITY MONITORING AND PRESERVATION	1

PPs Submission: Being Complied 1		Date: 31/05/2025
9	WATER QUALITY MONITORING AND PRESERVATION	Permission of CGWB shall be obtained for drawl of ground water.
PPs Submission: Agreed to Comply Since we are sourcing water from MPIDC hence CGWB permission is not applicable. but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
10	WATER QUALITY MONITORING AND PRESERVATION	A storage pond area of 5400 CuM of capacity is being used for rain water collection area the water being reused in the process.
PPs Submission: Complied Complied		Date: 30/05/2025
11	WATER QUALITY MONITORING AND PRESERVATION	: 1. ZLD , COD MEE ATFD 1 COD ETP 1
PPs Submission: Agreed to Comply 1. Agreed to comply. ZLD , 1 1		Date: 30/05/2025
12	WATER QUALITY MONITORING AND PRESERVATION	2. Effluent ETP 1 1
PPs Submission: Being Complied Being Complied. ETP 1		Date: 31/05/2025
13	AIR QUALITY MONITORING AND PRESERVATION	- / , , 1
PPs Submission: Being Complied - 1		Date: 31/05/2025
14	WATER QUALITY MONITORING AND PRESERVATION	3. , , 1
PPs Submission: Being Complied The same is being complied. , , 1		Date: 31/05/2025
15	GREENBELT	1
PPs Submission: Being Complied 1		Date: 31/05/2025
16	WATER QUALITY MONITORING AND PRESERVATION	6. / 1

PPs Submission: Being Complied The same is being complied with. 1			Date: 30/05/2025
17	MISCELLANEOUS	CO2 1	
PPs Submission: Being Complied The same is being complied with. 25 1 1			Date: 31/05/2025
18	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	
PPs Submission: Being Complied Noted, we are using only wire rod as a raw material.			Date: 31/05/2025
19	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	
PPs Submission: Agreed to Comply There is no furnace existing in our plant. but in future if these type of condition will arise, we will agreed to comply the same.			Date: 31/05/2025
20	ENERGY PRESERVATION MEASURES	Solar Power utilization will be 30 percent of total power consumption in the project.	
PPs Submission: Partially Complied Noted and Agreed the same is being complied with at present, out of total power consumption, 25 percent power is being used from solar. We will increase upto 30 percent.			Date: 31/05/2025
21	GREENBELT	(33) 1	
PPs Submission: Complied Complied, 33 1 1			Date: 30/05/2025
22	Statutory compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	
PPs Submission: Complied Complied, since we have obtained water from MPIDC Pithampur hence CGWA permission is not applicable.			Date: 30/05/2025
23	WATER QUALITY MONITORING AND PRESERVATION	Adhere to 'Zero Liquid Discharge.	
PPs Submission: Being Complied We are using 100 percent treated water in plant premises.			Date: 31/05/2025
24	WATER QUALITY MONITORING AND PRESERVATION	Total 12000 -12500 m3 of rain water will be harvested and re-used in the process from FY25	

PPs Submission: Complied Complied		Date: 31/05/2025
25	WATER QUALITY MONITORING AND PRESERVATION	4. 100 ' (ZLD) 1
PPs Submission: Being Complied The same is being complied. 100 1		Date: 30/05/2025
26	MISCELLANEOUS	- 1
PPs Submission: Complied 4 - 1		Date: 31/05/2025
27	MISCELLANEOUS	Guidelines on Odour Pollution and Its Control, May 2008, Central Pollution Board, Ministry of Environment Govt of India 1
PPs Submission: Complied Complied, Guidelines on Odour Pollution and Its Control, May 2008, Central Pollution Board, Ministry of Environment Govt of India , 1		Date: 30/05/2025
28	MISCELLANEOUS	1 ETP / 1
PPs Submission: Complied Complied, ETP 1		Date: 31/05/2025
29	MISCELLANEOUS	1
PPs Submission: Complied Complied, 1		Date: 30/05/2025
30	MISCELLANEOUS	, , 1
PPs Submission: Complied Complied, , 1		Date: 31/05/2025
31	MISCELLANEOUS	SEIAA , , ... / , , ... / 1
PPs Submission: Agreed to Comply		Date: 30/05/2025
32	Statutory compliance	The project proponent shall obtain consent/authorization from MP Pollution Control Board
PPs Submission: Complied Complied, we have obtained CTO from MPPCB vide CTO number AWH-58429. Valid upto 31.05.2027.		Date: 30/05/2025
33	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of

		120 degree each), covering upwind and downwind directions.
PPs Submission: Partially Complied This is under progress; meanwhile Ambient monitoring is being done through NABL approved laboratories as per schedule.		Date: 31/05/2025
34	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality I fugitive emissions to Regional Office of MoEF and CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring reports.
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025
35	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Being Complied Being complied with, regular monitoring of fugitive emission is carried out by third party monitoring.		Date: 30/05/2025
36	ENERGY PRESERVATION MEASURES	Practice hot charging of slabs and billets/blooms as far as possible.
PPs Submission: Agreed to Comply Noted, no reheating furnace is being used hence not applicable. but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
37	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
PPs Submission: Being Complied The same is being complied with. Leakage detection is being done on regular basis.		Date: 30/05/2025
38	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
PPs Submission: Complied Complied. STP has been provided for domestic water treatment		Date: 31/05/2025
39	WATER QUALITY MONITORING AND PRESERVATION	The treated water from STP shall be used for gardening and spraying of roads.
PPs Submission: Being Complied The same is being complied with, treated water from STP is being reused in gardening and spraying of roads.		Date: 30/05/2025
40	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall practice rainwater harvesting to maximum possible extent, rain water therefore can be conserved within the plant.

<p>PPs Submission: Complied Complied, the existing 30x30x4 m3 pond is developed for RWH.</p>		<p>Date: 31/05/2025</p>
41	WASTE MANAGEMENT	<p>Any solid waste from process such as furnace Slag produced during process which shall be managed through installed iron recovery unit from slag and the recovered iron is being used with scrap to charge in induction furnace. The remaining part is being used for civil work and bricks manufacturing after TCLP test and approval from the MP Pollution Control Board.</p>
<p>PPs Submission: Agreed to Comply Noted, our industry is wire making industry hence not applicable. but in future if these type of condition will arise, we will agreed to comply the same.</p>		<p>Date: 31/05/2025</p>
42	AIR QUALITY MONITORING AND PRESERVATION	<p>The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31" March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015(Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>
<p>PPs Submission: Partially Complied This is under progress; meanwhile Ambient monitoring is being done through NABL approved laboratories.</p>		<p>Date: 31/05/2025</p>
43	AIR QUALITY MONITORING AND PRESERVATION	<p>Appropriate Air Pollution Control (APC) system such as Bag filters (reverse pulse jet cleaning) shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.</p>
<p>PPs Submission: Complied Complied. We have installed scrubbers.</p>		<p>Date: 31/05/2025</p>
44	AIR QUALITY MONITORING AND PRESERVATION	<p>The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.</p>
<p>PPs Submission: Being Complied Noted, we are using wire rod as a raw material.</p>		<p>Date: 30/05/2025</p>
45	AIR QUALITY MONITORING AND PRESERVATION	<p>Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, oil, cellars.</p>
<p>PPs Submission: Complied Complied</p>		<p>Date: 30/05/2025</p>
46	Noise Monitoring & Prevention	<p>Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.</p>
<p>PPs Submission: Being Complied The same is being complied with. Noise monitoring is conducted as per norms</p>		<p>Date: 30/05/2025</p>

47	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.
PPs Submission: Being Complied Noted, agreed and the same is being complied with.		Date: 30/05/2025
48	AIR QUALITY MONITORING AND PRESERVATION	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly. All the internal roads shall be made pucca.
PPs Submission: Being Complied Being Complied and all the internal road is pucca and vacuum cleaner is provided.		Date: 31/05/2025
49	AIR QUALITY MONITORING AND PRESERVATION	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
PPs Submission: Agreed to Comply As on date this condition is not applicable for our plant. Our unit is secondary manufacturing plant., but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
50	ENERGY PRESERVATION MEASURES	Provide the project proponent for LED lights in their offices and residential areas.
PPs Submission: Complied Complied, LED lights has been provided in entire plant premises.		Date: 30/05/2025
51	ENERGY PRESERVATION MEASURES	No DG Set is proposed for this project. So, there is no emission gaseous emission.
PPs Submission: Complied Noted, agreed and complied		Date: 30/05/2025
52	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
PPs Submission: Agreed to Comply Noted. There is no borewell in our premises. We are using MPIDC water but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
53	WATER QUALITY MONITORING AND PRESERVATION	PP shall be ensured that BOD level shall be maintained upto 3.0 mg/l in the proposed STP, proposal for filter press.
PPs Submission: Partially Complied The tendering process for the STP is currently underway.		Date: 31/05/2025
54	WATER QUALITY MONITORING AND PRESERVATION	2 Nos of Rain Water Harvesting pond of area of 7200 CuM have already been constructed for harvesting rainwater from roof top of building/shade and reuse in the process.
PPs Submission: Complied		Date:

Noted and Complied		30/05/2025
55	ENERGY PRESERVATION MEASURES	Provide solar power generation on rooftops of buildings, for solar, light system for all common areas, street lights, parking around project area and maintain the same regularly.
PPs Submission: Agreed to Comply Agreed to Comply		Date: 30/05/2025
56	WASTE MANAGEMENT	Used refractories shall be recycled as far as possible.
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
57	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall submit monthly summary report of ground water quality to Regional Office of MoEF and CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
PPs Submission: Agreed to Comply Noted. There is no borewell in our premises. We are using MPIDC water. but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
58	GREENBELT	Green belt shall be developed around 2.68 ha (i.e. 33 percent) is green belt area (existing and proposed) (2000 existing plantation plus 4500 proposed plantation, total 6500 total) with following plantation scheme and species: (Under proposed plantation program above 6ft height samplings will be planted within two years in coming Monsoon (after receipt of EC) whereas survival rate (80 percent) shall be maintained in subsequent years. Indigenous and broad leaf species for greenbelt development i.e. Karanj, Umber, Neem, Jarul, Maulsari, Amaltas, Shisam, Jamun, Simul, Kadam Tacoma, Bel, etc. will be preferred. Total Plantation -6500
PPs Submission: Partially Complied At present we have planted 5103 trees. We will plant extra 1397 trees to achieve 6500 trees. The existing trees is Indigenous and broad leaf species i.e. Neem, Pipal, Ashok, Gulmohar, Amaltas, Paraspipal, Aam, Karanj, Shisham and Batalpam, Chirol, Karanj, Shisham, Paraspipal, Neem, Sinsur, Kachnar, Arjun, Gular, Bamboo etc. we will plant the same in upcoming Monsoon.		Date: 31/05/2025
59	GREENBELT	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.
PPs Submission: Complied Agreed and complied		Date: 31/05/2025
60	ENERGY PRESERVATION MEASURES	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
PPs Submission: Agreed to Comply As on date this condition is not applicable for our plant. Our unit is secondary manufacturing plant., but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
61	ENERGY PRESERVATION MEASURES	Ensure installation of regenerative type burners on all reheating furnaces.

<p>PPs Submission: Agreed to Comply Noted, no reheating furnace is being used hence not applicable. but in future if these type of condition will arise, we will agreed to comply the same.</p>		<p>Date: 31/05/2025</p>
62	ENERGY PRESERVATION MEASURES	For this project Electrical Power 2500 KVA shall be meet by Madhya Pradesh Electricity Board (MPEB).
<p>PPs Submission: Complied Noted, agreed and complied</p>		<p>Date: 30/05/2025</p>
63	WASTE MANAGEMENT	Fly Ash generated from process (if any) shall be managed and disposed as per the provisions of Fly Ash Notification as amended.
<p>PPs Submission: Agreed to Comply No Fly Ash generation in the process. but in future if these type of condition will arise, we will agreed to comply the same.</p>		<p>Date: 31/05/2025</p>
64	WASTE MANAGEMENT	Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.
<p>PPs Submission: Agreed to Comply Our industry is wire making industry not rolling mill hence not applicable.but in future if these type of condition will arise, we will agreed to comply the same.</p>		<p>Date: 31/05/2025</p>
65	WASTE MANAGEMENT	The waste/spent oil and other hazardous waste shall be disposed of as per the Hazardous and Other waste (Management and Transboundary Movement) Rules, 2016.
<p>PPs Submission: Being Complied The same is being complied with.</p>		<p>Date: 30/05/2025</p>
66	GREENBELT	The greenbelt shall inter alia cover the entire periphery of the plant with minimum three row plantation towards the road and village side
<p>PPs Submission: Complied Agreed and complied. Plantation has been done through Miyawaki method.</p>		<p>Date: 30/05/2025</p>
67	Risk Mitigation and Disaster Management	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
<p>PPs Submission: Being Complied Noted, agreed and the same is being complied with.</p>		<p>Date: 30/05/2025</p>
68	Human Health Environment	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
<p>PPs Submission: Partially Complied PPE has been provided to the all workers as per norms</p>		<p>Date: 31/05/2025</p>
69	Human Health Environment	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of

		temporary structures to be removed after the completion of the project.	
PPs Submission: Agreed to Comply As industry is not going to expansion, no construction work will be carried out, hence not required and not applicable, but in future if these type of condition will arise, we will agreed to comply the same.			Date: 31/05/2025
70	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	
PPs Submission: Being Complied Agreed and the same is being complied with.			Date: 30/05/2025
71	Risk Mitigation and Disaster Management	In the proposed EMP, Rs. 1000.00 Lakh as capital cost for the project and Rs. 240.00 Lakh /year has proposed as recurring expenses.	
PPs Submission: Being Complied Being complied			Date: 31/05/2025
72	Corporate Environmental Responsibility	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	
PPs Submission: Partially Complied Partially Complied			Date: 31/05/2025
73	Corporate Environmental Responsibility	Under CER Project Proponent has proposed Rs 120 Lakh proposed. The activities are given below: - EXPENSES UNDER MEDICAL FACILITIES- EXPENSES UNDER EDUCATION FACILITIES- EXPENSES UNDER INFRASTRUCTURE FACILITIES- EXPENSES UNDER ENVIRONMENT-	
PPs Submission: Partially Complied The same is being complied, we are doing 1-year activities.			Date: 31/05/2025
74	MISCELLANEOUS	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.	
PPs Submission: Partially Complied Partially Complied			Date: 31/05/2025
75	MISCELLANEOUS	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.	
PPs Submission: Partially Complied Partially Complied			Date: 31/05/2025
76	MISCELLANEOUS	SEIAA - 4 : 1. MPSEIAA 19.06.23	: - a.

		b. (/), ... , (), , , c.
PPs Submission: Agreed to Comply a. b. c.		Date: 30/05/2025
77	WATER QUALITY MONITORING AND PRESERVATION	4. Waste Water Management c. RO treated water will be recycle for the process and high COD effluent generation shall be completely evaporated with help of MEE so as to achieve zero discharge.
PPs Submission: Agreed to Comply Agreed to comply.		Date: 30/05/2025
78	MISCELLANEOUS	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/wildlife norms/ conditions. The company shall have defined system of reporting infringements I deviation I violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF andCC as a part of six-monthly report.
PPs Submission: Complied Complied, Environmental Policy has been prepared and duly approved from board of Directors.		Date: 30/05/2025
79	MISCELLANEOUS	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
PPs Submission: Complied Complied, Separate environmental cell has been developed		Date: 30/05/2025
80	MISCELLANEOUS	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
81	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution d. In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling and conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025
82	WATER QUALITY MONITORING AND PRESERVATION	4. Waste Water Management 5. There shall be no industrial effluent discharge from the unit.
PPs Submission: Being Complied		Date:

The same is being complied with.		30/05/2025
83	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution h. For control of fugitive emission and VOCs following steps should be followed: - Chilled brine circulation system shall be provided and it should be ensured that the solvent recovery efficiency will not be less than 95percent Reactor and solvent handling pump shall be provided with mechanical seal to prevent leakage. Closed handling system should be provided for chemicals. System of leak detection and repair of pump/pipeline should be based on preventive maintenance. Solvent shall be taken from underground storage tank to reactor through closed pipeline. Storage tank shall be vented through trap receiver and condenser operated on chilled water.
PPs Submission: Agreed to Comply a. Since our unit is metallurgical unit, in the unit there is no solvent used. b. This point is not applicable for our unit. c. This point is not applicable for our unit. d. The same is being complied e. This point is not applicable for our unit, but but in future if these type of condition will arise, we will agreed to comply the same.		Date: 31/05/2025
84	MISCELLANEOUS	2.The industry shall install an online monitoring system at the inlet as well as at the outlet of each APCD for monitoring SPM.
PPs Submission: Partially Complied Partially Complied. This is under process, meanwhile we have done manually monitoring.		Date: 31/05/2025
85	MISCELLANEOUS	3.PP should ensure zero waste water discharge from the process. As per the proposal submitted 100 percent waste water shall be re-cycled in the process. No water shall be discharged outside the premises.
PPs Submission: Being Complied The same is being complied with. All treated water is being reused in gardening, sprinkling within the plant premises. No water is discharged outside the premises		Date: 30/05/2025
86	WATER QUALITY MONITORING AND PRESERVATION	4. Waste Water Management a. PP should maintain zero discharge from the Industry as proposed.
PPs Submission: Being Complied There is no amount of water being discharged outside the plant, we are using treated outlet water in sprinkling, gardening and cleaning etc.		Date: 31/05/2025
87	WATER QUALITY MONITORING AND PRESERVATION	4. Waste Water Management b. Separation of High and Low COD values effluent for better management of process effluent.
PPs Submission: Agreed to Comply Agreed to comply.		Date: 30/05/2025
88	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution b. The performance of air pollution control system should be regularly monitored and maintained.
PPs Submission: Being Complied The same is being complied with.		Date: 31/05/2025
89	AIR QUALITY MONITORING AND	5.For Air Pollution a. PP should ensure air pollution control measures and stack height as proposed in the EIA/ EMP

	PRESERVATION	
PPs Submission: Complied Complied, adequate stack height has been provided.		Date: 30/05/2025
90	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution e.Dust suppression system including water sprinkler system/ foaming arrangement shall be provided at loading and unloading areas to control dust emission.
PPs Submission: Being Complied Water sprinkling is being done on regular basis.		Date: 31/05/2025
91	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution c. PP should ensure regular stack monitoring and ambient air quality monitoring and should be carried out as per the guidelines/norms of MPPCB/CPCB.
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025
92	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution f. Fugitive emission in the work zone environment, product, raw material storage areas etc. shall be regularly monitored
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025
93	AIR QUALITY MONITORING AND PRESERVATION	5.For Air Pollution g. Transportation of raw material and finished goods should be carried out in covered trucks.
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025
94	WASTE MANAGEMENT	6. Hazardous Waste a. PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.
PPs Submission: Being Complied The same is being complied with. Hazardous waste is being given to the TSDF/authorised recyclers.		Date: 30/05/2025
95	WASTE MANAGEMENT	6. Hazardous Waste c. PP should obtain renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, Handling and Trans Boundary Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtained for hazardous waste disposal.
PPs Submission: Complied Complied, we have obtained authorization from MPPCB vide no. COE-1275626, dtd. 30/05/2023 and valid upto-31/05/2028.		Date: 30/05/2025
96	WASTE MANAGEMENT	6. Hazardous Waste b. PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.
PPs Submission: Being Complied The same is being complied with.		Date: 30/05/2025

97	WASTE MANAGEMENT	6. Hazardous Waste e.PP should provide RCC layer and double layered HDPE lining for primary and secondary leachate collection.
PPs Submission: Complied Complied		Date: 30/05/2025
98	WASTE MANAGEMENT	6. Hazardous Waste d. Hazardous chemicals should be stored in sealed tanks, drums etc. Flame arrestors shall be provided on tanks. To avoid the spillage from processing unit, industry shall provide fully mechanized filling and packaging operation unit.
PPs Submission: Complied The same is being complied with.		Date: 30/05/2025
99	MISCELLANEOUS	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
PPs Submission: Complied Complied, we have obtained CTO from MPPCB vide CTO number AWH-58429. Valid up to 31.05.2027.		Date: 30/05/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	For Fire Protection System, fire water pumps of 5 H.P. Capacity shall be provided by PP.
PPs Submission: Complied Complied		Date: 31/05/2025
2	MISCELLANEOUS	AC motor driven fire water pumps for hydrant, medium velocity water spray system and foam system and Jackey pump 1 no. (AC motor driven) for maintaining pressure shall be provided.
PPs Submission: Complied Complied		Date: 30/05/2025
3	MISCELLANEOUS	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
4	MISCELLANEOUS	The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.

PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
5	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company
PPs Submission: Being Complied Noted Agreed and the same is being complied with		Date: 30/05/2025
6	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF and CC).
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
7	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
8	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
9	MISCELLANEOUS	PP should ensure disposal of storm water (if any) to linkage with MPIDC drainage system.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
10	MISCELLANEOUS	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
11	ENERGY PRESERVATION MEASURES	PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
PPs Submission: Partially Complied Partially Complied, LED Fixtures has been installed.		Date: 31/05/2025
12	Corporate Environmental	PP should ensure the implementation of CER activities on regular

	Responsibility	basis in consultation with the Gram Panchayat of the respective villages and also adopt nearby villages for development of infrastructure in Anganwadi
PPs Submission: Partially Complied Partially Complied		Date: 31/05/2025
13	MISCELLANEOUS	Total quantity of runoff water generated and green belt area should be collected in underground tank and used for process in plant to minimize fresh water requirement.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
14	MISCELLANEOUS	Any change in the correspondence address should be duly intimated to all the regulatory authorities within 30 days of such change.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
15	GREENBELT	PP should ensure plantation in area of more than 33 percent (as committed) of the total plot area and Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam, Kachnar etc.
PPs Submission: Partially Complied At present we have planted 5103 no. of trees of different species.		Date: 31/05/2025
16	GREENBELT	Every effort should be made to protect the existing trees on the plot.
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
17	MISCELLANEOUS	PP should obtain NOC /approval from competent authority for health and safety measure, Onsite and Offsite disaster management, and Risk management plan before commencing the operation of the unit.
PPs Submission: Complied Approval has been obtained		Date: 31/05/2025
18	MISCELLANEOUS	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
19	MISCELLANEOUS	All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
PPs Submission: Agreed to Comply Noted and agreed the same is being complied with.		Date: 30/05/2025
20	MISCELLANEOUS	The project proponent has to strictly follow directions/guideline

		issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time
PPs Submission: Being Complied Noted and agreed and the same is being complied with.		Date: 30/05/2025
21	MISCELLANEOUS	This environmental clearance will be valid for a period of ten years from the date of its issue as per MoEF and CC, Gol notification No. S.O. 1807 (E) dated 12.04.2022 or till the completion of the project, whichever is earlier.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
22	GREENBELT	Green area including thick green-belt shall be developed in the plot area to mitigate the effect of fugitive emissions all around the project area in consultation with the forest department as per the guidelines of CPCB.
PPs Submission: Agreed to Comply Agreed		Date: 30/05/2025
23	MISCELLANEOUS	PP should ensure to conduct regular on site and of site mock drill as per Health and Safety Norms.
PPs Submission: Being Complied The same is being complied with. Regular mock drill is being carried out as per schedule.		Date: 30/05/2025
24	MISCELLANEOUS	The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.
PPs Submission: Complied Complied		Date: 30/05/2025
25	MISCELLANEOUS	Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
PPs Submission: Complied Complied		Date: 30/05/2025
26	MISCELLANEOUS	The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
PPs Submission: Complied Complied. We have published in Times of India and Dainik Bhasker.		Date: 30/05/2025
27	MISCELLANEOUS	The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action

		including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
PPs Submission: Agreed to Comply Noted and Agreed		Date: 30/05/2025
28	MISCELLANEOUS	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
29	MISCELLANEOUS	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
30	MISCELLANEOUS	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
PPs Submission: Complied Complied		Date: 30/05/2025
31	MISCELLANEOUS	The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
32	MISCELLANEOUS	The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF and CC web portal - http://www.environmentclearance.nic.in/or http://www.efclearance.nic.in/ and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
PPs Submission: Being Complied The same is being complied with. Previous compliance submission acknowledgement.		Date: 30/05/2025
33	MISCELLANEOUS	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974,

		the Air (Prevention and control of Pollution) Act, 1981 the Environment (Protection) Act 1986, the public Liability Insurance Act, 1991 and EIA Notification, 2006.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
34	MISCELLANEOUS	A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
PPs Submission: Complied Complied. We have circulated the copy of EC to the Local bodies, Panchayat and Municipal bodies.		Date: 30/05/2025
35	MISCELLANEOUS	Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Agreed to Comply Noted and agreed		Date: 30/05/2025
36	MISCELLANEOUS	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
PPs Submission: Complied complied		Date: 31/05/2025
37	MISCELLANEOUS	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be out on the website of the company along with the status of compliances of EC conditions and shall also be sent to Regional Office of MoEF.
PPs Submission: Being Complied Noted and agreed the same is being complied with.		Date: 30/05/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		No site visit has been done.
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be		

considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.