

TSJ/EMD/C-23/056/25 September 26, 2025

The Member Secretary
Jharkhand State Pollution Control Board
T.A. Division Building,
HEC Campus, Dhurwa
Ranchi- 834004

Sub.: Submission of Environmental Statement (Form V) for 1290 TPD ASU (Air Separation Unit) of Tata Steel Limited, Jamshedpur for the year 2024-25

Dear Sir,

With the reference to the captioned subject, we are herewith submitting the Environmental Statement (Form V) for 1290 TPD ASU (Air Separation Unit) of Tata Steel Limited, Jamshedpur for the year 2024-25.

Requesting you to kindly acknowledge the same and put in your records for future reference.

Your faithfully

For Tata Steel Limited

Head Environment Clearance & Compliance

Tata Steel Limited

Encl.: As above

Copy to: Regional Officer, Jharkhand State Pollution Control Board, Jamshedpur

FOR THE YEAR 2024-25

for
1290 TPD
Air Separation Unit (ASU)
Tata Steel Limited

Submitted by:
Environment Management Department
Tata Steel Limited
Jamshedpur-831001
Jharkhand

FORM – V (See Rule 14)

Environmental Statement for the financial Year ending the 31st of March 2025

PART-A

1)	Name and address of the	T. V. Narendran	
	owner/occupier of the industry	Mauza-Sunsungaria, P.S. Jamshedpur	
	operation or process	Dist: East-Singhbhum	
11)	Industry Category	Green	
	Primary (STC Code)		
	Secondary (STC Code)		
111)	Production capacity	Oxygen - 1290 TPD,	
		Nitrogen - 615 TPD,	
		Argon - 102.5 TPD	
IV)	Year of establishment	1998	
V)	Date of the last environmental	27 September 2024	
	statement submitted.		

PART-B WATER AND RAW MATERIAL CONSUMPTION

i) Water Consumption (m³/day)

Process & Cooling: 900

Domestic Consumption: 108

Name of the products		Process water consumption per unit of product Output (m3/ton of product)		
		During the previous financial Year (2023-24)	During the current financial year (2024-25)	
0	Nitrogen Argon Oxygen	0.896 m3/Ton	0.518 m3/Ton	

ii) Raw Material Consumption:

Name of Raw	Name of	Consumption of raw material per unit of output (Atmospheric air consumption in m3/ton of product)	
Material	Products	During Previous Financial Year (2023-24)	During Current Financial Year (2024-25)
Λ	 Nitrogen 		
Atmospheric Air	ArgonOxygen	2527.00 m3/Ton	2443.93m3/Ton



PART-C
Pollution discharged to environment/ unit of output.

	Pollution	Quantity of pollutants discharged. (mass/day)	Concentrations of pollutants discharged. (mass / volume)	Percentage of variation from prescribed standards with reasons
a)	WATER	kg/day	mg/NM3	
		Not Applicable as unit	is Zero Effluent Discharge	unit
b)	AIR	kg/day	mg/NM3	
		Not Applicable as t	here is no stack in the unit	t.

PART-D Hazardous Wastes

As specified under Hazardous and Other Wastes (Management and Transboundary Movement) Amendment Rules, 2016

	Total Quantity (kg)		
Hazardous Wastes	During Previous Financial Year (2023-24)	During Current Financial Year (2024-25)	
From Process - Waste Oil	1250 Kg	723 Kg	
From Pollution control facilities#	Nil	Nil	

The unit is non- polluting green category, not generating any pollution. Hence, there is no such pollution control equipment like Bag filter or ESP.

PART-E SOLID WASTES

	Total Quantity	
	During Previous Financial Year (2023-24)	During Current Financial Year (2024-25)
(a) From process	No solid waste is gen	erated from process
(b) From pollution control facility	There is no pollution control facility as the unit is no polluting	
(c) (1) Qty recycled or re- utilised within the unit	N/A	N/A
(2) Sold	N/A	N/A
(3) Disposed*	3400 Kg	3280 Kg

^{*}All Municipal solid waste like paper, cartoon, domestic and canteen waste is being routed through TS-UISL for further management and handling.



PART - F

Please specify the characterisation (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Name of Wastes	Characteristics	Quantum	Disposal Method
Waste Oil	Oily	100%	Sell to Authorised recycler
Municipal solid waste	Paper waste from packging / leaf from garden / food	33/33/33%	Routed through TS-UISL
	waste		

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

- 1. LED lamps are being used in entire unit leads to saving of electricity thus ultimately conservation of coal.
- 2. Auto process control system is controlling the plant which operates the plant in most efficient manner, conserving electricity.
- 3. All the lighting system are energy efficient.
- 4. VFD drives and energy efficient chillers pump are in use for better energy efficiency.
- 5. Regular upgrade in plant operating software for operating plant in energy efficient manner, thus saving electricity.
- 6. All disposable batteries are being replaced by re-chargeable batteries.

PART - H

Additional measures/investment proposal for environmental protection, abatement of pollution, prevention of pollution.

- 1. We have grown greenery in the periphery and other available spaces and shall continue enhancing its plant density and biodiversity.
- 2. Rainwater Harvesting facility is in place for recharge of ground level. There are two rainwater harvesting pits in the premises.
- 3. R-32 is being used as the refrigerant in all the air-conditioners which is a balanced refrigerant and has a global warming potential that is one-third lower and is remarkable for its low environmental impact and is energy efficient.

PART-I

Any other particulars for improving the quality of the environment.

1. The unit is ISO: 14001:2015 certified.

1290 TPD Air Separation Unit (ASU), Tata Steel Limited, Jamshedpur

Page 3

E P

Fuel Management

Fuel Management

25