

The Member Secretary State Pollution Control Board, Odisha Paribesh Bhawan A/118, Nilakantha Nagar, Unit - VIII Bhubaneswar - 751012

MD/ ENV/ 335 / 120 / 2025 Date: 22<sup>nd</sup> September 2025

Sub: Environmental Statement of Khondbond Iron & Manganese Mine, Tata

Steel Limited for 2024-25.

Dear Sir

Kindly find attach herewith the Environmental Statement in the prescribed format (Form V) as per "Environmental (Protection) Amendment Rules 1992" of our Khondbond Iron & Manganese Mine for your kind perusal.

Thanking you,

Yours faithfully f: Tata Steel Limited

Abinos

Area Manager (Environment), OMQ

Encl: As above

Copy to: The Regional Officer, State Pollution Control Board, At: Baniapata, College Road, Keonjhar - 758001, Odisha

#### TATA STEEL LIMITED

## ENVIRONMENT STATEMENT 2024-25



Khondbond Iron & Manganese Mine

# KHONDBOND IRON & MANGANESE MINE TATA STEEL LIMITED

September 2025

#### FORM - V (See Rule -14)

### ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH 2025 KKHONDBOND IRON & MANGANESE MINE, TATA STEEL LIMITED

#### PART-A

7	· · · · · · · · · · · · · · · · · · ·	.,	FANT-A.
4	Name and address of the owner/ occupier of the industry, operation or process  Nominated Owner	4.4	Mr Gedela V Satyanarayana, Chief (Khondbond) Khondbond Iron & Manganese Mine Tata Steel Limited, Joda Dist Keonjhar, Odisha – 758034  Mr Rajesh Kumar, Mines Manager (Khondbond) Khondbond Iron & Manganese Mine Tata Steel Limited, Joda Dist Keonjhar, Odisha – 758034  Mr. Atul Bhatnagar,
			General Manager, OMQ division, Noamundi Iron Mine, Tata Steel Limited PO.: Noamundi, DistWest Singhbhum Jharkhand – 833217  Mr T V Narendran, Managing Director & CEO, Tata Steel Limited, PO: Jamshedpur, Dist.: East Singhbhum, Jharkhand-831001
2.	Industry Category	:	Opencast Iron & Manganese Mining & Processing & Dispatch Industry (Major)
3.	Production Capacity*	;	Mine: 08 MTPA Iron Ore & Manganese :0.1MTPA Beneficiation & Dispatch: 08 MTPA Iron Ore
4.	Year of Establishment	;	1960
5,	Date of last Environmental Statement submitted.	÷	27th September 2024, vide letter no. MD/ENV/1223/120/2024 for the year 2023-24.

<sup>\*</sup>As per Environmental Clearance

#### PART-B Water and Raw Material Consumption

#### (i) Water Consumption:

Consumption Head:	2023-24 (in cu.m/day) (Annual Average)	2024-25 (in cu.m/day) (Annual Average)
Process	1011.14	755.27
Spraying in mine pit, services	410.10	784.98
Domestic	506.96	554,90
Name of the product	Process water consumption	per product output (m3/MT)
Iron Ore	0,06	0.07

This is a mechanised mine producing iron ore. The iron ore processing is dry crushing and screening only. Dust suppression at C&S plant is carried out through a scientific way using dry fog system, thus reducing the requirement of water to very minimum level.

#### ii) Raw Material Consumption

The following items have been consumed/utilized:

Name of Raw Materials	Consumption of Raw Material			
rame or Naw Materials	Previous Year 2023-24	Current Year 2024-25		
High Speed Diesel	5108413 Litre	9790533 Litre		
Lubricants	88672 Litre	101430 Litre		
Grease	12815 Kg	15146 kg		
Gas	6046 Cu.m	4797 Cu.m		
Explosive of all types (Explosive, codex, detonator)	1754390 kg	2227147 kg		
Tyres	54 nos.	88 nos.		
Drill rods	237 nos.	470 nos.		
Electricity Consumed	26368881 kwh	27512407 kwh		
Electricity Generated		70640 kwh		

PART—C
POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT
(Parameters as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with
a) Water	The Khondbond Iron & Manganese Mine with the processing plant, the iron and manganese mine pits have separately been operated. The processing plant is under construction and shall be of zero effluent discharge unit; all the effluent generated from the processing of iron ore is collected from slime pond and recycled & reused by 100% in various activities including dust suppression and iron ore processing.  One sewage treatment plant (STP) of 10 KLD is installed & in operated and entire treated water is recycled & reused for plantation and gardening purpose.  The HEMM cleaning & washing unit passed through oil separation pit and water is recycled back.		
b) Air	plant & dispatch unit. The respirable has been measured. All the dust generating point dust arresting system such a dust extractors -bag filters. Three continuous ambient a NOx, (NO2 & NO) & CO para	e water quality results of STP & ETP are attached herewith in annexure 1. Chondbond Iron & Manganese Mine is an opencast iron mine with processing & dispatch unit. The air quality in the form of fugitive, dust fall, ambient, table has been measured and monitored regularly and is well within limits. The dust generating points such as loading -unloading devices are equipped with arresting system such as dry fog, fixed & mobile water sprinklers, mist spray, extractors -bag filters, water scrubbers etc.  The continuous ambient air quality monitoring stations with PM10, PM2.5, SOx, (NO2 & NO) & CO parameters have continuously been monitored with online connectivity at state Pollution Control Board server.	

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with reasons
b) Air	A thick & dense vegetation is also placed in all surrounding the mines area w significantly reduced the pollution load.		
	The results of air quality mo	nitoring are attached as A	Annexure 2.

#### PART-D HAZARDOUS WASTES

As specified under the Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016 and amendment thereof

	Total	Total Quantity		
Hazardous Wastes	During previous financial year (2023-24)	During current financial year (2024-25)		
(a) From Process		-		
<ul> <li>Used Oil</li> </ul>	72950 litre	71.57 MT		
<ul> <li>Waste containing Oil (Jute etc)</li> </ul>	Nil	Nit		
<ul> <li>Rejected &amp; used hosepipes</li> </ul>	4.87 MT	Nil		
<ul> <li>Ferrous drums</li> </ul>	uę	12.00 MT		
From Pollution Control Facility				
<ul> <li>Waste oil from oil &amp; grease separation pit</li> </ul>	Nii (Includ	ed in process)		
<ul> <li>Sludge from oil and grease separation pit</li> </ul>	j.	e generated are disposed as er law.		

#### PART-E SOLID WASTES

Solid wastes from Khondbond Iron & Manganese Mine has been categories in two parts i.e. Overburden/rejects removed during mining operations and slime/tailings generated from beneficiation / processing of Iron Ore. All the materials overburden and tailings are stocked in designated place inside the mine. However, other solid waste is also being generated from mining and processing / beneficiation activity. Currently no slime/tailings generated as the process plant is under construction.

	Total Quantity			
Sources	During previous financial year (2023-24)	During current financial year (2024-25)		
From Process				
From mining as Overburden	527412.47 Tonne	741703.31 eu.m		
Rejects	148160 Tonne	372754 Tonne		
From OB Plant as Tailing	56545 Tonne	Nil		
From Pollution Control Facility	Not Applicable	Not Applicable		
c) i. Quantity recycled or reutilized within the unit	159155.13 Tonne			

	Total Quantity			
Sources	During previous financial year (2023-24)	During current financial year (2024-25)		
ii. Quantity sold				
General Office waste	Nil	Nil		
iii. Quantity disposed				
Mining overburden	527412.47 tonne	741703.31 cu.m		
Rejects	NIL	Nil		
Canteen & colony waste		1411		

Organic wastes are disposed off
in dumps

Organic wastes are disposed off in dumps

#### PART-F.

## PLEASE SPECIFY THE CHARACTERISTICS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

The Khondbond Iron & Manganese Mine and processing / beneficiation generate hazardous waste mainly in the form of used oil. The used oil is being generated from HEMM maintenance, which are used in manning operations. The used oil is disposed to authorized agency for recycling and reuse. During handling and maintenance of HEMM, the oil-soaked materials (jute etc.) has been kept and disposed in impervious pit. The hazardous waste such as used batteries is sold to authorized agency.

The other solid waste in the form of overburden and sub-grade mineral are stocked in designated place.

#### PART-G

## IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- Khondbond Iron & Manganese Mine is a star rated iron mine as per Sustainable Development Framework (SDF) has declared by Indian Bureau of Mines, Ministry of Mines, Govt. of India and has adopted various mineral conservation techniques such as blending of waste / subgrade materials, use of low-grade ore etc as per customer quality requirements.
- For conservation of natural resources, high efficiency HEMM are used with adequate maintenance so as to reduce the fuel consumption. Zero effluent discharge has been maintained.
- For ground water augmentation, various rainwater harvesting structures are made, the capacity of pond ~ 47,793 m3/yr which will harvest the water through various RWH structures. Piezometers are also installed in mines.
- New Fleet Management System (FMS) for better and efficient working of the HEMM was introduced in the mines which significantly reduced diesel consumption.

#### PART-H

## ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION

- Coir matting was done on fine stocks to prevent any erosion that can lead to pollution. Various toe wall, garland drains are made as per progressive mine plan & mine closure plan. Bio Toilets were also installed in area.
- Bio-gas plant for adequate disposal of canteen waste & reduction of LPG are installed.
- The check dams are strengthened with two additional RWH structure.
- For biodiversity conservation, a niche -nesting project implemented at Khondbond. Plantation of local species, development of local nursery at site in area various scientific studies such as Carbon Sequestration study, ground vibration study etc. done.
- Awareness programme such as World environment day, Biodiversity Day, Swachhata pakhwada, Earth Day was organised for creating awareness of people regarding conservation of Natural resources in year 2024-2025. It incurred the cost of ₹ 2.38 lakh.

The above abatement measures have resulted in improvement of air and water quality, reduction in noise levels, and improvement greenery within the lease. In addition, Tata Steel Rural Development Society (TSRDS) is engaged in peripheral developmental activities in villages around the mine. The projects of the Society include irrigation and agricultural extension projects, plantation programmes, creation of SAVE FOREST groups, civic amenities development, medical care and health education, rural sports and skill development, rural cultural promotion, etc.

#### PART-I

#### ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

- Khondbond Iron & Manganese Mine of Tata Steel Ltd. is a captive mine and is certified for the
  Integrated Management System (ISO-9001:2015, ISO-14001:2015 & OHSAS-18001:2007 and
  SA:8000) from last two decades. The unit has obtained various prestigious accolades and is
  the only a star rated mine of Jharkhand State.
- The Company is having a full-fledged Environmental Management Department with personnel from different backgrounds to take care of all environmental aspects relating to mines of Tata Steel. This department has in house capabilities for monitoring various environmental parameters and suggesting to the management necessary abatement measures.
- Various awareness programs throughout the year conducted in the area which included celebration of World Environment Day, World Water Day, Mine Environment & Mineral Conservation Week, Word Bio-diversity Week, Annual Flower & Vegetable Show etc. In which environment conservation models, current & future proposals are made, environment messages through Nukkad natak, poems, slogans, swachhata drive has been done every year.
- All above efforts make the mine clean green and sustainable. In the year 2024-25, Rs 15.79
   Cr are spent on various environmental activities from Noamundi Iron Mine.

Manager (Environment), Khondbond

#### WATER QUALITY DATA 2024-25 Khondbond Iron & Manganese Mine (Annual Average)

	STP 1	10 KLD	ETP 7 KLD	
Parameters	Inlet	Outlet	Inlet	Outlet
рН	8.32	7.83	8.37	8.00
TSS (mg/I)	111.42	BLQ (LOQ-10)	579.58	BLQ (LOQ-10)
TDS (mg/l)	3329.08	1316.08	3273.58	1353.0
COD (mg/l)	287.33	163.17	1402.92	150.75
BOD 5 days (mg/l)	50.41	25.08	354.33	26.07
Oil & Grease (mg/l)	BLQ (LOQ-4)	BLQ (LOQ-4)	BLQ (LOQ-4)	BLQ (LOQ-4)

SURFACE WATER					
Parameters	Sona river Upstream	Sona river Downstream	Standard		
рН	6.64	6.88	6.0-9.0		
DO (mg/l)	6.56	6.23	>4.0		
TSS (mg/l)	24.33	20.58	-		
BOD 5 days (mg/l)	2.67	, 2.52	3.0		
COD (mg/l)	8.05	6.83	1 <del>-</del> 1		
Iron (mg/I)	0.43	0.39	0.5		
Faecal Coliform	Absent	Absent	5000		

Mapager (Environment)

Manager (Environment), Khondbond

AIR QUALITY DATA 2024-25
Annual Average Air quality of Khondbond Iron & Manganese Mine of FY'25

Pollutants	Concentration of pollutants (µg/m3)	Standards (µg/m3)	
Near Pit-3			
1. PM10	60.41	100	
2. PM2.5	22.39	60	
3. SO2	11.31	80	
4. NOx	21.55	80	
5. CO	BLQ (LOQ-0.5)	4*	
Near Manganese Mine			
1. PM10	62.79	100	
2. PM2.5	23.48	60	
3. SO2	11.56	80	
4. NOx	21.95	80	
5. CO	BLQ (LOQ-0.5)	4*	
Near 16-D			
1. PM10	59.27	100	
2. PM2.5	21.81	60	
3. SO2	11.42	80	
4. NOx	21.67	80	
5. CO	BLQ (LOQ-0.5)	4*	
Near Security Barrack			
1. PM10	60.87	100	
2. PM2.5	23.42	60	
3. 502	11.35	80	
4. NOx	21.42	80	
5. CO	BLQ (LOQ-0.5)	4*	

