

**Half Yearly Compliance Report****2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

<b>Proposal Name</b>		Regularization of existing production facilities for Steel Wire Rods 336000 TPA, Steel Wire & Wire Products 66000 TPA (Total Production Capacity - 402000 TPA) by M/s. Tata Steel Limited, Global Wires India, Plot F8, MIDC, Tarapur Maharashtra	
<b>Name of Entity / Corporate Office</b>		M/s. Tata Steel Ltd. Wire Division, F8	
<b>Village(s)</b>		Kolawae	
<b>District</b>		PALGHAR	
<b>Proposal No.</b>	SIA/MH/IND/68609/2021	<b>Category</b>	Industrial Projects - 1
<b>Plot / Survey / Khasra No.</b>	Plot A6, MIDC, Tarapur Industrial Area	<b>Sub-District</b>	Palghar
<b>State</b>	MAHARASHTRA	<b>Entity's PAN</b>	*****2803M
<b>MoEF File No.</b>	SIA/MH/IND1/403982/2022	<b>Entity name as per PAN</b>	UTSAV KASHYAP

**Compliance Reporting Details**

<b>Reporting Year</b>	2025
<b>Remarks (if any)</b>	The compliance reporting period is April to September 2025 . The details of Production and Project Area is as mentioned in Form 1 of EC application refer to proposal no. SIA/MH/IND1/403982/2022
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)

**Details of Production and Project Area**

<b>Name of Entity / Corporate Office</b>	M/s. Tata Steel Ltd. Wire Division, F8	
	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	11.8	11.8
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	11.8	11.8

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Steel wire rods and wires and wire products	Tons per Annum (TPA)	30/06/2026	402000	340825	402000

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	PP to Ensure that there shall be no increase in the capacity manufacturing of Steel Wire presently consented by MPCB.
<b>PPs Submission:</b> Complied Steel wires production capacity is as per the CTO granted by Maharashtra Pollution Control Board In FY25 the annual production was 340825 MTA against the CTO granted capacity of 402000 MTA		Date: 21/11/2025
2	GREENBELT	Project Proponent informed that 40% green belt will be developed with in the plot and need to submit revised layout showing internal roads with minimum six meter width and nine meter turning radius, entry/exit gates (preferably sliding gates), provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment, parking area, 40% greenbelt with its dimensions preferably on the periphery of the plot with the provision of drip irrigation, rain water harvesting structure, storm water drain lines etc. Adoption of nature bases solutions for green area should be kept as a principle of development and ecology
<b>PPs Submission:</b> Complied Revised Proposed Greenbelt Drawing, approved by MIDC, submitted to Appraisal Committee. As on date There are nearly 7200 nos of sapling existing inside the plot F8 which is approx. 41percentage of greenbelt are of total plot area. Along with that 3600 saplings being planted at TSL colony in FY25 which gives total 61 percentage of green coverage of F8 plot, and at TSL colony as declared.		Date: 21/11/2025
3	ENERGY PRESERVATION MEASURES	PP to provide solar energy for illumination of Administrative Building, street lights and parking area
<b>PPs Submission:</b> Complied Complied		Date: 23/11/2025
4	ENERGY PRESERVATION MEASURES	Project Proponent to use of briquette/bio coal/pellets or any such suitable product derived from scientific processing of the appropriate stream of dry waste/agricultural waste, not less than 50% of the total fuel requirement to the boiler
<b>PPs Submission:</b> Agreed to Comply Not applicable as on date as the plant is operating with PNG and wire drawing process is cold drawing process. Agreed to comply whenever needed.		Date: 30/11/2025
5	MISCELLANEOUS	Project Proponent to provide roof top rain water harvesting facility
<b>PPs Submission:</b> Complied The rain water harvesting facility already exists within the plant of capacity 1500 m3. The rain water collected from the roof top is being stored in artificial water tank and used in process, firefighting system and other ancillary activities. The Rain Water collected in artificial tank/reservoir structure.		Date: 23/11/2025

6	WATER QUALITY MONITORING AND PRESERVATION	Project Proponent to carryout soil and ground water sampling analysis based on the identification of control site outside the premises and collect soil and ground water samples in and around the proposed site. PP to choose parameters to be analysed based on the use of raw materials and finished products by the earlier owner of the site and all other parameters including heavy metals. PP to compare these results with the control site results and prepare and implement an appropriate mitigation plan to address soil and ground water contamination issues. PP to carry out this study by a reputed credible Government institute
<b>PPs Submission:</b> Complied Plant had carried out the Soil, Groundwater, Surface water and treated effluent monitoring on 8th and 9th May 2025 by the government institute Department of Environmental Science, Asutosh College, University of Calcutta. The monitoring results showed that all 15 parameters were within the CTO- specified discharge standards. The monitored value, along with the discharge standard, has been provided in the report attached. Sampling was also done to cross-check the pollution status outside. Samples outside were found within limits.		Date: 23/11/2025
7	Statutory compliance	Project Proponent to submit certified copy of certified compliance of existing CTO to be obtained from MPCB.
<b>PPs Submission:</b> Complied CTO compliance half yearly report of H1 of FY26 has been uploaded in the MPCB portal on 23/11/2025		Date: 23/11/2025
8	Statutory compliance	Project Proponent to ensure compliance to the conditions stipulated in the CEPI. Need to submit present status of compliance to the CEPI conditions.
<b>PPs Submission:</b> Complied Complied the CEPI Conditions		Date: 30/11/2025
9	WASTE MANAGEMENT	There is no generation of industrial effluent from proposed project. The sewage generation is 70 KLD which will be treated in the STP and will be used for green belt development.
<b>PPs Submission:</b> Complied Noted and complied		Date: 23/11/2025
10	ENERGY PRESERVATION MEASURES	Project Proponent to submit details of proposed solar power use envisaged in the project along with cost estimation.
<b>PPs Submission:</b> Agreed to Comply A solar power plant is under commissioning at Akohla Distric of MH by Tata Steel and Tata Power. Approximately 35 MW solar power will be utilise once the plant is established. it is expected to get 5 million units/month from January 2026 which will be approximately costing of 50 lakhs of rupees per month		Date: 30/11/2025
11	Risk Mitigation and Disaster Management	Project Proponent to carry out detailed quantitative Risk Assessment and submit report along with proposed mitigation measures.
<b>PPs Submission:</b> Complied The Environmental Risk Assessment is a part of Enterprise Risk Assessment and Management of the division. The Risk for FY26 has been identified as "GWI inability to timely meet changing Environmental norms leads to Reputation and Brand erosion where the quantitative Risk Assessment has been done along with proposed mitigation measures		Date: 23/11/2025

12	WASTE MANAGEMENT	Project Proponent to submit copy of MOU executed with the authorised vendors for disposal of wastes (HZW / Non HZW) generated on site
<b>PPs Submission:</b> Complied Membership Certificate vide no. MWML-HZW-TAR-158 between M/S Tata Steel Limited, Global Wires India, Tarapur and M/S Mumbai Waste Management Ltd. For treating the Hazardous Waste is enclosed.		Date: 23/11/2025
13	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to submit adequacy report of all stacks exists on site w.r.t type of fuel, equipment design and height of stack to ensure all emission are under prescribed limits all the time.
<b>PPs Submission:</b> Complied The stacks with appropriate height are attached to furnace. The clean fuel like PNG is being used in the process. The Stack Emission testing being done by accredited 3rd party		Date: 23/11/2025
14	MISCELLANEOUS	Project Proponent to ensure to deploy well trained regular employees on all critical / hazardous operations and storage of hazardous chemicals instead of contract workers. Regular safety training to be provided to all such employees.
<b>PPs Submission:</b> Complied Noted and Complied		Date: 23/11/2025
15	MISCELLANEOUS	Project Proponent to prepare chemical compatibility chart of all chemicals handled, stored in site and ensure its storage / handling as per compatibility .
<b>PPs Submission:</b> Complied Noted and complied		Date: 23/11/2025
16	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to provide continuous online monitoring system connected to the server of CPCB and MPCB. Also to include VOCs monitoring in the scheduled ambient air monitoring plan.
<b>PPs Submission:</b> Complied The continuous online monitoring system to the stack, connected to the Reheating Furnace, is completed. The continuous data is being transferred to MPCB server. VOC monitoring has been scheduled in regular AAQ monitoring plan.		Date: 24/11/2025
17	MISCELLANEOUS	Project Proponent to ensure to provide adequate space for parking of all types of vehicles including external vehicles carrying raw material and finished products. No vehicle shall be parked on the public road.
<b>PPs Submission:</b> Complied Noted and complied		Date: 23/11/2025
18	Corporate Environmental Responsibility	Project Proponent to utilise CER funds for the development of public infrastructure in the vicinity of the project area in consultation with District Administration. A proper CER plan to be prepared and shared for MSW management in the region for its effective implementation.
<b>PPs Submission:</b> Being Complied Tata Steel global Wires, Tarapur unit has spent nearly Rs. 42.31 Lakhs in FY25 on development of community through giving the Joyti fellowship to scholar students, providing health checkup and		Date: 30/11/2025

		medical treatment of community people, improve livelihood by providing skill development programme to female SHG, upgrade infrastructure in local school by providing borewell, solar lighting system and other basis infrastructure facilities etc. The PP is in touch with the district administration office.	
19	Risk Mitigation and Disaster Management	Project Proponent to ensure to prepare and implement Onsite and Off-site emergency handling plan. The plan shall be prepared based on the Job Safety Analysis, Risk Assessment etc. Required training to all employees be provided on the emergency handling plans	
<b>PPs Submission:</b> Complied Onsite and Offsite Emergency Handling plan has been prepared by authorised third party based on the Job safety analysis and Risk assessment. Regular training being imparted based on the plan of action			Date: 23/11/2025
20	WATER QUALITY MONITORING AND PRESERVATION	Project Proponent to complete rain water harvesting facility before commissioning of the manufacturing activity.	
<b>PPs Submission:</b> Complied The rain water harvesting facility already exists within the plant. The rain water collected from the roof top is being stored in artificial water tank and used in process, firefighting system and other ancillary activities. The Rain Water collected in artificial tank/reservoir structure. Further detail RWH study being done by expert / consultant to improve the rainwater collection and capture the run off water by proper designing the storage tank and other facilities.			Date: 23/11/2025
21	GREENBELT	Project Proponent submitted the undertaking dated 31.10.2023 stating that we have obtained plan approval from MIDC and as per plan proposed to provide 40% greenbelt that is 4.72 Ha within the plot boundary and additional green belt having area 2.08 Ha is-proposed on the land owned by the Housing colony . The total greenbelt area is 6.8 Ha which is 57.63% of the plot area. MIDC to ensure the compliance of the same	
<b>PPs Submission:</b> Complied The plantation is being done as per declaration. As on date nearly 61 percentage area being covered with greenbelt including F8 plot and TSL housing colony which is nearly 7.2 Ha of the area.			Date: 30/11/2025
22	GREENBELT	Project Proponent need to undertake Miyawaki plantation of the native and indigenous trees such as Banyan, Peepal, Neem Jamun and other suitable trees as per the Forest Dept, Govt of Maharashtra circular no SaVaVi-2019/C.R.3/F-11 dated 25 June 2019. The said plantation to be completed in the first year of operation of EC under expert guidance of Miyawaki experts / arborist. As proposed, green belt shall be developed in more than 33 % area within and around the plant premises as per the CPCB guidelines in consultation with DFO	
<b>PPs Submission:</b> Complied Noted and complied. In most of the areas The plantation done through Miyawaki methods with the native and indigenous trees such as Banyan, Peepal, Neem Jamun and other suitable trees as per the Forest Dept, Govt of Maharashtra. There are nearly 7200 nos of sapling existing inside the plot F8 and 3600 saplings being planted at TSL colony to comply 61 percentage of green coverage of F8 plot, and at TSL colony as declared.			Date: 30/11/2025
23	WASTE MANAGEMENT	Project Proponent to strictly observe Solid Waste Management Rules 2016 as amended time to time	
<b>PPs Submission:</b> Complied Noted and complied			Date: 23/11/2025

24	WASTE MANAGEMENT	Project Proponent to strictly observe HZW and other Wastes (Management and Trans boundary Movement ) Rules 2016 as amended time to time
<b>PPs Submission:</b> Complied Noted and Complied		Date: 23/11/2025
25	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to identify all sources of fugitive air pollution on site and provide pollution control measures to mitigate pollution and meet the standard parameters stipulated in the Environment Protection Rules 1986 amended time to time and Air Prevention and control of Pollution Act 1981, amended time to time
<b>PPs Submission:</b> Complied Complied as per direction. No significant fugitive emission as all sources of fugitive air pollution is under covered shed. To control the dust emission water spraying, dust suction system, advance technology of de-dusting method is being used. All the wire drawing machine is under full shed / cover to control emission. Regular AAQ monitoring being done by authorised 3rd party and all parameter are well within norms		Date: 30/11/2025
26	MISCELLANEOUS	Project Proponent to ensure storage of chemicals as per Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 amended time to time to ensure no release of any chemical to atmosphere and leakage to the soil
<b>PPs Submission:</b> Complied Ensure to follow the Manufacture, Storage and Import of Hazardous Chemical Rules 1989 in future if being used and will ensure no release of any chemical to the atmosphere and leakage to the soil. But No HZW chemicals being manufactured, stored or imported for the operation of plot F8 till date		Date: 30/11/2025
27	MISCELLANEOUS	Project Proponent to ensure transport, Storage, handling and use of the flammable/ toxic chemicals as per conditions stipulated in license/approval of the Petroleum and Explosive Safety Organisation (PESO)
<b>PPs Submission:</b> Complied Ensured and complied		Date: 23/11/2025
28	Statutory compliance	Project Proponent to obtain approval and license from the Directorate of Industrial Health & Safety (DIHS) for proposed project and implement all condition stipulated there in. Need to carry out safety audit as stipulated in the Maharashtra Factories Rules, 1963 and ensure compliance of recommendation of the Audit
<b>PPs Submission:</b> Complied The approved factory license issued by DIHS vide license number 12900259100T-00 dated 12/07/2023 has been issued valid up to December 2026. The safety audit conducted by the competent party and compliance report submitted to DISH		Date: 23/11/2025
<b>General Conditions</b>		
Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	Project Proponent shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of the issue of this letter, informing that the project had been accorded Environmental Clearance and copies of Environmental

		Clearance letter are available with the Maharashtra Pollution Control Board website of the company and may also be seen at Website at <a href="http://parivesh.nis.in">http://parivesh.nis.in</a>
<b>PPs Submission:</b> Complied EC published in 2 newspaper on 15 January 2024 i) Marathi Lok Shakta Mumbai edition and ii) English Indian Express Mumbai Edition. Informed MPCB about receiving of EC on 10 January 2024. The EC published in the company website <a href="http://www.tatasteel.com">www.tatasteel.com</a>		Date: 24/11/2025
2	Statutory compliance	Project Proponent shall upload the status of compliance (Soft copies) of the conditions stipulated Environmental clearance letter including monitoring data of air, water, soil noise etc on their website and shall update the same periodically. The half yearly compliance report shall simultaneously be submitted to the Maharashtra Pollution Control Board, SEIAA and Regional office of MOEF&CC at Nagpur, on 1st June and 1st December of each calendar year
<b>PPs Submission:</b> Complied The last half yearly compliance report of October 2024 - March 2025 submitted to PARIVESH Portal , the same has been given to the Maharashtra Pollution Control Board, SEIAA and Regional office of MOEFCC at Nagpur, on 30 May 2025		Date: 24/11/2025
3	MISCELLANEOUS	A separate Environment Management Cell with qualified personnel shall be set up for implementation of the stipulated environmental safeguards
<b>PPs Submission:</b> Complied The separate Environment Management Cell with qualified personnel already exist		Date: 24/11/2025
4	MISCELLANEOUS	In the event of failure of any pollution control equipment the manufacturing activity shall be immediately stopped safely till the effective functioning of pollution control equipment's is regained
<b>PPs Submission:</b> Complied Noted and Complied		Date: 24/11/2025
5	Statutory compliance	PP to strictly follow conditions stipulated in the Consent of Establish / Operate issued by the Maharashtra Pollution Control Board
<b>PPs Submission:</b> Complied Noted and Complied		Date: 24/11/2025
6	MISCELLANEOUS	PP to Provide separate drains for storm water and effluent and ensure that the storm water drains are dry all the time and in no case the effluent shall mix with the storm water drain
<b>PPs Submission:</b> Complied Noted and complied		Date: 24/11/2025
7	MISCELLANEOUS	Periodic Monitoring of ground water in the study area as marked in the Environmental Impact Assessment Report shall be undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the MPCB
<b>PPs Submission:</b> Complied Gound water analysis done by accredited laboratory and results are within the permissible limit		Date: 24/11/2025

8	Noise Monitoring & Prevention	The overall noise levels in and around the factory premises shall be kept within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, 1989 as amended from time to time by providing adequate noise control measures and protective equipment's like ear muff and ear plug etc
<b>PPs Submission:</b> Complied Noted and complied		Date: 24/11/2025
9	MISCELLANEOUS	Adequate safety measures shall be ensured to limit the risk zone within the factory premises. Leak detection system shall be installed for early detection and mitigation purpose.
<b>PPs Submission:</b> Complied The plant is operating with PNG. No gas / highly flammable liquid is being used or stored within the plant premises for any purpose. Regular safety training, awareness programs, safety line walks, audits etc being carried out by all employees including contractual employees		Date: 24/11/2025
10	Statutory compliance	PP to scrupulously follow the requirement of Maharashtra Factories Act 1948 and rules 1963 as amended from time to time
<b>PPs Submission:</b> Complied Noted and ensured		Date: 24/11/2025
11	Statutory compliance	The Environmental Statement for each financial year ending on 31st March in form V as is mandated to be submitted by the PP to the concerned Pollution Control Board as prescribed under Environment Protection Rule 1989 as amended from time to time, it shall also be put on the website of the company along with the status of the compliance conditions stipulated in the Environment Clearance letter.
<b>PPs Submission:</b> Complied The latest Environment Statement for FY25 has been submitted to MPCB on 11 September 2025. The same has been uploaded in the company website also.		Date: 30/11/2025
<b>Visit Remarks</b>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		
<p><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		