



TSJ/EMD/C-38/100/26

22 May 2026

Deputy Director General of Forests (C)

Ministry of Environment, Forest, and Climate Change

Integrated Regional Office, 2nd Floor, Headquarter- Jharkhand State Housing Board

Harmu Chowk, Ranchi, Jharkhand – 834002, Ranchi

Sub.: Submission of Half Yearly (October'2025 to March'2026) Environment Clearances Compliance Reports (ECCR) for Cold Rolling Mill Complex (CRMC) of Tata Steel Limited at Bara, Golmuri-cum-Jugsalai, Jamshedpur, District- East Singhbhum, Jharkhand

Reference:

1. EC of CRMC for 0.8 MTPA vide MoEF&CC letter no. F.No. J-11011/22/2013-IA II (I) dated: 15.09.2015
2. EC of CRMC for 0.3 MTPA vide MoEF&CC letter no. F.No. J-11011/199/2007-IA II (I) dated: 07.08.2007

Dear Sir/ Ma'am,

With reference to the captioned subject and cited references, we are submitting Half Yearly EC Compliance Report for the period from **October'2025 to March'2026**. You are requested to kindly acknowledge the same and place in your records.

Thanking you

Yours faithfully,

For Tata Steel Limited

Utsav Kashyap

Head Environment Clearance & Compliance (TSL)

Enclosures as above

Copy to:

1. Zonal Officer, Central Pollution Control Board, Southern Conclave, Block 502, 5th and 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700 107
2. Member Secretary, Jharkhand State Pollution Control Board, T.A. Division Building, HEC Campus, Dhurwa, Ranchi – 834004
3. Regional Officer, Jharkhand State Pollution Control Board, Jamshedpur

TATA STEEL LIMITED

Environment Management Jamshedpur 831 001 India

Registered Office: Bombay House, 24 Homi Mody Street, Mumbai 400001

Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH 1907PLC000260 Website www.tatasteel.com

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/JH/IND/3455/2012
Compliance ID	672164178
Compliance Number(For Tracking)	EC/M/COMPLIANCE/672164178/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	26-05-2026
RO/SRO Name	Shri Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	JHARKHAND
RO/SRO Office Address	Integrated Regional Offices, Ranchi
Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, JHARKHAND with Notification to Project Proponent.	

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/JH/IND/21196/2007
Compliance ID	1228244903
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1228244903/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	26-05-2026
RO/SRO Name	Shri Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	JHARKHAND
RO/SRO Office Address	Integrated Regional Offices, Ranchi
Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, JHARKHAND with Notification to Project Proponent.	

ENVIRONMENTAL CLEARANCE COMPLIANCE STATUS REPORT

(October 2025 to March 2026)

**Cold Rolling Mill Complex (CRMC),
Jamshedpur**

**Six Monthly Compliance Status report of Environmental
Clearance of Cold Rolling Mill Complex (CRMC) Capacity
Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II)**

**ENVIRONMENTAL MANAGEMENT DEPARTMENT
TATA STEEL LIMITED
JAMSHEDPUR**

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

I. Specific Conditions:		
S.No.	Compliance Conditions	Compliance Status
i	The PP shall prepare a WL Conservation Plan in and around the project site drawn up in consultation with the PCCF (WL), Government of Jharkhand. Separate Funds shall be earmarked for the various activities identified and details of the expenditure made thereon shall be submitted as part of the Compliance Report to RO, Ranchi.	Wildlife Conservation Plan (WLCP) for Tata Steel Jamshedpur works and CRM Complex Bara has been prepared combinedly and approved by Principal Chief Conservator of Forests – Wildlife (PCCF-WL) GoJ on 13 November 2017 (Annexure-1). Funds are earmarked for the various activities identified in WLCP and payment of levies as per approved Site Specific WLCP has been deposited into DFO Jamshedpur account vide challan no. 108 dated: 20.02.2023 (Annexure-1).
ii	On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), and bag filters etc., shall be provided to keep the emission levels below 50 mg/Nm ³ by installing energy efficient technology.	Continuous Ambient Air Quality Monitoring Systems (CAAQMS) and Online Continuous Emission Monitoring System (OCEMS) have been installed to monitor air emissions. Fume extraction system including scrubber and bag filters have been installed.
iii	In-plant control measures like bag filters, de-dusting and dust suppression system shall be provided to control fugitive emissions from all the vulnerable sources. Water sprinkling system shall be provided to control secondary fugitive dust emissions generated during screening, loading, unloading, handling and storage of raw materials etc.	The following equipment are provided to control Air Pollution: <ol style="list-style-type: none"> 1. Fume extraction system including scrubber in pickling line. 2. Bag filter in shot blasting machine and Acid recovery plant. 3. Roof-top ventilation system. 4. Water sprinkling and mechanized sweeping machine. <p>Hot Rolled Coils from Main Steel Works are used as raw material in the manufacturing process. As Ore and Minerals are not being handled inside plant premises, there is no generation of secondary fugitive dust emission.</p>
iv	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed.	Mentioned notification is for Sponge iron industry. However, applicable points of the standards, issued by the Ministry vide G.S.R. 414(E) dated 30 May 2008 are being complied.
v	The water consumption shall not exceed as per the standard prescribed for the sponge iron plants and steel plants.	Water consumption is recorded regularly & the same is within prescribed limit as mentioned in EC.
vi	Efforts shall further be made to use maximum water from the rainwater harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources. Use of air-cooled condensers shall be explored and closed-circuit cooling system shall be provided to reduce water consumption and water requirement shall be modified accordingly.	Rainwater harvesting capacity enhanced by rejuvenating abandoned sites inside of CRM Bara Complex, which comprises of two large and three small ponds (Photograph attached as Annexure-2). Further, service water and drinking water pipelines were re-routed above ground to minimize losses. Closed circuit cooling system is deployed to reduce water consumption.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

I. Specific Conditions:		
S.No.	Compliance Conditions	Compliance Status
vii	All the effluents shall be treated and used for dust suppression and green belt development. No effluent shall be discharged, and 'zero' discharge shall be adopted. Domestic wastewater will be treated in the Sewage Treatment Plant.	CRM Bara is not discharging any effluent outside premises. Effluent treatment plant is installed and in operation for the treatment of wastewater. The treated water is being recycled in operation, plantation, dust suppression and other low end uses. Domestic wastewater generated inside plant is being treated in STP.
viii	Regular monitoring of influent and effluent surface, sub-surface and ground water shall be ensured, and treated wastewater shall be meet the norms prescribed by the State Pollution Control Board or described under the E (P) Act whichever are more stringent. Leachate study for the effluent generated and analysis shall also be regularly carried out and report submitted to the Ministry's Regional Office at Ranchi, SPCB and CPCB.	Regular monitoring of water and wastewater is being done. Reports attached in Annexure-3 . CRM Bara is ZED unit and not discharging any effluent outside premises. Moreover, there is no leachate generation at the site.
ix	Proper handling, storage, utilization and disposal of all the solid waste shall be ensured and regular report regarding toxic metal content in the waste material and its composition, end use of solid/hazardous waste shall be submitted to the Ministry's Regional Office at Ranchi, SPCB and CPCB.	Proper handling, storage, utilization, and disposal of solid waste generated is being ensured. Iron oxide is sold to paint industry and other recyclers; Disposable hazardous waste is sent to authorized TSDF. Metallic scraps generated at CRM Bara is being utilized through internal and external applications. Waste analysis report is attached as Annexure-4 .
x	A time bound action plan shall be submitted to reduce solid waste, its proper utilization and disposal.	Proper handling, storage, utilization, and disposal of solid waste generated is being ensured. Iron oxide is sold to paint industry and other recyclers; Disposable hazardous waste is sent to authorized TSDF. Metallic scraps generated at CRM Bara is being utilized through internal and external applications.
xi	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2009. All the fly ash shall be provided to cement, and brick manufactures for further utilization and Memorandum of Understanding shall be submitted to the Ministry's Regional Office at Ranchi.	No fly ash is being generated in cold rolling mill process.
xii	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Ranchi, SPCB and CPCB within 3 months of issue of environment clearance letter.	Onsite emergency plan & Disaster Management Plan has been prepared and approved by Chief Inspector of Factories; Jharkhand vide letter no. 7/Plan 10215/2016-467 dated 14 March 2018 attached as Annexure-5 .
xiii	A time bound action plan shall be submitted to reduce solid waste, its proper utilization and disposal.	Proper handling, storage, utilization, and disposal of solid waste generated is being ensured.
xiv	As proposed, green belt shall be developed in 33% of plant area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Green belt at CRM Bara complex has been developed in and around plant, which is more than 33% of the plant area.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

I. Specific Conditions:		
S.No.	Compliance Conditions	Compliance Status
xv	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.	No specific recommendations are there under CREP for Cold rolling mills.
xvi	At least 5% of the total cost of the expansion project shall be earmarked towards the Enterprise Social Commitment (ESC) based on locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Ranchi.	Enterprise Social Commitment (ESC) activities are being done in Jamshedpur and Immediate Periphery The company is committed to enhancing the well-being of nearby villages through a range of socio-economic development activities with initiatives such as community development programs, educational programs, drinking water supply, Livelihood- Skill Development, sports, Rural Infrastructure and health care etc.
xvii	All the commitments made to the public during the public Hearing / Public Consultation meeting shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Ranchi.	Public hearing commitment compliance implementation status is attached as Annexure-6 .
xviii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, Safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The construction work has been completed for 0.8 MTPA. All the necessary infrastructure and facilities such as food, medical health care, toilets, safe drinking water, etc. had been provided to construction labour during the project work.

II. General Conditions:		
S.No.	Compliance Conditions	Compliance Status
i	The project authorities must strictly adhere to the stipulations made by the Jharkhand Pollution Control Board and the State Government.	We are abiding by the compliance conditions made by JSPCB and State Government of Jharkhand.
ii	No further expansion or modifications in the plant shall be carried out without prior approval of the MoEF&CC.	No further expansion or modifications beyond the existing capacity of 0.8 MTPA in the plant will be carried out without prior approval from MoEF&CC.
iii	At least four ambient air quality monitoring stations should be established in the downward directions well as where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Ranchi and the SPCB/CPCB once in six months.	Ambient air quality monitoring is being done at 4 locations. Monitoring reports are being submitted to JSPCB, CPCB and MoEF&CC regularly. Monitoring reports for all relevant parameters from Oct'25 to Mar'26 is attached in Annexure-3 .
iv	Industrial Wastewater shall be properly collected, treated so as to conform to the	CRM Bara is not discharging effluent outside premises. Effluent treatment plant is installed for

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

II. General Conditions:		
S.No.	Compliance Conditions	Compliance Status
	standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	the treatment of wastewater. The treated water is being recycled in operation, plantation, dust suppression and other low end uses.
v	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night-time).	High noise generating equipment has been provided with acoustic enclosures and silencer to reduce noise at source. Moreover, closed cabins are provided for workers wherever required and people are encouraged to use ear plugs or earmuffs to avoid any accompanied noise hazards. The ambient noise level monitoring report is attached as Annexure-3 .
vi	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular health surveillance of the workers is being conducted on half yearly basis.
vii	The company shall develop rainwater harvesting structures to harvest the rain-water for utilization in the lean season besides recharging the ground water table.	Rainwater harvesting capacity enhanced by rejuvenating abandoned sites of inside CRM Bara Complex, which comprises of two large and three small ponds. Photograph attached as Annexure-2 .
viii	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Environment protection measures are being implemented according to measures and safeguard recommended in the EIA/ EMP report. Community development programs in surrounding areas are being implemented. Enterprise Social Commitment (ESC) activities details is provided in specific condition no xvi.
ix	Requisite funds shall be earmarked towards capital cost and recurring cost/ annum for environment pollution control measures to implement the conditions stipulated by the MoEF&CC as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Ranchi. The funds so provided shall not be diverted for any other purpose.	Capital cost and recurring is being utilized judicially for Environmental & Pollution Control Measures and to implement the conditions stipulated by MoEF & CC as well as the State Government. Capital and recurring costs are spent on Environment Management measures such as WWTP, online emission monitoring, pollution control equipment, waste disposal, horticulture etc.
x	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad /Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company the proponent.	The copy of Clearance letter has been sent to District Commissioner, Block Development Officer and Jamshedpur Notified Area Committee vide our letter no. EMD/C-38/135,137,138/15 dated 16 September 2015, attached as Annexure-7 . The clearance letter shall is also uploaded on the website of company. https://www.tatasteel.com/media/12708/ec-letter-for-08-mtpa-crm-complex-bara-of-tata-steel-issued-by-ministry-of-environment-forest-climate-change-govt-of-india.pdf

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

II. General Conditions:		
S.No.	Compliance Conditions	Compliance Status
xi	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF&CC at Ranchi. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emission) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	The six-monthly compliance reports of environment clearances granted by Ministry are being submitted to JSPCB's regional office, Ministry's Regional office, Zonal office CPCB Kolkata and JSPCB Ranchi regularly and being submitted online through the respective website. The six-monthly compliance reports along the monitored data is also uploaded in the website https://www.tatasteel.com/corporate/our-organisation/environment/environment-compliance-reports/ Monitoring data is being displayed near the main gate of the company in the public domain. Photograph attached as Annexure-8 .
xii	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of the Ministry at Ranchi / CPCB shall monitor the stipulated conditions.	Six-monthly compliance reports of environment clearances granted by Ministry along with environment monitoring reports are being submitted to JSPCB's regional office, Ministry's Regional office, Zonal office CPCB Kolkata and JSPCB Ranchi through email also the same is being uploaded on MoEF&CC website. FY26 H1 compliance report submitted via TSJ/EMD/C-38/062/25 dated 28 November 2025.
xiii	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional office of the MoEF&CC at Ranchi by e-mail.	The environmental statement for each financial year in Form-V is regularly being submitted to the Jharkhand State Pollution Control Board. Environment Statement for FY'25 has been submitted to JSPCB through hard and soft copies vide letter no. TSJ/EMD/C-23/050/25 dated 25 September 2025. The environmental statement has also been uploaded on the company's website: https://www.tatasteel.com/corporate/our-organisation/environment/environment-compliance-reports/
xiv	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the MoEF&CC at http://envor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office at Ranchi.	Environment clearance information/notice had been advertised in two local newspaper dated September 20, 2015, in English Paper and Hindi Paper viz The Telegraph and Prabhat Khabar attached as Annexure-9 . Copy of these have been sent to the Regional Office, MoEF&CC at Ranchi vide letter no. EMD/C38/136/15 dated 16 September 2015.
xv	Project authorities shall inform the Regional Office as well as the Ministry, the	Financial closure and final approval of the project by Board of Tata Steel was done in April 2013.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) Capacity Expansion (0.3 MTPA to 0.8 MTPA) (Ph-II) Jamshedpur, District East Singhbhum, Jharkhand vide MoEF&CC Letter no F.NO J-11011/22/2013-IA (II) I, dated on 15 Sept 2015

II. General Conditions:		
S.No.	Compliance Conditions	Compliance Status
	date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	
xvi	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	We are abiding for implementation of compliance conditions. The compliance of the above conditions is submitted on six-monthly basis.
xvii	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed. We will be in accordance with implementation of necessary additional conditions stipulated by the Ministry for compliance (if any).
xviii	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	We are abiding by all the applicable legal requirements and Statutory clearances.

ENVIRONMENTAL CLEARANCE COMPLIANCE STATUS REPORT

(October 2025 to March 2026)

**Cold Rolling Mill Complex (CRMC),
Jamshedpur**

**Six Monthly Compliance Status report of Environmental
Clearance of Cold Rolling Mill Complex (CRMC) to produce
Cold Rolled Coils (2,50,000 TPA) and Hot Rolled Pickled Coils
(50,000 TPA)**

**ENVIRONMENTAL MANAGEMENT DEPARTMENT
TATA STEEL LIMITED
JAMSHEDPUR**

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) to produce Cold Rolled Coils (2,50,000 TPA) and Hot Rolled Pickled Coils (50,000 TPA) at Bara, Jamshedpur, District East Singhbhum, Jharkhand, vide MoEF&CC Letter no.-J-11011/199/2007-IA.II (I) dated 7 Aug 2007

Specific Conditions:		
S.No.	Compliance Conditions	Compliance Status
i	Fume extraction system shall be provided to extract acid vapors or fumes from pickling line. Pickling bath shall be covered with tight granite covers. Ventilation chamber shall be provided in Cold Rolling Mill (CRM) plant to control LPG emissions.	Fume extraction system is provided to extract acid vapors or fumes from pickling line. Pickling baths are covered with tight granite covers. Ventilation has been provided within the plant to control LPG emission.
ii	Total water requirement from M/s JUSCO is about 1712 m ³ /day as per the present available data. No ground water shall be used. Wastewater treatment plant for treatment of wastewater shall be provided using oil separation, acid neutralization and clarification. The treated effluent shall be used for green belt development. The plant as indicated shall adopt zero discharge concepts in disposing the wastewater. Domestic effluent shall be treated in Sewage Treatment Plant.	No ground water is being used. CRM Bara is Zero Effluent Discharge (ZED) unit and not discharging any effluent outside premises. Effluent treatment plant is installed for the treatment of wastewater. The treated water is being recycled in operation, plantation, dust suppression and other low end uses. Domestic wastewater generated inside plant is being treated in STP.
iii	Iron oxide from Acid Regeneration Plant (ARP) shall be sold to authorized vendors for further use. Non-hazardous solid waste from neutralization process in CRM shall also be properly disposed of. Oily sludge shall be sold to authorized re-cyclers / re-processors for proper disposal through incineration.	Proper handling, storage, utilization, and disposal of solid waste generated is being ensured. Iron oxide is sold to paint industry and other recyclers. Disposable hazardous waste is sent to authorized TSDF. Metallic scraps generated at CRM Bara is being utilized through internal and external applications.
iv	Green belt shall be developed in 2.5 ha (33%) out of the total of 7.4 ha within and around the plant premises as per the CPCB guidelines in consultation with DFO.	Approx. 3.5 Ha area in and around plant is under plantation/ greenbelt/greenery which is more than 33% of the plant area. We have developed approx. 5m wide area of plantation around the plant.
v	Prior approval from the state/Central Govt shall be obtained for the use of forest land, if any	No forest land is involved.
vi	Permission from the State Government shall be obtained regarding impact of the proposed project on the Dalma Reserve Forest.	It has been stated that the project has obtained necessary permission from the State Forest Department vide letter no. 1204 dated 17.04.2008 & letter no 2614 dated 02.09.2014 (Annexure-10).
vii	As mentioned in EIA / EMP, 10.20 Crores and 0.21 Crores earmarked towards the capital cost and recurring cost per annum respectively for Environmental & Pollution Control Measures shall be judicially utilized to implement the conditions stipulated by MoEF as well as the State Government. The funds shall not be diverted for any other purpose.	Capital and recurring cost is being utilized judicially for Environmental & Pollution Control Measures and to implement the conditions stipulated by MoEF&CC as well as the State Government. Capital and recurring costs are spent on Environment Management measures such as WWTP, online emission monitoring, pollution control equipment, waste disposal, horticulture etc.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) to produce Cold Rolled Coils (2,50,000 TPA) and Hot Rolled Pickled Coils (50,000 TPA) at Bara, Jamshedpur, District East Singhbhum, Jharkhand, vide MoEF&CC Letter no.-J-11011/199/2007-IA.II (I) dated 7 Aug 2007

General Conditions:		
S.No	Compliance Conditions	Compliance Status
i.	The project authorities shall strictly adhere to the stipulations made by Jharkhand State Pollution Control Board (Jharkhand SPCB) and the State Government.	We are abiding by all the compliance conditions made by JSPCB and State Government of Jharkhand.
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of MoEF.	Further expansion of the plant was carried out with prior approval from MoEF&CC.
iii.	The gaseous emissions from various process units shall conform to the load / mass-based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The state board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.	Mentioned notification does not mention load/mass-based standards for Cold rolling mills. However, applicable points of the standards, issued by the Ministry vide G.S.R. 414(E) dated 30 May 2008 are being complied. Interlocking facilities has been provided with pollution control equipment at acid regeneration plant, pickling line, reversing mill and Shot Blasting machine to stop the process. At any time, the emission level is ensured not to go beyond the prescribed standards.
iv.	At least four ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission should be regularly submitted to this ministry including its Regional Office at Bhubaneswar, SPCB and CPCB once in six months.	Ambient air quality monitoring is being done at 4 locations. Monitoring reports are being submitted to JSPCB, CPCB and MoEF&CC regularly. Monitoring reports for all relevant parameters from Oct'25 to Mar'26 is attached in Annexure-3 .
V	In-plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Further, specific measures like water sprinkling shall be carried out and fugitive emissions shall be controlled, regularly monitored and records maintained.	The following equipment are provided to control Air Pollution: <ol style="list-style-type: none"> 1. Fume extraction system including scrubber in pickling line. 2. Bag filter in shot blasting machine and Acid recovery plant. 3. Roof-top ventilation system. 4. Water sprinkling and mechanized sweeping machine. Hot Rolled Coils from Main Steel Works are used as raw material in the manufacturing process. As Ore and Minerals are not being handled inside plant premises, there is no generation of secondary fugitive dust emission.
vi.	Secondary fugitive emissions shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines / Code of Practice issued by the CPCB in this regard shall be followed.	Hot Rolled Coils from Tata Steel Jamshedpur and Kalinganagar are used as raw material in the manufacturing process. As Ore and Minerals are not being handled inside plant premises, there is no generation of secondary fugitive dust emission. However, fugitive emission monitoring is being carried out on regular basis, records are maintained and submitted to JSPCB and MoEF&CC.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) to produce Cold Rolled Coils (2,50,000 TPA) and Hot Rolled Pickled Coils (50,000 TPA) at Bara, Jamshedpur, District East Singhbhum, Jharkhand, vide MoEF&CC Letter no.-J-11011/199/2007-IA.II (I) dated 7 Aug 2007

General Conditions:		
S.No	Compliance Conditions	Compliance Status
vii.	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	CRM Bara is Zero Effluent Discharge unit and not discharging any effluent outside premises. Effluent treatment plant is installed for the treatment of wastewater. The treated water is being recycled in operation, plantation, dust suppression and other low end uses.
viii.	The Company shall develop surface as well as ground water harvesting structures to harvest the rainwater for utilization in the lean season besides recharging the ground water table.	Rainwater harvesting capacity enhanced by rejuvenating abandoned sites of inside CRM Bara Complex, which comprises of two large and three small ponds. Photograph attached as Annexure-2 .
ix.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	High noise generating equipment has been provided with acoustic enclosures and silencer to reduce noise at source. Moreover, closed cabins are provided for workers wherever required and people are encouraged to use ear plugs or earmuffs to avoid any accompanied noise hazards. The ambient noise level monitoring report is enclosed as Annexure-3 .
x	Recommendations made in the Corporate Responsibility for Environment Conservation (CREP) issued for the steel plant shall be implemented.	No specific recommendations are there under CREP for Cold rolling mills.
xi.	Occupational Health Surveillance of the workers shall be done on the regular basis and records maintained as per the Factories Act.	Regular health surveillance of all the workers is being conducted half yearly.
xii.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA / EMP report.	Environment protection measures are being implemented according to measures and safeguard recommended in the EIA/ EMP report.
xiii.	The Company must undertake socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc.	Enterprise Social Commitment (ESC) activities are being done in Jamshedpur and Immediate Periphery. The company is committed to enhancing the well-being of nearby villages through a range of socio-economic development activities with initiatives such as community development programs, educational programs, drinking water supply, Livelihood- Skill Development, sports, Rural Infrastructure and health care etc.
xiv.	The Regional Office at Bhubaneswar / CPCB / SPCB will monitor the stipulated conditions. A six-monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	The six-monthly compliance reports of all existing environment clearances granted by Ministry are being submitted to JSPCB's regional office, Ministry's Regional office, Zonal office CPCB Kolkata and JSPCB Ranchi regularly and being submitted.

Compliance Report of Environmental Clearance of Cold Rolling Mill Complex (CRMC) to produce Cold Rolled Coils (2,50,000 TPA) and Hot Rolled Pickled Coils (50,000 TPA) at Bara, Jamshedpur, District East Singhbhum, Jharkhand, vide MoEF&CC Letter no.-J-11011/199/2007-IA.II (I) dated 7 Aug 2007

General Conditions:

S.No	Compliance Conditions	Compliance Status
xv.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office.	Environment clearance notice had been advertised in two local newspapers viz. Chamakta Aina (Hindi) and Avenue Mail (English) on 11 August 2007 and communication to this effect was also sent to MoEF&CC vide our letter no. EMD/C38/2119/07 dated 18 August 2007. Attached as Annexure-9 .
xvi.	Project authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Financial closure and final approval of the project by Board of Tata Steel was done in March 2006.

कार्यालय : प्रधान मुख्य वन संरक्षक, वन्य प्राणी एवं
मुख्य वन्यप्राणी प्रतिपालक, झारखण्ड, रांची।

Email : pccfwljharkhand@gmail.com Phone No. 0651-2481744

पत्रांक.....

दिनांक.....

सेवा में,

अपर मुख्य सचिव,
वन, पर्यावरण एवं जलवायु परिवर्तन विभाग,
झारखण्ड सरकार, रांची।

विषय:— Submission of the revised Site Specific Wildlife conservation Plan of M/s Tata Steel Limited (Steel Plant & Cold Rolling Mills Complex), Jamshedpur East Singhbhum for approval.

प्रसंग:— अपर प्रधान मुख्य वन संरक्षक, सिंहभूम रीजन, जमशेदपुर का पत्रांक 84 दिनांक 09.01.2017

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा M/s Tata Steel Limited द्वारा समर्पित स्थल विशिष्ट वन्यप्राणी (संरक्षण) प्रबंधन योजना (Site Specific Wildlife Conservation Plan) प्राप्त हुआ था। उक्त योजना का Power Point Presentation वन्यप्राणी (संरक्षण) प्रबंधन योजना की स्वीकृति हेतु गठित समिति के समक्ष दिनांक 29.03.2017 को किया गया। बैठक की कार्यवाही की छायाप्रति संलग्न है। बैठक में लिये गये निर्णय के आलोक में प्रयोक्ता अभिकरण द्वारा अनुपालन प्रतिवेदन समर्पित किया गया। प्रयोक्ता अभिकरण द्वारा संतोषजनक अनुपालन के पश्चात् उक्त वन्य प्राणी प्रबंधन योजना को स्वीकृति प्रदान की गयी।

सूचनार्थ प्रेषित।

अनुलग्नक:—यथोक्त।
वन्यप्राणी प्रबंधन योजना
की एक प्रति संलग्न।

आपका विश्वासी

ह0 / -

प्रधान मुख्य वन संरक्षक,
वन्य प्राणी एवं मुख्य वन्यप्राणी प्रतिपालक,
झारखण्ड, रांची।

ज्ञापांक.....दिनांक.....

प्रतिलिपि:— वन्यप्राणी (संरक्षण) प्रबंधन योजना की प्रति के साथ प्रधान मुख्य वन संरक्षक—सह कार्यकारी निदेशक, बंजर भूमि विकास बोर्ड, झारखण्ड, रांची को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

ह0 / -

प्रधान मुख्य वन संरक्षक,
वन्य प्राणी एवं मुख्य वन्यप्राणी प्रतिपालक,
झारखण्ड, रांची।

ज्ञापांक 1945 दिनांक 13.11.2017

प्रतिलिपि:— Shubhanand Mukesh, Head-Environment Management M/s
Tata Steel Limited को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

प्रधान मुख्य वन संरक्षक,
वन्य प्राणी एवं मुख्य वन्यप्राणी प्रतिपालक,
झारखण्ड, रांची।
13/11/17



Utsav Kashyap
Head Environment Clearance & Compliance TSL

TSJ/EMD/C-41/044/23

Date: 24.02.2023

To,
Divisional Forest Officer,
Jamshedpur Forest Division,
Jamshedpur - 831001
East Singhbhum, Jharkhand

Sub: Payment of levies w.r.t. approved Site-Specific Wildlife Conservation Plan (SSWLCP) of Tata Steel Limited (Main Steel Plant Jamshedpur & CRM Bara Rolling Mills Complex)

Ref: Approval of SSWLCP by Principle Chief Conservator of Forest - Wildlife & Chief Wildlife Warden (PCCF-WL & CWW), Jharkhand vide letter no. 1945 dated: 13.12.2017.
Demand note raised of your good office vide letter no. 3182 dated: 23.12.2023

Dear Ma'am,

This has reference to the captioned subject and cited references. We would like to inform you that we have made the payment of Rs.2,00,00,000/- (Rupees Two Crores only) with respect to the approved SSWLCP of Tata Steel Limited (Main Steel Plant Jamshedpur & CRM Bara Rolling Mills Complex) and submitting the e-challan copy of the payment as per the demand note received from your good office.

You are requested to kindly acknowledge the same and place in your records.

Thanking you
Yours Faithfully

For Tata Steel Limited

Utsav Kashyap
Head Environment Clearance & Compliance (TSL)
Encl: As above

TATA STEEL LIMITED

Environment Management Jamshedpur 831 001 India
Tel +91 657 6640363 P&T 8092087043 M e-mail utsav.kashyap@tatasteel.com
Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

Mob no → 6207901848

→ 8092087043



e-Challan

Finance Department, Government of Jharkhand



Receiving Dept: Forest, Environment and Climate Change Department

Valid UpTo :- 01/03/2023

Remitter's Copy

GRN:- 2315871703

Date:- 20/02/2023 17:17:34



Receiving Office :- JSRFOR051-D.F.O.JAMSHEDPUR PRM.JSR.-FOREST

District :- Purbi Singhbhum

Treasury:- Jamshedpur

Year:- 20/02/2023

to:- 28/02/2023

Head(8782)

Amount

₹

Head Details

878200103010101

FOREST REMITTANCES

20000000.00

Net Payable Amount:-

₹

20000000.00

Two Crore Rupees And Zero Paise Only

For Treasury Use Only (Jamshedpur)

Challan No and Date: 108 (20/02/2023)

Identity Proof(Registration No) - 000260

PAN No:-

Remitter Name:-

TATA STEEL LIMITED

Address :-

BISTUPUR, JAMSHEDPUR, 831001

Remarks :-

Deposit Work

Treasury Officer Signature is not required.

FOR USE IN TREASURY LINK BANK

CHEQUE/DD No :-

650925 DT. 16/02/2023

Scroll No and (Date) :-

()

Bank Name :- SBI, JAMSEDPUR, DISTRICT TREASURY OFFICE

Note:- Bank Official are requested to update the receipt Online before Stamping.

Signature & Seal of Bank

CRM Bara Water reservoirs



Tata Steel Limited
Environmental Monitoring Report of CRM Bara
CONTINUOUS AMBIENT AIR QUALITY REPORT FOR CRM BARA FROM OCT 2025
TO MAR 2026

Parameter	Particulate Matter (PM10) µg/m3	Particulate Matter (PM2.5) µg/m3	Sulphur Dioxide (SO2) µg/m3	Nitrogen Dioxide (NOx) µg/m3
Standard	100	60	80	80
Oct-25	107.4	56.8	10.1	19.0
Nov-25	191.8	93.4	17.4	53.7
Dec-25	265.1	154.4	21.4	75.9
Jan-26	231.8	126.9	21.4	56.0
Feb-26	188.5	80.1	16.4	52.5
Mar-26	137.1	65.4	20.4	33.0

Note:

Standards applicable as per National Ambient Air Quality Standards vide Notification No.: B-29016/20/90/PCI-L dated 18th November 2009.

UoM - Unit of Measurement



Sr. Manager
Monitoring and Analysis



Head
Environment Monitoring, Testing & Analysis (TSJ)

Tata Steel Limited
Environmental Monitoring Report of CRM Bara
AMBIENT AIR QUALITY REPORT FOR CRM BARA FROM OCT 2025 to MAR 2026 (MANUAL)

Location	Parameter	UoM	Standard	Oct-25	Jan-26
NEAR DISPATCH SHUTTER	Particulate Matter, PM ₁₀ ^S	µg/m ³	100	71.33	150.16
	Particulate Matter, PM _{2.5} ^S	µg/m ³	60	26.09	51.03
	Sulphur Dioxide (SO ₂) ^S	µg/m ³	80	22.15	14.80
	Nitrogen Dioxide (NO ₂) ^S	µg/m ³	80	37.64	49.26
	Carbon Monoxide (CO)	mg/m ³	2	0.89	0.81
	Ammonia (NH ₃) ^S	µg/m ³	400	46.24	55.15
	Ozone (O ₃) ^S	µg/m ³	180	9.83	12.04
	Nickel (Ni) ^S	ng/m ³	20	0.02	0.03
	Arsenic (As)	ng/m ³	6	NT	NT
	Lead (Pb) ^S	µg/m ³	1	<0.01	<0.01
	Benzene (C ₆ H ₆)	µg/m ³	5	<0.1	<0.1
	Benzo alpha Pyrene (BaP)	ng/m ³	1	<0.1	<0.1
NEAR PICKLING DISPACH	Parameter	UoM	Standard	Oct-25	Jan-26
	Particulate Matter, PM ₁₀ ^S	µg/m ³	100	71.70	146.17
	Particulate Matter, PM _{2.5} ^S	µg/m ³	60	24.01	48.08
	Sulphur Dioxide (SO ₂) ^S	µg/m ³	80	23.61	18.84
	Nitrogen Dioxide (NO ₂) ^S	µg/m ³	80	36.18	44.83
	Carbon Monoxide (CO)	mg/m ³	2	0.87	0.84
	Ammonia (NH ₃) ^S	µg/m ³	400	36.46	55.15
	Ozone (O ₃) ^S	µg/m ³	180	9.44	10.85
	Nickel (Ni) ^S	ng/m ³	20	0.02	0.02
	Arsenic (As)	ng/m ³	6	NT	NT
	Lead (Pb) ^S	µg/m ³	1	<0.01	<0.01
	Benzene (C ₆ H ₆)	µg/m ³	5	<0.1	<0.1
Benzo alpha Pyrene (BaP)	ng/m ³	1	<0.1	<0.1	
NEAR ROLL SHUTTER	Parameter	UoM	Standard	Oct-25	Jan-26
	Particulate Matter, PM ₁₀ ^S	µg/m ³	100	55.25	158.73
	Particulate Matter, PM _{2.5} ^S	µg/m ³	60	22.44	58.88
	Sulphur Dioxide (SO ₂) ^S	µg/m ³	80	16.21	21.26
	Nitrogen Dioxide (NO ₂) ^S	µg/m ³	80	28.95	51.27
	Carbon Monoxide (CO)	mg/m ³	2	0.90	0.79
	Ammonia (NH ₃) ^S	µg/m ³	400	46.24	58.16
	Ozone (O ₃) ^S	µg/m ³	180	10.97	9.66
	Nickel (Ni) ^S	ng/m ³	20	0.01	0.02
	Arsenic (As)	ng/m ³	6	NT	NT
	Lead (Pb) ^S	µg/m ³	1	<0.01	<0.01
	Benzene (C ₆ H ₆)	µg/m ³	5	<0.1	<0.1
Benzo alpha Pyrene (BaP)	ng/m ³	1	<0.1	<0.1	

Note


Standards applicable as per National Ambient Air Quality Standards vide Notification No.: B-29016/20/90/PCI-L dated 18th November 2009.

NT - Not Traced

\$This test report was generated by TATA STEEL LIMITED JSR EMD LAB having NABL Accreditation No.TC-8363.



Sr. Area Mgr Envi Monitoring & Analysis



Head
Environment Monitoring, Testing &
Analysis (TSJ)

Tata Steel Limited
Environmental Monitoring Report of CRM Bara
AMBIENT NOISE LEVEL MONITORING REPORT FOR CRM BARA FROM OCT 2025 to MAR 2026

Sl.No.	Sampling Location	Result	Oct-25		Nov-25		Dec-25		Jan-26		Feb-26		Mar-26	
			Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
			dB(A) Leq		dB(A) Leq		dB(A) Leq		dB(A) Leq		dB(A) Leq		dB(A) Leq	
1	Entrance Main Gate		56.4	62.1	61.4	52	63.4	60.1	62.4	59.9	62.5	52.1	58.5	58.1
2	Circle Near Main Gate		55.6	59.3	57.2	56.2	60.1	58.4	60.1	57.8	60.6	56.2	59.2	57.6
3	Circle Near Gate No-1		56.7	64.4	53.5	55.1	61.6	62.1	58.9	55.6	58.7	56.3	55.1	55.5
4	Gate No-1		62.3	62.1	54.6	55.4	58.6	55.3	63.8	60.1	59.6	56.8	60.3	61.2
5	Gate No-2		60.2	64.3	59.3	50.2	59.2	60	62.5	59.8	60.5	52.5	52.8	58.7

NOTE

Standards applicable as per Noise Pollution (Regulation and Control) (Amendment) Rules, 2000 notified vide S. O. 1046 (E), dated 22-11-2000

This test report is generated by NABL Accredited TATA STEEL LIMITED JSR EMD LAB having accreditation No.TC-8363



Sr. Manager
Monitoring and Analysis



Head
Environment Monitoring, Testing & Analysis
(TSJ)

TATA STEEL LIMITED
ENVIRONMENT MANAGEMENT DEPARTMENT - LABORATORY
CRM BARA EFFLUENT QUALITY REPORT SUMMARY

Sample Location	S.No.	Parameter	Oct-25	Jan-26
ETP Treated	1	pH	7.44	7.38
	2	Total Suspended solids	38	<10
	3	Oil & Grease	0.8	1.4
	4	Hexavalent Chromium, Cr+6	<0.05	<0.05
	5	Biological Oxygen Demand, BOD	13	8
	6	Chemical Oxygen Demand, COD	103	44

Note: This is a zero discharge unit.

Standards applicable as per Environment (Protection) (Third Amendment) Rules, 2012 issued in Gazette of India Notification vide No.: G. S. R. 277 (E) dated March 31, 2012.

\$This test report was generated by TATA STEEL LIMITED JSR EMD LAB having NABL Accreditation No.TC-8363.



Sr. Area Mgr Envi Monitoring &
Analysis



Head
Environment
Monitoring, Testing &
Analysis (TSJ)

TATA STEEL LIMITED

Environment Management Department – Laboratory

River Water Monitoring Report from Oct'25-March'26

Month	Locations	pH	Temperature	Conductivity	Turbidity	Total Dissolved Solids	TSS
		--	°C	µMho/Cm	mg/L	mg/L	mg/L
Oct-25	Kharkhai River (Near Adityapur Bridge)	7.64	25.60	576	13.80	172	<10
	Kharkhai River (Near Dumuhani)	7.35	25.4	559	21.4	180	<10
	Swarna Rekha River (Near Mango Bridge)	7.3	25.6	593	24.3	191	<10
	Swarna Rekha River (Near Bagun Hatu)	7.95	27.9	224	12.7	197	<10
	Locations	Alkalinity	Total Hardness	Calcium	Magnesium	Sodium	Potassium
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	132	221	34	11	68	2
	Kharkhai River (Near Dumuhani)	136	191	33	10	47	2
	Swarna Rekha River Near Mango Bridge	140	177	29	9	42	4
	Swarna Rekha River Bagun Hatu	118	181	34	9	28	5
	Locations	Chloride	SO ₄ ²⁻	PO ₄ - P (10 mm)	Nitrate Nitrogen as N	Nitrite Nitrogen as N	F ⁻
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	20	17	0.1	0.50	0.05	0.428
	Kharkhai River (Near Dumuhani)	25	40	0.15	1.30	0.11	0.51
	Swarna Rekha River Near Mango Bridge	30	36	0.2	0.50	0.03	0.67
	Swarna Rekha River Bagun Hatu	42	37	0.1	0.40	0.02	0.56
	Locations	SiO ₂	Fe	Mn	Cr (VI)	Cu	Cr
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	15	0.06	0.01	<0.05	< 0.01	< 0.01
	Kharkhai River (Near Dumuhani)	14	0.03	0.01	<0.05	< 0.01	< 0.01
	Swarna Rekha River Near Mango Bridge	16	0.10	0.04	<0.05	< 0.01	< 0.01
	Swarna Rekha River Bagun Hatu	14	0.22	0.09	<0.05	< 0.01	< 0.01
	Locations	Cd	Ni	Zn	Pb	Nitrogen (Ammonia) as N	O & G
		mg/L	mg/L	mg/L	mg/L	mg/L	-
	Kharkhai River (Near Adityapur Bridge)	< 0.01	< 0.01	0.01	< 0.01	<1.0	0.4
	Kharkhai River (Near Dumuhani)	< 0.01	< 0.01	0.008976	0.0057	<1.0	0.8
	Swarna Rekha River Near Mango Bridge	< 0.01	< 0.01	< 0.01	0.01	<1.0	0.4
	Swarna Rekha River Bagun Hatu	< 0.01	< 0.01	0.01	< 0.01	<1.0	0.6
	Locations	COD	BOD (3days at 270C)	DO at Spot	Barium as Ba	Boron as B	Free Chlorine
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	16	9	6.1	0.03	0.02	<0.1
	Kharkhai River (Near Dumuhani)	21	11	9.0	0.05	0.02	0.19
Swarna Rekha River Near Mango Bridge	18	10	6.4	0.52	0.20	<0.1	
Swarna Rekha River Bagun Hatu	23	13	6.0	0.04	0.24	<0.1	
Locations	Sulphide as S-2	Phenolic Compounds as Phenols	Cyanide as CN	Selenium as Se	-	-	
	mg/L	mg/L	mg/L	mg/L	-	-	
Kharkhai River (Near Adityapur Bridge)	<0.10	<0.10	<0.1	< 0.01	-	-	
Kharkhai River (Near Dumuhani)	<0.10	<0.10	<0.1	< 0.01	-	-	
Swarna Rekha River Near Mango Bridge	<0.10	<0.10	<0.1	< 0.01	-	-	
Swarna Rekha River Bagun Hatu	<0.10	<0.10	<0.1	< 0.01	-	-	

Month	Locations	pH	Temperature	Conductivity	Turbidity	Total Dissolved Solids	TSS
		--	°C	µMho/Cm	mg/L	mg/L	mg/L
Jan-26	Kharkhai River (Near Adityapur Bridge)	7.73	27.8	525	4.49	257	<10
	Kharkhai River (Near Dumuhani)	8.13	27.9	446	2.09	219	<10
	Swarna Rekha River (Near Mango Bridge)	8.07	28.2	324	2.06	159	<10
	Locations	Alkalinity	Total Hardness	Calcium	Magnesium	Sodium	Potassium
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	180	187.37	32	11	70	2
	Kharkhai River (Near Dumuhani)	160	167.13	31	13	46	4
	Swarna Rekha River Near Mango Bridge	119	119.03	27	8	41	4
	Locations	Chloride	SO ₄ ²⁻	PO ₄ - P (10 mm)	Nitrate Nitrogen as N	Nitrite Nitrogen as N	F ⁻
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	34	30.385	1.076	0.972	<0.2	0.26
	Kharkhai River (Near Dumuhani)	28	16.185	0.685	0.78	<0.2	0.32
	Swarna Rekha River Near Mango Bridge	17	16.57	0.531	0.669	0.238	0.31
	Locations	SiO ₂	Fe	Mn	Cr (VI)	Cu	Cr
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	12.75	0.04	0.01	<0.05	<0.01	<0.01
	Kharkhai River (Near Dumuhani)	9.96	0.02	0.01	<0.05	<0.01	<0.01
	Swarna Rekha River Near Mango Bridge	9.99	0.06	0.03	<0.05	<0.01	<0.01
	Locations	Cd	Ni	Zn	Pb	Nitrogen (Ammonia) as N	O & G
		mg/L	mg/L	mg/L	mg/L	mg/L	-
	Kharkhai River (Near Adityapur Bridge)	<0.01	<0.01	0.01	<0.01	<1.0	1.2
	Kharkhai River (Near Dumuhani)	<0.01	<0.01	<0.01	<0.01	<1.0	1.4
	Swarna Rekha River Near Mango Bridge	<0.01	<0.01	<0.01	0.01	<1.0	1.2
	Locations	COD	BOD (3days at 270C)	DO at Spot	Barium as Ba	Boron as B	Free Chlorine
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Kharkhai River (Near Adityapur Bridge)	22	5	4.62	0.03	0.02	<0.1
	Kharkhai River (Near Dumuhani)	19	4	6.89	0.02	0.03	<0.1
	Swarna Rekha River Near Mango Bridge	13	4	6.92	0.04	0.02	<0.1
	Locations	Sulphide as S-2	Phenolic Compounds as Phenols	Cyanide as CN	Selenium as Se	-	-
		mg/L	mg/L	mg/L	mg/L	-	-
Kharkhai River (Near Adityapur Bridge)	<0.10	<0.10	<0.1	<0.01	-	-	
Kharkhai River (Near Dumuhani)	<0.10	<0.10	<0.1	<0.01	-	-	
Swarna Rekha River Near Mango Bridge	<0.10	<0.10	<0.1	<0.01	-	-	

Note:

This test report was generated by TATA STEEL LIMITED JSR EMD LAB having NABL Accreditation No.TC-8363

Naagan zuma

Sr. Area Manager
Environment
Monitoring & Analysis

Piy

Head Environment
Monitoring, Testing &
Analysis (TSJ)

TATA STEEL LIMITED

Environment Management Department – Laboratory

Ground Water Monitoring Report from Oct'25-March'26

Month	Locations	pH	Temperature	Conductivity	Total Dissolved Solids	Total Suspended Solids	Alkalinity as CaCO ₃
		--	°C	µMho/Cm	mg/L	mg/L	mg/L
Oct-25	Baganhattu Ground Water	6.6	27.8	937	459	12	106
	Jemco Ground Water	7.3	26.6	1301	637	<10	25
	Parvati Ghat Ground Water	7.0	26.2	2404	1178	<10	613
	Jugsalai Ground Water	7.0	26.6	337	165	<10	244
	Sonari Ground Water	7.0	26.5	951	466	<10	272
	Locations	Total Hardness as CaCO ₃	Calcium as Ca	Chlorides as Cl ⁻	Sulphates as SO ₄ ⁻²	Nitrate Nitrogen as N	Nitrite Nitrogen as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Baganhattu Ground Water	317	76	179	23	0.39	0.03
	Jemco Ground Water	383	112	123	560	6.44	0.15
	Parvati Ghat Ground Water	1117	192	141	397	12.62	0.19
	Jugsalai Ground Water	336	102	59	116	12.39	0.04
	Sonari Ground Water	360	106	69	137	13.69	0.03
	Locations	Fluorides as F ⁻	Silica as SiO ₂	Iron as Fe	Manganese as Mn	Hexavalent Chromium as Cr+6	Copper as Cu
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Baganhattu Ground Water	0.17	22.0	0.22	0.60	<0.05	<0.01
	Jemco Ground Water	8.85	9.3	0.05	0.01	<0.05	<0.01
	Parvati Ghat Ground Water	0.93	26.0	0.04	0.14	<0.05	<0.01
	Jugsalai Ground Water	0.22	26.5	0.02	0.07	<0.05	<0.01
	Sonari Ground Water	0.26	25.3	0.02	0.32	<0.05	<0.01
	Locations	Total Chromium as Cr	Cadmium Cd	Nickel as Ni	Zinc as Zn	Lead as Pb	Nitrogen (Ammonia) as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Baganhattu Ground Water	< 0.01	< 0.01	< 0.01	0.02	0.01	<1.0
	Jemco Ground Water	< 0.01	< 0.01	< 0.01	0.01	<0.01	<1.0
	Parvati Ghat Ground Water	< 0.01	< 0.01	< 0.01	0.01	0.01	<1.0
	Jugsalai Ground Water	< 0.01	< 0.01	< 0.01	0.02	<0.01	<1.0
	Sonari Ground Water	< 0.01	< 0.01	0.0	0.03	< 0.01	<1.0
	Locations	Free Chlorine	Sulphide as S ⁻²	Phenolic Compounds as Phenols	Free Cyanide	Aluminium	-
mg/L		mg/L	mg/L	mg/L	mg/L	-	
Baganhattu Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Jemco Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Parvati Ghat Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Jugsalai Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Sonari Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	

Month	Locations	pH	Temperature	Conductivity	Total Dissolved Solids	Total Suspended Solids	Alkalinity as CaCO ₃
		--	°C	µMho/Cm	mg/L	mg/L	mg/L
Dec-25	Parvati Ghat Ground Water	7.12	24.3	2476	1213	<10	563
	Jugsalai Ground Water	7.01	24.4	2624	1286	<10	635
	Sonari Ground Water	6.83	23.3	771	378	<10	227
	Baganhattu Ground Water	7.04	23.8	1339	656	<10	438
	Jemco Ground Water	7.84	23.5	837	410	58	87
	Locations	Total Hardness as CaCO ₃	Calcium as Ca	Chlorides as Cl ⁻	Sulphates as SO ₄ ⁻²	Nitrate Nitrogen as N	Nitrite Nitrogen as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	1041	86	157	387	121.33	0.17
	Jugsalai Ground Water	1165	107	153	413	141.58	0.03
	Sonari Ground Water	275	177	51	108	6.26	0.04
	Baganhattu Ground Water	574	94	87	225	5.11	0.06
	Jemco Ground Water	238	97	60	297	0.20	0.08
	Locations	Fluorides as F ⁻	Silica as SiO ₂	Iron as Fe	Manganese as Mn	Hexavalent Chromium as Cr+6	Copper as Cu
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	1.55	25.2	0.16	0.46	<0.05	<0.01
	Jugsalai Ground Water	0.93	20.6	0.03	0.02	<0.05	<0.01
	Sonari Ground Water	0.361	26.3	0.04	0.11	<0.05	<0.01
	Baganhattu Ground Water	0.524	38.2	0.01	0.04	<0.05	<0.01
	Jemco Ground Water	0.446	12.2	0.02	0.27	<0.05	<0.01
	Locations	Total Chromium as Cr	Cadmium Cd	Nickel as Ni	Zinc as Zn	Lead as Pb	Nitrogen (Ammonia) as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	< 0.01	< 0.01	< 0.01	0.03	0.01	<1.0
	Jugsalai Ground Water	< 0.01	< 0.01	< 0.01	0.01	0.01	<1.0
	Sonari Ground Water	< 0.01	< 0.01	< 0.01	0.01	<0.01	<1.0
	Baganhattu Ground Water	< 0.01	< 0.01	< 0.01	0.01	0.01	<1.0
	Jemco Ground Water	< 0.01	< 0.01	< 0.01	0.03	0.01	<1.0
	Locations	Free Chlorine	Sulphide as S ⁻²	Phenolic Compounds as Phenols	Free Cyanide	Aluminium	-
		mg/L	mg/L	mg/L	mg/L	mg/L	-
	Parvati Ghat Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
	Jugsalai Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
	Sonari Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
	Baganhattu Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
Jemco Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	

Month	Locations	pH	Temperature	Conductivity	Total Dissolved Solids	Total Suspended Solids	Alkalinity as CaCO ₃
		--	°C	µMho/Cm	mg/L	mg/L	mg/L
Jan-26	Parvati Ghat Ground Water	7.13	27.9	2560	1254	<10	594
	Jugsalai Ground Water	7.21	28.0	1371	672	<10	456
	Jemco Ground Water	6.92	28.2	751	368	<10	85
	Sonari Ground Water	6.81	28.9	743	364	<10	224
	Baganhattu Ground Water	6.97	29.1	694	340	<10	212
	Locations	Total Hardness as CaCO ₃	Calcium as Ca	Chlorides as Cl ⁻	Sulphates as SO ₄ ⁻²	Nitrate Nitrogen as N	Nitrite Nitrogen as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	1239	88	156	32	22.13	<0.2
	Jugsalai Ground Water	588	110	106	25	5.15	<0.2
	Jemco Ground Water	240	168	55	32	0.44	<0.2
	Sonari Ground Water	251	99	50	12	5.91	<0.2
	Baganhattu Ground Water	209	101	47	31	5.55	<0.2
	Locations	Fluorides as F ⁻	Silica as SiO ₂	Iron as Fe	Manganese as Mn	Hexavalent Chromium as Cr+6	Copper as Cu
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	0.62	32.4	0.04	0.10	<0.05	<0.01
	Jugsalai Ground Water	0.39	24.5	0.01	0.05	<0.05	<0.01
	Jemco Ground Water	0.25	32.0	0.02	0.07	<0.05	<0.01
	Sonari Ground Water	0.36	12.1	0.17	0.33	<0.05	<0.01
	Baganhattu Ground Water	0.26	30.6	0.03	0.02	<0.05	<0.01
	Locations	Total Chromium as Cr	Cadmium Cd	Nickel as Ni	Zinc as Zn	Lead as Pb	Nitrogen (Ammonia) as N
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Parvati Ghat Ground Water	< 0.01	< 0.01	< 0.01	0.02	0.01	<1.0
	Jugsalai Ground Water	< 0.01	< 0.01	< 0.01	0.01	0.01	<1.0
	Jemco Ground Water	< 0.01	< 0.01	< 0.01	0.01	<0.01	<1.0
	Sonari Ground Water	< 0.01	< 0.01	< 0.01	0.01	0.01	<1.0
	Baganhattu Ground Water	< 0.01	< 0.01	< 0.01	0.02	0.01	<1.0
	Locations	Free Chlorine	Sulphide as S ⁻²	Phenolic Compounds as Phenols	Free Cyanide	Aluminium	-
		mg/L	mg/L	mg/L	mg/L	mg/L	-
	Parvati Ghat Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
	Jugsalai Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-
Jemco Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Sonari Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	
Baganhattu Ground Water	<0.1	<0.10	<0.10	<0.1	< 0.01	-	

Note:

This test report was generated by TATA STEEL LIMITED JSR EMD LAB having NABL Accreditation No.TC-8363

Nagaazuma

Sr. Area Manager
Environment
Monitoring & Analysis

Prig

Head Environment
Monitoring, Testing &
Analysis (TSJ)



ISO 9001, 45001, 14001



Sustainability

Date: 28.11.2024

To

M/s. Tata Steel Ltd-CRM Bara complex
Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009

We are here with enclosing the Comprehensive analysis report of Solid Waste Sample --: **Oily Sludge** received on Date: **19.11.2024**. The disposal method for the above sample is **Direct Incineration due to High Calorific value (3894 cal/gm)**. We are also enclosing the invoice for analysis.

The disposal method is purely based on the characteristics of the sample sent to us. When the waste will be sent to us it will be analyzed and if the characteristics change the disposal method may change.

Please send us your suggestions for improving laboratory services by filling customer Feedback form attached herewith.

Thanking you for your business. Please Contact us again if we can be of any service in the future. Our fullest Co-Operation and best service assured always.

Yours faithfully

For Adityapur Waste Management Project
(A Subsidiary of Re Sustainability Ltd)



Authorized Signatory
(Shambhu Kumar Yadav)

Adityapur Waste Management Pvt. Ltd.
(A Division of Re Sustainability Limited)
Site Address :
Ukri Road, Plot No.-43, Khata No.- 529,
Sini More, Dist.-Seraikella - Kharswan,
Jharkhand - 833220
ISO 9000 : 2015, 14001 : 2015, 45001 : 2018
CIN : U37200AP2013PTC088316

Re Sustainability Limited
(formerly known as Ramky Enviro Engineers Limited)
Registered Office :
Level 11, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad
Telangana - 500081, India.
CIN No. U74140TG1994PLC018833

T: +91 9065525725
E: hr.awmpl@resustainability.com
resustainability.com

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Name of Client : M/s. Tata Steel Ltd-CRM Bara complex	
Contact Details :	
Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009	
Telephone No. : -	Fax No. : -
Email ID : -	
Membership No. :	

Name of Sample / Hazardous Waste : Oily Sludge											
Description of Sample When Received : Solid											
Sample Reference Number : 742/24-25	Sample Received Date	1	9	.	1	1	.	2	0	2	4
Sample Drawn By : AWMPL Representative											
Waste Category: Schedule-I, Cat.											
RAW Material List / Process Details Enclosed	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> NO									
MSDS Provided by Client	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> NO									
Sample Registration No: AWMPL/Lab/CA/742/24-25											
Confirmation Date	1	9	.	1	1	.	2	0	2	4	Confirmation by: MBD Dept., AWMPL
Analysis start date	1	9	.	1	1	.	2	0	2	4	


 Authorized Signatory
 (Shambhu Kumar Yadav)


COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Particulars	Observation	Remarks (If any)
1	Does the waste have strong Odor?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
2	Does the waste give fumes exposed to the atmosphere?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3	Does the waste react with water?	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4	Is the waste incompatible with any material? If so specify	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

TEST REPORT

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
5	Physical State	-	-	Solid	Not Specified
6	Color	-	-	Black	Not Specified
7	Texture	-	-	Semi wet	Not Specified
8	PFLT(Paint Filter Liquid Test)	-	USEPA 1998, SW-846; 9095A	Pass	Pass
9	Bulk Density	g/cc	APHA 23 rd Edition; 2710 F	1.27	Not Specified
10	Calorific Value	cal/g	IS:1350 Part II - 1970	3894	<2500
11	Flash Point	°C	USEPA 1998, SW 846; 1020 A	>60	>60
12	pH (At Room Temperature)	-	USEPA 1998, SW-846; 9045 C	5.614	4 -12
13	LOD @ 105°C	%	APHA 23 rd Edition, 2017; 2540	27.74	Not Specified
14	LOI @ 550°C	%	APHA 23 rd Edition, 2017; 2540	67.53	<20
15	Ash Content @ 900°C	%	APHA 23 rd Edition, 2017; 2540	NA	Not Specified


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
16	Water soluble organics	%	APHA 23 rd Edition; 2540 - E	0.14	<10.0
17	Oil & Grease (n-Hexane Extractable)	%	SW-846; 3540	3.24	<4.0
19	Fluorides as F ⁻	mg/kg	APHA 23 rd Edition; 4500 F - D	NA	Not Specified
20	Specific Gravity	g/cc	APHA 23 rd Edition; 2710 F	NA	Not Specified
21	Reactive Cyanide as HCN	mg/kg	USEPA 1998, SW-846; 9014	<1.0	<250
22	Reactive Sulphide as H ₂ S	mg/kg	USEPA 1998, SW-846; 9034	<10.0	<500
23	Zinc as Zn- Total	mg/kg	USEPA 1998, SW-846; 7950	7.59	Not Specified
24	Cobalt as Co- Total	mg/kg	USEPA 1998, SW-846; 7200	NA	Not Specified
25	Cadmium as Cd- Total	mg/kg	USEPA 1998, SW-846; 7130	<1.0	Not Specified
26	Copper as Cu- Total	mg/kg	USEPA 1998, SW-846; 7210	22.85	Not Specified
27	Total Chromium as Cr- Total	mg/kg	USEPA 1998, SW-846; 7190	26.00	Not Specified
28	Iron as Fe- Total	mg/kg	USEPA 1998, SW-846; 7380	NA	Not Specified
29	Lead as Pb- Total	mg/kg	USEPA 1998, SW-846; 7420	45.96	Not Specified
30	Manganese as Mn - Total	mg/kg	USEPA 1998, SW-846; 7460	NA	Not Specified
31	Nickel as Ni- Total	mg/kg	USEPA 1998, SW-846; 7520	25.75	Not Specified




Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	-	1	1	-	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
(TCLP) Toxicity Characteristics Leaching Procedure					
32	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	<0.05	<5.0
33	Cadmium as Cd	mg/L	USEPA 1998, SW-846; 7130	<0.05	<1.0
34	Total Chromium as Cr	mg/L	USEPA 1998, SW-846; 7190	<0.05	<5.0
35	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edl., 2017: 3500 Cr B	<0.05	<5.0
36	Cobalt as Co	mg/L	USEPA 1998, SW-846; 7200	NA	<80.0
37	Copper as Cu	mg/L	USEPA 1998, SW-846; 7210	<0.05	<25.0
38	Iron as Fe	mg/L	USEPA 1998, SW-846; 7380	NA	<3.0
39	Lead as Pb	mg/L	USEPA 1998, SW-846; 7420	<0.05	<5.0
40	Manganese as Mn	mg/L	USEPA 1998, SW-846; 7460	NA	<10.0
41	Nickel as Ni	mg/L	USEPA 1998, SW-846; 7520	<0.05	<20.0
42	Zinc as Zn	mg/L	USEPA 1998, SW-846; 7950	0.42	<250.0
(WLT) Water Leaching Testing					CPCB/HAZWAMS /TSDF Protocol/2010-2011
43	Cyanide	mg/L	APHA 23 rd Edition,4500 CN-E	<0.1	<2.0
44	Fluoride	mg/L	APHA 23 rd Edition,4500 F-D	<1.0	<50.0
45	Nitrate	mg/L	APHA 23 rd Edition,4500 NO ₃ ⁻ - E	<5.0	<30.0
46	Phenols	mg/L	APHA 23 rd Edition,5530 B & D	<1.0	<100.0
47	Ammonia as N	mg/L	APHA 23 rd Edition,4500NH ₃ B,C	<10.0	<1000.0


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

48	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	NA	<1.0
49	Cadmium as Cd	mg/L	APHA 23 rd Edition, 3111 B	<0.01	<0.2
50	Total Chromium as Cr	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not Specified
51	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	<0.5
52	Cobalt as Co	mg/L	APHA 23 rd Edition, 3111 B	NA	Not Specified
53	Copper as Cu	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<10.0
54	Iron as Fe	mg/L	APHA 23 rd Edition, 3111 B	NA	<3.0
55	Lead as Pb	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<2.0
56	Manganese as Mn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not Specified
57	Nickel as Ni	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<3.0
58	Zinc as Zn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<10.0

Safety Instructions for Handling of Hazardous Waste (if any) -

Use PPE's during handling of Oily Sludge.

ABBREVIATIONS

CPCB	- Central Pollution Control Board
SW 846	- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA, 1998
Std. Methods	- Standard Methods for the Examination of Water & Wastewater, APHA 23 rd Edition, 2017
TCLP	- Toxicity Characteristic Leaching Procedure
WLT	- Water Leaching Testing
LOD	- Loss On Drying
LOI	- Loss On Ignition
NA	- Not Applicable
ND	- Not Detected
BDL	- Below Detectable Limit
Y	- Yes
N	- No



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/742/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

TERMS AND CONDITIONS

1. The analysis report refers only to the 'as received' sample of waste
2. The report cannot be produced in part or in full without the permission of Adityapur Waste Management Private Limited
3. In the absence of specific request from the customer, AWMPL follows National/International standards specifications for conducting the tests. Alternatively, in the absence of these methods, AWMPL shall follow the operating procedures developed by AWMPL.
4. The laboratory, normally, will not offer any opinion/advise or recommendation with respect to the suitability or otherwise of the sample for any application or use. Conformities to a specification or Act will be mentioned as per the Act/specification, if required.
5. Under no circumstances AWMPL accepts any liability or loss or damage caused by use or misuse of the test report. Liability is limited to the testing fee charged, in case of proven negligence by the laboratory.
6. AWMPL shall not assume any responsibility for variation in test results of samples kept on hold for want of clarification.
7. Client may visit (If desired) our laboratory to witness the related tests.
8. **This Test report is valid for two years from the date of issue of report, if there is no change in processes, raw materials etc.**

Disposal Pathway/Opinions/Interpretations

Direct Incineration.

END OF REPORT



Authorized Signatory
(Shambhu Kumar Yadav)



ISO 9001, 45001, 14001



Sustainability

Date: 28.11.2024

To

M/s. Tata Steel Ltd-CRM Bara complex

Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009

We are here with enclosing the Comprehensive analysis report of Solid Waste Sample –: Oily Scum received on Date: 18.11.2024. The disposal method for the above sample is Direct Incineration due to High Calorific value (3389 cal/gm). We are also enclosing the invoice for analysis.

The disposal method is purely based on the characteristics of the sample sent to us. When the waste will be sent to us it will be analyzed and if the characteristics change the disposal method may change.

Please send us your suggestions for improving laboratory services by filling customer Feedback form attached herewith.

Thanking you for your business. Please Contact us again if we can be of any service in the future. Our fullest Co-Operation and best service assured always.

Yours faithfully

For Adityapur Waste Management Project

(A Subsidiary of Re Sustainability Ltd)



Authorized Signatory
(Shambhu Kumar Yadav)

Adityapur Waste Management Pvt. Ltd.

(A Division of Re Sustainability Limited)

Site Address :

Ukri Road, Plot No.-43, Khata No.- 529,

Sini More, Dist -Seraikella - Kharswan,

Jharkhand - 833220

ISO 9000 : 2015, 14001 : 2015, 45001 : 2018

CIN : U37200AP2013PTC088316

Re Sustainability Limited

(Formerly known as Ramky Enviro Engineers Limited)

Registered Office :

Level 11, Aurobindo Galaxy,

Hyderabad Knowledge City,

Hitech City Road, Hyderabad

Telangana - 500081, India.

CIN No. U74140TG1994PLC018833

T: +91 9065525725
E: hr.awmpl@resustainability.com

resustainability.com

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Name of Client : M/s. Tata Steel Ltd-CRM Bara complex	
Contact Details :	
Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009	
Telephone No. : -	Fax No. : -
Email ID : -	
Membership No. :	

Name of Sample / Hazardous Waste : Oily Scum											
Description of Sample When Received : Solid											
Sample Reference Number : 741/24-25	Sample Received Date	1	8	.	1	1	.	2	0	2	4
Sample Drawn By : AWMPL Representative											
Waste Category: Schedule-I, Cat.											
RAW Material List / Process Details Enclosed	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> NO									
MSDS Provided by Client	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> NO									
Sample Registration No: AWMPL/Lab/CA/741/24-25											
Confirmation Date	1	8	.	1	1	.	2	0	2	4	Confirmation by: MBD Dept., AWMPL
Analysis start date	1	8	.	1	1	.	2	0	2	4	



Authorized Signatory
(Shambhu kumar Yadav)


COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Particulars	Observation		Remarks (If any)
1	Does the waste have strong Odor?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
2	Does the waste give fumes exposed to the atmosphere?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
3	Does the waste react with water?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
4	Is the waste incompatible with any material? If so specify	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

TEST REPORT

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
5	Physical State	-	-	Solid	Not Specified
6	Color	-	-	Black	Not Specified
7	Texture	-	-	Slurry	Not Specified
8	PFLT(Paint Filter Liquid Test)	-	USEPA 1998, SW-846; 9095A	Pass	Pass
9	Bulk Density	g/cc	APHA 23 rd Edition; 2710 F	1.12	Not Specified
10	Calorific Value	cal/g	IS:1350 Part II - 1970	3389	<2500
11	Flash Point	°C	USEPA 1998, SW 846; 1020 A	>60	>60
12	pH (At Room Temperature)	-	USEPA 1998, SW-846; 9045 C	5.589	4 -12
13	LOD @ 105°C	%	APHA 23 rd Edition, 2017; 2540	44.69	Not Specified
14	LOI @ 550°C	%	APHA 23 rd Edition, 2017; 2540	66.41	<20
15	Ash Content @ 900°C	%	APHA 23 rd Edition, 2017; 2540	NA	Not Specified



Authorized Signatory
(Shambhu Kumar Yadav)

Page 2 of 6

Rev. No. 01/ 01.10.2020

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
16	Water soluble organics	%	APHA 23 rd Edition; 2540 - E	0.14	<10.0
17	Oil & Grease (n-Hexane Extractable)	%	SW-846: 3540	6.41	<4.0
19	Fluorides as F ⁻	mg/kg	APHA 23 rd Edition; 4500 F - D	NA	Not Specified
20	Specific Gravity	g/cc	APHA 23 rd Edition; 2710 F	NA	Not Specified
21	Reactive Cyanide as HCN	mg/kg	USEPA 1998, SW-846; 9014	<1.0	<250
22	Reactive Sulphide as H ₂ S	mg/kg	USEPA 1998, SW-846; 9034	<10.0	<500
23	Zinc as Zn- Total	mg/kg	USEPA 1998, SW-846; 7950	14.58	Not Specified
24	Cobalt as Co- Total	mg/kg	USEPA 1998, SW-846; 7200	NA	Not Specified
25	Cadmium as Cd- Total	mg/kg	USEPA 1998, SW-846; 7130	3.5	Not Specified
26	Copper as Cu- Total	mg/kg	USEPA 1998, SW-846; 7210	<1.0	Not Specified
27	Total Chromium as Cr- Total	mg/kg	USEPA 1998, SW-846; 7190	<1.0	Not Specified
28	Iron as Fe- Total	mg/kg	USEPA 1998, SW-846; 7380	NA	Not Specified
29	Lead as Pb- Total	mg/kg	USEPA 1998, SW-846; 7420	<1.0	Not Specified
30	Manganese as Mn - Total	mg/kg	USEPA 1998, SW-846; 7460	NA	Not Specified
31	Nickel as Ni- Total	mg/kg	USEPA 1998, SW-846; 7520	<1.0	Not Specified



Authorized Signatory
(Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
(TCLP) Toxicity Characteristics Leaching Procedure					
32	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	<0.05	<5.0
33	Cadmium as Cd	mg/L	USEPA 1998, SW-846; 7130	<0.05	<1.0
34	Total Chromium as Cr	mg/L	USEPA 1998, SW-846; 7190	<0.05	<5.0
35	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Ed., 2017: 3500 Cr B	<0.05	<5.0
36	Cobalt as Co	mg/L	USEPA 1998, SW-846; 7200	NA	<80.0
37	Copper as Cu	mg/L	USEPA 1998, SW-846; 7210	<0.05	<25.0
38	Iron as Fe	mg/L	USEPA 1998, SW-846; 7380	NA	<3.0
39	Lead as Pb	mg/L	USEPA 1998, SW-846; 7420	<0.05	<5.0
40	Manganese as Mn	mg/L	USEPA 1998, SW-846; 7460	NA	<10.0
41	Nickel as Ni	mg/L	USEPA 1998, SW-846; 7520	<0.05	<20.0
42	Zinc as Zn	mg/L	USEPA 1998, SW-846; 7950	1.25	<250.0
(WLT) Water Leaching Testing					CPCB/HAZWAMS /TSDF Protocol/2010-2011
43	Cyanide	mg/L	APHA 23 rd Edition,4500 CN-E	<0.1	<2.0
44	Fluoride	mg/L	APHA 23 rd Edition,4500 F-D	<1.0	<50.0
45	Nitrate	mg/L	APHA 23 rd Edition,4500 NO ₃ ⁻ - E	<5.0	<30.0
46	Phenols	mg/L	APHA 23 rd Edition,5530 B & D	<1.0	<100.0
47	Ammonia as N	mg/L	APHA 23 rd Edition,4500NH3 B,C	<10.0	<1000.0


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sl. No.	Parameter	Unit	Method	Result	Limit
48	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	NA	<1.0
49	Cadmium as Cd	mg/L	APHA 23 rd Edition, 3111 B	<0.01	<0.2
50	Total Chromium as Cr	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not Specified
51	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	<0.5
52	Cobalt as Co	mg/L	APHA 23 rd Edition, 3111 B	NA	Not Specified
53	Copper as Cu	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<10.0
54	Iron as Fe	mg/L	APHA 23 rd Edition, 3111 B	NA	<3.0
55	Lead as Pb	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<2.0
56	Manganese as Mn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not Specified
57	Nickel as Ni	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<3.0
58	Zinc as Zn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	<10.0

Safety Instructions for Handling of Hazardous Waste (if any) –

Use PPE's during handling of Oily Scum.

ABBREVIATIONS

CPCB	– Central Pollution Control Board
SW 846	– Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA, 1998
Std. Methods	– Standard Methods for the Examination of Water & Wastewater, APHA 23 rd Edition, 2017
TCLP	– Toxicity Characteristic Leaching Procedure
WLT	– Water Leaching Testing
LOD	– Loss On Drying
LOI	– Loss On Ignition
NA	– Not Applicable
ND	– Not Detected
BDL	– Below Detectable Limit
Y	– Yes
N	– No



Authorized Signatory
(Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/741/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

TERMS AND CONDITIONS

1. The analysis report refers only to the 'as received' sample of waste
2. The report cannot be produced in part or in full without the permission of Adityapur Waste Management Private Limited
3. In the absence of specific request from the customer, AWMPL follows National/International standards specifications for conducting the tests. Alternatively, in the absence of these methods, AWMPL shall follow the operating procedures developed by AWMPL.
4. The laboratory, normally, will not offer any opinion/advise or recommendation with respect to the suitability or otherwise of the sample for any application or use. Conformities to a specification or Act will be mentioned as per the Act/specification, if required.
5. Under no circumstances AWMPL accepts any liability or loss or damage caused by use or misuse of the test report. Liability is limited to the testing fee charged, in case of proven negligence by the laboratory.
6. AWMPL shall not assume any responsibility for variation in test results of samples kept on hold for want of clarification.
7. Client may visit (if desired) our laboratory to witness the related tests.
8. **This Test report is valid for two years from the date of issue of report, if there is no change in processes, raw materials etc.**

Disposal Pathway/Opinions/Interpretations

Direct Incineration.

END OF REPORT



Authorized Signatory
(Shambhu kumar Yadav)

Date: 04.12.2024

To
M/s. Tata Steel Ltd-CRM Bara complex
Tata Steel Ltd, CRM complex Bara,
Jamshedpur, Jharkhand-831009

We are here with enclosing the Comprehensive analysis report of Solid Waste Sample –: Grinding Sludge received on Date: 28.11.2024. The disposal method for the above sample is Direct Incineration due to High Calorific value (2685.91 cal/gm). We are also enclosing the invoice for analysis.

The disposal method is purely based on the characteristics of the sample sent to us. When the waste will be sent to us it will be analyzed and if the characteristics change the disposal method may change.


Please send us your suggestions for improving laboratory services by filling customer Feedback form attached herewith.

Thanking you for your business. Please Contact us again if we can be of any service in the future. Our fullest Co-Operation and best service assured always.

Yours faithfully
For Adityapur Waste Management Project
(A Subsidiary of Re Sustainability Ltd)



Authorized Signatory
(Shambhu Kumar Yadav)



COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	.	1	2	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Name of Client :	M/s. Tata Steel Ltd-CRM Bara complex											
Contact Details :	Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009											
Telephone No. :	-	Fax No. :	-									
Email ID :	-											
Membership No. :	-											

Name of Sample / Hazardous Waste	: Grinding Sludge											
Description of Sample When Received	: Solid											
Sample Reference Number	: 750/24-25	Sample Received Date	2	8	.	1	1	.	2	0	2	4
Sample Drawn By	: AWMPL Representative											

Waste Category: Schedule-I, Cat.												
RAW Material List / Process Details Enclosed	<input type="checkbox"/> Yes					<input checked="" type="checkbox"/> NO						
MSDS Provided by Client	<input type="checkbox"/> Yes					<input checked="" type="checkbox"/> NO						
Sample Registration No: AWMPL/Lab/CA/750/24-25												
Confirmation Date	2	8	.	1	1	.	2	0	2	4	Confirmation by: MBD Dept., AWMPL	

Analysis start date	2	8	.	1	1	.	2	0	2	4		
---------------------	---	---	---	---	---	---	---	---	---	---	--	--


 Authorized Signatory
 (Shambhu kumar Yadav)


COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	.	1	2	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Particulars	Observation		Remarks (If any)
		<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
1	Does the waste have strong Odor?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
2	Does the waste give fumes exposed to the atmosphere?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
3	Does the waste react with water?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
4	Is the waste incompatible with any material? If so specify	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

TEST REPORT

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
5	Physical State	-	-	Solid	Not Specified
6	Color	-	-	Grey	Not Specified
7	Texture	-	-	Semi wet	Not Specified
8	PFLT(Paint Filter Liquid Test)	-	USEPA 1998, SW-846; 9095A	Pass	Pass
9	Bulk Density	g/cc	APHA 23 rd Edition; 2710 F	1.21	Not Specified
10	Calorific Value	cal/g	IS:1350 Part II - 1970	2685.91	<2500
11	Flash Point	°C	USEPA 1998, SW 846; 1020 A	>60	>60
12	pH (At Room Temperature)	-	USEPA 1998, SW-846; 9045 C	6.982	4 -12
13	LOD @ 105°C	%	APHA 23 rd Edition, 2017; 2540	64.84	Not Specified
14	LOI @ 550°C	%	APHA 23 rd Edition, 2017; 2540	40.48	<20
15	Ash Content @ 900°C	%	APHA 23 rd Edition, 2017; 2540	NA	Not Specified


 Authorized Signatory
 (Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	-	1	2	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
16	Water soluble organics	%	APHA 23 rd Edition; 2540 - E	0.13	<10.0
17	Oil & Grease (n-Hexane Extractable)	%	SW-846: 3540	<2.0	<4.0
19	Fluorides as F ⁻	mg/kg	APHA 23 rd Edition; 4500 F ⁻ - D	NA	Not Specified
20	Specific Gravity	g/cc	APHA 23 rd Edition; 2710 F	NA	Not Specified
21	Reactive Cyanide as HCN	mg/kg	USEPA 1998, SW-846; 9014	<1.0	<250
22	Reactive Sulphide as H ₂ S	mg/kg	USEPA 1998, SW-846; 9034	<10.0	<500
23	Zinc as Zn- Total	mg/kg	USEPA 1998, SW-846; 7950	<10.0	Not Specified
24	Cobalt as Co- Total	mg/kg	USEPA 1998, SW-846; 7200	NA	Not Specified
25	Cadmium as Cd- Total	mg/kg	USEPA 1998, SW-846; 7130	<1.0	Not Specified
26	Copper as Cu- Total	mg/kg	USEPA 1998, SW-846; 7210	1.59	Not Specified
27	Total Chromium as Cr- Total	mg/kg	USEPA 1998, SW-846; 7190	15.89	Not Specified
28	Iron as Fe- Total	mg/kg	USEPA 1998, SW-846; 7380	NA	Not Specified
29	Lead as Pb- Total	mg/kg	USEPA 1998, SW-846; 7420	112.58	Not Specified
30	Manganese as Mn - Total	mg/kg	USEPA 1998, SW-846; 7460	NA	Not Specified
31	Nickel as Ni- Total	mg/kg	USEPA 1998, SW-846; 7520	15.80	Not Specified



Authorized Signatory
(Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	.	1	2	.	2	0	.	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB Method for direct discharge
(TCLP) Toxicity Characteristics Leaching Procedure					
32	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	<0.05	<5.0
33	Cadmium as Cd	mg/L	USEPA 1998, SW-846; 7130	<0.05	<1.0
34	Total Chromium as Cr	mg/L	USEPA 1998, SW-846; 7190	<0.05	<1.0
35	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	<1.0
36	Cobalt as Co	mg/L	USEPA 1998, SW-846; 7200	NA	<1.0
37	Copper as Cu	mg/L	USEPA 1998, SW-846; 7210	<0.05	<2.0
38	Iron as Fe	mg/L	USEPA 1998, SW-846; 7380	NA	<1.0
39	Lead as Pb	mg/L	USEPA 1998, SW-846; 7420	<0.05	<1.0
40	Manganese as Mn	mg/L	USEPA 1998, SW-846; 7460	NA	<1.0
41	Nickel as Ni	mg/L	USEPA 1998, SW-846; 7520	<0.05	<1.0
42	Zinc as Zn	mg/L	USEPA 1998, SW-846; 7950	<0.05	<2.0
(WLT) Water Leaching Testing					
					CPCB Method for direct discharge
43	Cyanide	mg/L	APHA 23 rd Edition, 4500 CN-E	<0.1	<1.0
44	Fluoride	mg/L	APHA 23 rd Edition, 4500 F-D	<1.0	<1.0
45	Nitrate	mg/L	APHA 23 rd Edition, 4500 NO ₃ ⁻ - E	<5.0	<1.0
46	Phenols	mg/L	APHA 23 rd Edition, 5530 B & D	<1.0	<1.0
47	Ammonia as N	mg/L	APHA 23 rd Edition, 4500NH ₃ B,C	<10.0	<1.0


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	1	2	2	0
------------	------------------------	-------------	---	---	---	---	---	---

Sl. No.	Parameter	Unit	Method	Result	Remarks
48	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	NA	
49	Cadmium as Cd	mg/L	APHA 23 rd Edition, 3111 B	<0.01	
50	Total Chromium as Cr	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not
51	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	
52	Cobalt as Co	mg/L	APHA 23 rd Edition, 3111 B	NA	Not
53	Copper as Cu	mg/L	APHA 23 rd Edition, 3111 B	<0.05	
54	Iron as Fe	mg/L	APHA 23 rd Edition, 3111 B	NA	
55	Lead as Pb	mg/L	APHA 23 rd Edition, 3111 B	<0.05	
56	Manganese as Mn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	Not
57	Nickel as Ni	mg/L	APHA 23 rd Edition, 3111 B	<0.05	
58	Zinc as Zn	mg/L	APHA 23 rd Edition, 3111 B	<0.05	

Safety Instructions for Handling of Hazardous Waste (if any) -

Use PPE's during handling of Grinding Sludge.

ABBREVIATIONS

CPCB	- Central Pollution Control Board
SW 846	- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA, 1998
Std. Methods	- Standard Methods for the Examination of Water & Wastewater, APHA 23 rd Edition, 2017
TCLP	- Toxicity Characteristic Leaching Procedure
WLT	- Water Leaching Testing
LOD	- Loss On Drying
LOI	- Loss On Ignition
NA	- Not Applicable
ND	- Not Detected
BDL	- Below Detectable Limit
Y	- Yes
N	- No



Authorized Signatory
(Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/750/24-25	Report Date	0	4	.	1	2	.	2	0
------------	------------------------	-------------	---	---	---	---	---	---	---	---

TERMS AND CONDITIONS

1. The analysis report refers only to the 'as received' sample of waste
2. The report cannot be produced in part or in full without the permission of Adityapur Waste Management Private Limited.
3. In the absence of specific request from the customer, AWMPL follows National/International standards for conducting the tests. Alternatively, in the absence of these methods, AWMPL shall follow the operating procedure by AWMPL.
4. The laboratory, normally, will not offer any opinion/advise or recommendation with respect to the suitability or use of sample for any application or use. Conformities to a specification or Act will be mentioned as per the Act required.
5. Under no circumstances AWMPL accepts any liability or loss or damage caused by use or misuse of the test. Liability is limited to the testing fee charged, in case of proven negligence by the laboratory.
6. AWMPL shall not assume any responsibility for variation in test results of samples kept on hold for want of clarity.
7. Client may visit (If desired) our laboratory to witness the related tests.
8. **This Test report is valid for two years from the date of issue of report, if there is no change in process or materials etc.**

Disposal Pathway/Opinions/Interpretations

Direct Incineration.

END OF REPORT



Authorized Signatory
(Shambhu kumar Yadav)

Date: 28.11.2024

To
M/s. Tata Steel Ltd-CRM Bara complex
Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009

We are here with enclosing the Comprehensive analysis report of Solid Waste Sample -> Mill Chimney Sludge received on Date: 13.11.2024. The disposal method for the above sample is Direct Incineration due to High Calorific value (8823 cal/gm). We are also enclosing the invoice for analysis.

The disposal method is purely based on the characteristics of the sample sent to us. When the waste will be sent to us it will be analyzed and if the characteristics change the disposal method may change.

Please send us your suggestions for improving laboratory services by filling customer Feedback form attached herewith.

Thanking you for your business. Please Contact us again if we can be of any service in the future. Our fullest Co-Operation and best service assured always.

Yours faithfully
For Adityapur Waste Management Project
(A Subsidiary of Re Sustainability Ltd)



Authorized Signatory
(Shambhu Kumar Yadav)



COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	.	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Name of Client	: M/s. Tata Steel Ltd-CRM Bara complex											
Contact Details	: Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009											
Telephone No.	: -					Fax No.	: -					
Email ID	: -											
Membership No.	:											

Name of Sample / Hazardous Waste	: Mill Chimney Sludge												
Description of Sample When Received	: Solid												
Sample Reference Number	: 740/24-25				Sample Received Date	1	3	.	1	1	.	2	0
Sample Drawn By	: AWMPL Representative												
Waste Category: Schedule-I, Cat.													
RAW Material List / Process Details Enclosed	<input type="checkbox"/> Yes					<input checked="" type="checkbox"/> NO							
MSDS Provided by Client	<input type="checkbox"/> Yes					<input checked="" type="checkbox"/> NO							
Sample Registration No: AWMPL/Lab/CA/740/24-25													
Confirmation Date	1	3	.	1	1	.	2	0	2	4	Confirmation by: MBD Dept., AWMPL		
Analysis start date	1	3	.	1	1	.	2	0	2	4			


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Particulars	Observation		Remarks (If any)
1	Does the waste have strong Odor?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
2	Does the waste give fumes exposed to the atmosphere?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
3	Does the waste react with water?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
4	Is the waste incompatible with any material? If so specify	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

TEST REPORT

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
5	Physical State	-	-	Solid	Not Specified
6	Color	-	-	Dark Brown	Not Specified
7	Texture	-	-	Semi wet	Not Specified
8	PFLT(Paint Filter Liquid Test)	-	USEPA 1998, SW-846; 9095A	Pass	Pass
9	Bulk Density	g/cc	APHA 23 rd Edition; 2710 F	0.97	Not Specified
10	Calorific Value	cal/g	IS:1350 Part II - 1970	8823	<2500
11	Flash Point	°C	USEPA 1998, SW 846; 1020 A	>60	>60
12	pH (At Room Temperature)	-	USEPA 1998, SW-846; 9045 C	7.024	4 - 12
13	LOD @ 105°C	%	APHA 23 rd Edition, 2017; 2540	2.44	Not Specified
14	LOI @ 550°C	%	APHA 23 rd Edition, 2017; 2540	97.48	<10
15	Ash Content @ 900°C	%	APHA 23 rd Edition, 2017; 2540	NA	Not Specified


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB Limit for direct landfill disposal
16	Water soluble organics	%	APHA 23 rd Edition; 2540 - E	0.14	<1.0
17	Oil & Grease (n-Hexane Extractable)	%	SW-846: 3540	<2.0	<1.0
19	Fluorides as F ⁻	mg/kg	APHA 23 rd Edition; 4500 F - D	NA	Not Specified
20	Specific Gravity	g/cc	APHA 23 rd Edition; 2710 F	NA	Not Specified
21	Reactive Cyanide as HCN	mg/kg	USEPA 1998, SW-846; 9014	<1.0	<1.0
22	Reactive Sulphide as H ₂ S	mg/kg	USEPA 1998, SW-846; 9034	<10.0	<1.0
23	Zinc as Zn- Total	mg/kg	USEPA 1998, SW-846; 7950	140.12	Not Specified
24	Cobalt as Co- Total	mg/kg	USEPA 1998, SW-846; 7200	NA	Not Specified
25	Cadmium as Cd- Total	mg/kg	USEPA 1998, SW-846; 7130	<1.0	Not Specified
26	Copper as Cu- Total	mg/kg	USEPA 1998, SW-846; 7210	22.85	Not Specified
27	Total Chromium as Cr- Total	mg/kg	USEPA 1998, SW-846; 7190	26.00	Not Specified
28	Iron as Fe- Total	mg/kg	USEPA 1998, SW-846; 7380	NA	Not Specified
29	Lead as Pb- Total	mg/kg	USEPA 1998, SW-846; 7420	45.96	Not Specified
30	Manganese as Mn - Total	mg/kg	USEPA 1998, SW-846; 7460	NA	Not Specified
31	Nickel as Ni- Total	mg/kg	USEPA 1998, SW-846; 7520	25.75	Not Specified



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB Limit for direct landfill disposal
(TCLP) Toxicity Characteristics Leaching Procedure					
32	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	<0.05	<5.0
33	Cadmium as Cd	mg/L	USEPA 1998, SW-846; 7130	<0.05	<1.0
34	Total Chromium as Cr	mg/L	USEPA 1998, SW-846; 7190	<0.05	<5.0
35	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Ed., 2017: 3500 Cr B	<0.05	<5.0
36	Cobalt as Co	mg/L	USEPA 1998, SW-846; 7200	NA	<5.0
37	Copper as Cu	mg/L	USEPA 1998, SW-846; 7210	<0.05	<2.0
38	Iron as Fe	mg/L	USEPA 1998, SW-846; 7380	NA	<3.0
39	Lead as Pb	mg/L	USEPA 1998, SW-846; 7420	<0.05	<5.0
40	Manganese as Mn	mg/L	USEPA 1998, SW-846; 7460	NA	<1.0
41	Nickel as Ni	mg/L	USEPA 1998, SW-846; 7520	<0.05	<2.0
42	Zinc as Zn	mg/L	USEPA 1998, SW-846; 7950	<0.05	<25.0
(WLT) Water Leaching Testing					
					CPCB/H /T F Protocol 2010-2011
43	Cyanide	mg/L	APHA 23 rd Edition,4500 CN-E	<0.1	<0.1
44	Fluoride	mg/L	APHA 23 rd Edition,4500 F-D	<1.0	<5.0
45	Nitrate	mg/L	APHA 23 rd Edition,4500 NO ₃ ⁻ - E	<5.0	<3.0
46	Phenols	mg/L	APHA 23 rd Edition,5530 B & D	<1.0	<1.0
47	Ammonia as N	mg/L	APHA 23 rd Edition,4500NH3 B,C	<10.0	<10.0



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

48	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	NA	<1
49	Cadmium as Cd	mg/L	APHA 23 rd Edition,3111 B	<0.01	<1
50	Total Chromium as Cr	mg/L	APHA 23 rd Edition,3111 B	<0.05	Not Sp
51	Hexavalent Chromium as Cr 6+	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	<1
52	Cobalt as Co	mg/L	APHA 23 rd Edition,3111 B	NA	Not Sp
53	Copper as Cu	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1
54	Iron as Fe	mg/L	APHA 23 rd Edition,3111 B	NA	<1
55	Lead as Pb	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1
56	Manganese as Mn	mg/L	APHA 23 rd Edition,3111 B	<0.05	Not Sp
57	Nickel as Ni	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1
58	Zinc as Zn	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1

Safety Instructions for Handling of Hazardous Waste (if any) -

Use PPE's during handling of Mill Chimney Sludge.

ABBREVIATIONS

CPCB	- Central Pollution Control Board
SW 846	- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA,1998
Std. Methods	- Standard Methods for the Examination of Water & Wastewater, APHA 23 rd Edition, 2017
TCLP	- Toxicity Characteristic Leaching Procedure
WLT	- Water Leaching Testing
LOD	- Loss On Drying
LOI	- Loss On Ignition
NA	- Not Applicable
ND	- Not Detected
BDL	- Below Detectable Limit
Y	- Yes
N	- No



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/740/24-25	Report Date	2	8	.	1	1	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

TERMS AND CONDITIONS

1. The analysis report refers only to the 'as received' sample of waste
2. The report cannot be produced in part or in full without the permission of Adityapur Waste Management Private Limited.
3. In the absence of specific request from the customer, AWMPL follows National/International standards specifications for conducting the tests. Alternatively, in the absence of these methods, AWMPL shall follow the operating procedures determined by AWMPL.
4. The laboratory, normally, will not offer any opinion/advise or recommendation with respect to the suitability or otherwise of the sample for any application or use. Conformities to a specification or Act will be mentioned as per the Act/specification, if required.
5. Under no circumstances AWMPL accepts any liability or loss or damage caused by use or misuse of the test report. Liability is limited to the testing fee charged, in case of proven negligence by the laboratory.
6. AWMPL shall not assume any responsibility for variation in test results of samples kept on hold for want of clarification.
7. Client may visit (if desired) our laboratory to witness the related tests.
8. **This Test report is valid for two years from the date of issue of report, if there is no change in processes, raw materials etc.**

Disposal Pathway/Opinions/Interpretations

Direct Incineration.

END OF REPORT



Authorized Signatory
(Shambhu Kumar Yadav)

Page 6 of 6

Rev. No. 01/ 01.10.2022

Date: 04.12.2024

To
M/s. Tata Steel Ltd-CRM Bara complex
Tata Steel Ltd, CRM complex Bara,
Jamshedpur, Jharkhand-831009

We are here with enclosing the Comprehensive analysis report of Solid Waste Sample -: WWTP Sludge received on Date: 28.11.2024. The disposal method for the above sample is Direct Landfill. We are also enclosing the invoice for analysis.

The disposal method is purely based on the characteristics of the sample sent to us. When the waste will be sent to us it will be analyzed and if the characteristics change the disposal method may change.

Please send us your suggestions for improving laboratory services by filling customer Feedback form attached herewith.

Thanking you for your business. Please Contact us again if we can be of any service in the future. Our fullest Co-Operation and best service assured always.

Yours faithfully
For Adityapur Waste Management Project
(A Subsidiary of Re Sustainability Ltd)



Authorized Signatory
(Shambhu Kumar Yadav)



COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25	Report Date	0	4	.	1	2	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Name of Client : M/s. Tata Steel Ltd-CRM Bara complex

Contact Details :
Tata Steel Ltd, CRM complex Bara, Jamshedpur, Jharkhand-831009

Telephone No. : - Fax No. : -

Email ID : -

Membership No. :

Name of Sample / Hazardous Waste : WWTP Sludge

Description of Sample When Received : Solid

Sample Reference Number	: 749/24-25	Sample Received Date	2	8	.	1	1	.	2
-------------------------	-------------	----------------------	---	---	---	---	---	---	---

Sample Drawn By : AWMPL Representative

Waste Category: **Schedule-I, Cat.**

RAW Material List / Process Details Enclosed Yes NO

MSDS Provided by Client Yes NO

Sample Registration No: AWMPL/Lab/CA/749/24-25

Confirmation Date	2	8	.	1	1	.	2	0	2	4	Confirmation by: MBD Dept., AWMPL
-------------------	---	---	---	---	---	---	---	---	---	---	-----------------------------------

Analysis start date	2	8	.	1	1	.	2	0	2	4
---------------------	---	---	---	---	---	---	---	---	---	---



Authorized Signatory
(Shambhu kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25	Report Date	0	4	.	1	2	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Particulars	Observation		Remarks (If any)
		<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
1	Does the waste have strong Odor?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
2	Does the waste give fumes exposed to the atmosphere?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
3	Does the waste react with water?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
4	Is the waste incompatible with any material? If so specify	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

TEST REPORT

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
5	Physical State	-	-	Solid	Not Specified
6	Color	-	-	Black	Not Specified
7	Texture	-	-	Semi wet	Not Specified
8	PFLT(Paint Filter Liquid Test)	-	USEPA 1998, SW-846; 9095A	Pass	Pass
9	Bulk Density	g/cc	APHA 23 rd Edition; 2710 F	1.47	Not Specified
10	Calorific Value	cal/g	IS:1350 Part II - 1970	353.54	<2500
11	Flash Point	°C	USEPA 1998, SW 846; 1020 A	>60	>60
12	pH (At Room Temperature)	-	USEPA 1998, SW-846; 9045 C	7.009	4 - 12
13	LOD @ 105°C	%	APHA 23 rd Edition, 2017; 2540	45.06	Not Specified
14	LOI @ 550°C	%	APHA 23 rd Edition, 2017; 2540	2.08	<20
15	Ash Content @ 900°C	%	APHA 23 rd Edition, 2017; 2540	NA	Not Specified


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25	Report Date	0	4	.	1	2	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct landfill disposal
16	Water soluble organics	%	APHA 23 rd Edition; 2540 - E	0.11	<10.0
17	Oil & Grease (n-Hexane Extractable)	%	SW-846; 3540	<2.0	<4.0
19	Fluorides as F ⁻	mg/kg	APHA 23 rd Edition; 4500 F - D	NA	Not Specified
20	Specific Gravity	g/cc	APHA 23 rd Edition; 2710 F	NA	Not Specified
21	Reactive Cyanide as HCN	mg/kg	USEPA 1998, SW-846; 9014	<1.0	<250
22	Reactive Sulphide as H ₂ S	mg/kg	USEPA 1998, SW-846; 9034	<10.0	<500
23	Zinc as Zn- Total	mg/kg	USEPA 1998, SW-846; 7950	50.25	Not Specified
24	Cobalt as Co- Total	mg/kg	USEPA 1998, SW-846; 7200	NA	Not Specified
25	Cadmium as Cd- Total	mg/kg	USEPA 1998, SW-846; 7130	6.52	Not Specified
26	Copper as Cu- Total	mg/kg	USEPA 1998, SW-846; 7210	42.89	Not Specified
27	Total Chromium as Cr- Total	mg/kg	USEPA 1998, SW-846; 7190	261.02	Not Specified
28	Iron as Fe- Total	mg/kg	USEPA 1998, SW-846; 7380	NA	Not Specified
29	Lead as Pb- Total	mg/kg	USEPA 1998, SW-846; 7420	451.96	Not Specified
30	Manganese as Mn - Total	mg/kg	USEPA 1998, SW-846; 7460	NA	Not Specified
31	Nickel as Ni- Total	mg/kg	USEPA 1998, SW-846; 7520	95.75	Not Specified



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25	Report Date	0	4	.	1	2	.	2	0	2
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---

Sr. No.	Parameter	Unit	Method	Result	CPCB limit for direct land disposal
(TCLP) Toxicity Characteristics Leaching Procedure					
32	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	<0.05	<5.0
33	Cadmium as Cd	mg/L	USEPA 1998, SW-846; 7130	<0.05	<1.0
34	Total Chromium as Cr	mg/L	USEPA 1998, SW-846; 7190	<0.05	<5.0
35	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Ed., 2017: 3500 Cr B	<0.05	<5.0
36	Cobalt as Co	mg/L	USEPA 1998, SW-846; 7200	NA	<80.0
37	Copper as Cu	mg/L	USEPA 1998, SW-846; 7210	<0.05	<25.0
38	Iron as Fe	mg/L	USEPA 1998, SW-846; 7380	NA	<3.0
39	Lead as Pb	mg/L	USEPA 1998, SW-846; 7420	0.08	<5.0
40	Manganese as Mn	mg/L	USEPA 1998, SW-846; 7460	NA	<10.0
41	Nickel as Ni	mg/L	USEPA 1998, SW-846; 7520	0.85	<20.0
42	Zinc as Zn	mg/L	USEPA 1998, SW-846; 7950	<0.05	<250.0
(WLT) Water Leaching Testing					CPCB/HAZWASP5 /TSDF Protocol/ 2015-2011
43	Cyanide	mg/L	APHA 23 rd Edition,4500 CN-E	<0.1	<2.0
44	Fluoride	mg/L	APHA 23 rd Edition,4500 F-D	<1.0	<50.0
45	Nitrate	mg/L	APHA 23 rd Edition,4500 NO ₃ - E	<5.0	<30.0
46	Phenols	mg/L	APHA 23 rd Edition,5530 B & D	<1.0	<100.0
47	Ammonia as N	mg/L	APHA 23 rd Edition,4500NH3 B,C	<10.0	<1000.0


 Authorized Signatory
 (Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25			Report Date	0	4	.	1	2	.	2	0	2
48	Arsenic as As	mg/L	USEPA 1998, SW-846; 7061 A	NA	<1.0								
49	Cadmium as Cd	mg/L	APHA 23 rd Edition,3111 B	<0.01	<1.2								
50	Total Chromium as Cr	mg/L	APHA 23 rd Edition,3111 B	<0.05	Not Specific								
51	Hexavalent Chromium as Cr ⁶⁺	mg/L	APHA 23 rd Edi., 2017: 3500 Cr B	<0.05	<0.5								
52	Cobalt as Co	mg/L	APHA 23 rd Edition,3111 B	NA	Not Specific								
53	Copper as Cu	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1.0								
54	Iron as Fe	mg/L	APHA 23 rd Edition,3111 B	NA	<1.0								
55	Lead as Pb	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1.0								
56	Manganese as Mn	mg/L	APHA 23 rd Edition,3111 B	<0.05	Not Specific								
57	Nickel as Ni	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1.0								
58	Zinc as Zn	mg/L	APHA 23 rd Edition,3111 B	<0.05	<1.0								

Safety Instructions for Handling of Hazardous Waste (if any) -

Use PPE's during handling of WWTP Sludge.

ABBREVIATIONS

CPCB	- Central Pollution Control Board
SW 846	- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA,1998
Std. Methods	- Standard Methods for the Examination of Water & Wastewater, APHA 23 rd Edition, 2017
TCLP	- Toxicity Characteristic Leaching Procedure
WLT	- Water Leaching Testing
LOD	- Loss On Drying
LOI	- Loss On Ignition
NA	- Not Applicable
ND	- Not Detected
BDL	- Below Detectable Limit
Y	- Yes
N	- No



Authorized Signatory
(Shambhu Kumar Yadav)

COMPREHENSIVE ANALYSIS REPORT

Report No.	AWMPL/Lab/CA/749/24-25	Report Date	0	4	.	1	2	.	2	0	2	4
------------	------------------------	-------------	---	---	---	---	---	---	---	---	---	---

TERMS AND CONDITIONS

1. The analysis report refers only to the 'as received' sample of waste
2. The report cannot be produced in part or in full without the permission of Adityapur Waste Management Private Limited
3. In the absence of specific request from the customer, AWMPL follows National/International standards specifications for conducting the tests. Alternatively, in the absence of these methods, AWMPL shall follow the operating procedures developed by AWMPL.
4. The laboratory, normally, will not offer any opinion/advise or recommendation with respect to the suitability or otherwise of the sample for any application or use. Conformities to a specification or Act will be mentioned as per the Act/ specifications if required.
5. Under no circumstances AWMPL accepts any liability or loss or damage caused by use or misuse of the test report. Liability is limited to the testing fee charged, in case of proven negligence by the laboratory.
6. AWMPL shall not assume any responsibility for variation in test results of samples kept on hold for want of clarification.
7. Client may visit (if desired) our laboratory to witness the related tests.
8. **This Test report is valid for two years from the date of issue of report, if there is no change in processes, raw materials etc.**

Disposal Pathway/Opinions/Interpretations

Direct Landfill.

END OF REPORT



Authorized Signatory
(Shambhu Kumar Yadav)

Page 6 of 6

Rev. No. 01/ 01.10.2024

LETTER NO.7/Plan 10 215/2016 अ०नि०(मु०का०नि०)-467
OFFICE OF THE CHIEF INSPECTOR OF FACTORIES, JHARKHAND, RANCHI.
LABOUR BUILDING, DORANDA, RANCHI-834002

From,
Chief Inspector of Factories, Jharkhand,
Ranchi.

To,
The occupier,
M/s Tata Steel Limited,
C.R.M. Complex, Bara
Jamshedpur.

Ranchi, Dated 14/03/18

Sub: Recommendation of On-site Emergency Plan of M/s Tata Steel Limited, C.R.M. Complex, Bara, Jamshedpur.

Sir,

The On-site Emergency plan Submitted by you through Inspector of Factories, Jamshedpur Circle no.-1, Jamshedpur have been examined and the same is recommended subject to the following conditions: -

1. Regular Mock-drill shall be carried out in the factory at least once in every year and a detailed report should be made available to the Chief Inspector of Factories, Jharkhand, Ranchi office
 2. A detailed safety audit report conducted by an experienced outside agency shall be submitted along with details of health & safety policy of your factory.
 3. The On- site Emergency plan will be up-dated and revised if there is any modification in the plant, process or industrial activity.
 4. Adequate arrangement of medical/ relief facilities (first aid equipments etc.) should be provided and maintained in the emergency control room.
 5. Telephone number of key persons to be noted and displayed in the central control room.
- A copy of the recommended plan is enclosed herewith.

Yours Faithfully



Chief Inspector of Factories, Jharkhand,
Ranchi

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

SN	Name	Questions	Action Plan given in EIA	Present status of compliance
01	Shri Suresh Sonthalia, President, Singhbhum Chamber of Commerce	We welcome the expansion of the project. People will get employment. Region will be developed. Permission for expansion of plant should be granted. Company is doing good work in the region. No accident took place here for the last two to three years. It is also well appreciated that Tata Steel is spending a good amount on environment front. We welcome the decision of plant expansion.	Focus will be made on environment compliance.	CRM Bara plant is running with a focus on environmental compliance.
02	Shri Pavan Tiwari, Bhuiadih	We welcome the expansion of the project. It is a welcoming step that the company is expanding. But the management has to pay special attention for the development of surrounding region. Attention may be given on basic problems of local people.	CSR Committee has been formed and action plan is under preparation.	Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd.
03.	Shri Bharat Vasani, Vice-President, Singhbhum Chamber of Commerce	We welcome the expansion of the project. Whatever the plans are made by the company to ensure that there should not be any pollution effect on environment with expansion of plant. Company has to spend on environmental protection as per its plan so that the environment can be protected.	Action plan prepared and will be implemented accordingly.	Capital cost and recurring cost is being utilized judiciously for Environmental & Pollution Control Measures and to implement the conditions stipulated by MoEF as well as the State Government. Capital and recurring costs are spent on measures such as Pollution control (WWTP, ARP, fume extraction systems) etc., Online environment monitoring equipment and display and so on.
04.	Shri Ramashray Prasad, INTUC	Company has to expand. Company should be developed. People should also get employment. Civic amenities should be developed in the surrounding area. Management should also focus and share information about how many permanent and temporary employees/ workers will be required.	Issues are being taken care under CSR activities.	Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. More than 50% employment has been given to local people.

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

SN	Name	Questions	Action Plan given in EIA	Present status of compliance
05.	Shri Dev Sharan SinghGovindpur	Employment opportunities will increase with the expansion of the plant. Employment should be provided to the citizens/ locals residing within 10 km radius. Infrastructural facilities like drinking water, medical facilities for good health and other basic amenities should be provided by the company. Special attention should be given on environment and pollution.	Various environment protection measures have been taken by the company in the plant as per environment norms. Other issues have been taken care by CSR activities.	<p>Various environment protection measures have been taken by the company such as:</p> <ul style="list-style-type: none"> • Fume extraction system including scrubber in pickling line. • Bag filter in shot blasting machine & ARP • Roof-top ventilation system. • Water sprinkling and mechanized sweeping machine • Effluent treatment plants for the treatment of oily and acidic waste and • STP is installed and operational for treatment of domestic water. • Rejuvenation of water bodies • Green belt development in and around plant. <p>Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. More than 50% employment has been given to local people.</p>

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

06.	Shri Sonaram Bothra	Employment should be provided to local unemployed people. Priority should also be given in employment for SC and ST people. Management should give attention on poor people. We are not provided any facility.	Local employment has been given on top priorities as per their skill during construction work.	More than 50% employment has been given to local people.
07.	Shri Gunjan Yadav, Sitaramdera	Due to proposed expansion the traffic may increase. Cutting of trees may be involved. Development of green belt is recommended. Public pumps/ taps should be arranged in local areas by the company/ Unit. We will oppose the plant if water is not available. There is a tribal school in Babudih where 450 children study. Management should also pay attention on this. We are not against for the expansion of the plant. But at the same time company should also give attention on basic problems of local people.	Plantation has been done in & around premises (More than three thousand). Other issues have been considered in CSR activities.	<ul style="list-style-type: none"> • Roads at the Bhuiyadih area are being widened. Other issues had been undertaken under CSR activities. • Green belt at CRM Bara complex has been developed as per CPCB guidelines. • Approx. 3.5 Ha area in and around plant is under plantation which is more than 33% of the plant area. • We have developed approx. 5m wide area of plantation around the plant as per CPCB guidelines. • Density of plantation > 3000 plants/Ha which is more than CPCB guidelines. • Public pumps/taps have been provided at Bhuiyadih and Babudih.
08.	Shri Chandra Sekhar Mishra, President Housing Development Committee	We welcome the expansion of the project. The facilities which were provided by Tata Steel 20 years back, are not made available today. The management should provide infrastructure facilities like electricity, water, medical, education etc. at least in 5 kms radius area instead of 10 kms radius.	Issues are taken care under CSR activities.	<ul style="list-style-type: none"> • Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd.

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

09.	Shri Krishna Prasad Swarnakar, Babudih Basti	Babudih Basti is located in 1 km radius of the company. Waste is dumped by the plant in this area. Basic amenities should be provided to the citizens residing in 10 km radius. Pollution has increased a lot by which people are becoming sick.	Environment management plan under implementation will be strengthened for proposed expansion also.	Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. Various environment protection measures have been taken by the company such as: <ul style="list-style-type: none">• Fume extraction system including scrubber in pickling line.• Bag filter in shot blasting machine.• Roof-top ventilation system.• Water sprinkling and mechanized sweeping machine• Effluent treatment plants for the treatment of oily and acidic waste and• STP is installed and operational for treatment of domestic water.• Rejuvenation of water bodies• Green belt development in and around plant.
-----	----------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

10.	Shri Sudhir Singh, Secretary Singhbhum Chamber of Commerce	Expansion of plant is a good thing and we welcome the same. Sewage discharge is released without treatment into Kharkai and Swarnarekha rivers. This should be stopped immediately. Plant should be operated with pollution free environment.	Company will comply with CPCB norms	Various environment protection measures have been taken by the company such as: <ul style="list-style-type: none"> • Effluent treatment plants for the treatment of oily and acidic waste and • STP is installed and operational for treatment of domestic water. • Rejuvenation of water bodies • Green belt development in and around plant. • Fume extraction system including scrubber in pickling line. • Bag filter in shot blasting machine. • Roof-top ventilation system. • Water sprinkling and mechanized sweeping machine are used for dust suppression.
11.	Shri Kaushal Prasad	We welcome the expansion of the plant. Employment will be generated after the expansion. Our income will increase. Our living standards will also improve. Plant Management should also give attention on basic problems of local people. Drinking water, education, medical and training programmes for women for their self-development etc. should be provided.	Issues are taken care under CSR activities. Local employment has been given on top priorities as per their skill.	Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. More than 50% employment has been given to local people.

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

12.	Shri Navin Kumar Bagunnagar	Since Tata steel prefers global tender, contractors from other states will get their work with outside workers. This policy should not work out. The presentation shown by the company is fully false one. We are not opposing expansion of the plant, but expect that the quality of life of contract workers should also be improved.	Local area will be developed under CSR.	Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. More than 50% employment has been given to local people.
13.	Shri Shankar Soren Baridih	The entire area where plant is established belongs to Tribal. Management should aware and concentrate on the welfare of tribals. Training should be imparted to local youth. Facilities like water education, and health should be provided. If management gives attention on these issues, I don't have any objection for expansion of the plant. We are in favour of this plant.	A committee involving company and knowledgeable / qualified persons will be constituted to solve problems	Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of TataSteel Ltd.
14.	Shri Jeevan Kumar Sahu	I am in favour of expansion of the plant. Company has done a wonderful thing by afforestation work. Water, Electricity, Education and other works which will be beneficial for the public should be done.	CSR committee has been formed and action plan is under preparation.	Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd.
15.	Shri Ram Sahni Babudih	Fishes (aquatic) are getting killed due to the acid water discharged from Tata Steel Company. River water is also contaminated leading to skin irritation. Polluted water should be controlled. Facilities like drinking water, education, electricity and medical facilities for health should be provided.	No wastewater is being discharged into the rivers. Environmental control measure has been already in place.	No wastewater is being discharged into the rivers. All the effluents generated in plant are treated at Effluent treatment plant and domestic waste is treated in Sewage treatment plant. Environmental control measure has been already in place. Basic needs are undertaken under CSR activities.

**Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC
CRM Bara, Dated 08/05/2014**

16.	Shri Goutam Lohar Bagunhatu	Water from the company is discharged in the river. This should be stopped. Employment is given to the outside people. Local people should get employment. Water, electricity, education and better medical facilities for good health should be provided. Nobody knows where women are being trained.	Wastewater treatment plant is already in place. No water discharge from our premises. Experts team study is under progress.	All the effluents generated in plant are treated at Effluent treatment plant and domestic waste is treated in Sewage treatment plant. Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of TataSteel Ltd.
17.	Shri P.N.Dixit President, Builders Association	Expansion of the plant should invariably take place. I have been observing and experiencing for the last 52 years that whatever work done by Tata Steel was for the welfare of local people. Plant expansion should take place by paying special attention on environment.	Environment control measure has been already in place.	Environment pollution control measures are already in place. Various environment protection measures have been taken by the company such as: <ul style="list-style-type: none"> • Fume extraction system including scrubber in pickling line. • Bag filter in shot blasting machine. • Roof-top ventilation system. • Water sprinkling and mechanized sweeping machine • Effluent treatment plants for the treatment of oily and acidic waste and • STP is installed and operational for treatment of domestic water. • Rejuvenation of water bodies • Green belt development in and around plant.

Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC

CRM Bara, Dated 08/05/2014

18.	Shri Vijay Khan	Most of the people from the region are in favour of the expansion of plant. The expectations of people from the company management are not fulfilled by the unit. Contract labourers of Tata group of companies are not getting medical facility in MGM Hospital. One ITI should be opened for the local youth. Water, Electricity, Technical arrangements for higher education, and other basic facilities should be taken care. I am in favour of expansion of the plant.	CSR committee has been formed and action plan is under preparation.	Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of TataSteel Ltd.
19.	Shri Beli Bodhanwala Social worker Jamshedpur	Here everybody wish for the expansion of the plant. I too want the same. Proper planning should be done for controlling pollution effects on environment. Local problems should be resolved under CSR. Attention should be paid for improvement of standard of living.	CSR committee has been formed and action plan is under preparation.	Local problems are being resolved under CSR. Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd. Environment pollution control measures are already in place.
20.	Shri Ranjit Bhattarcharya, Jamshedpur	Acid water released from the unit should be avoided. Traffic will also be a problem which should also be addressed. I am in favour of expansion of the plant.	Wastewater treatment plant is already in place. No water discharge from our premises. Experts team study is under progress.	No acid water is discharged from the unit/plant. All the effluents generated in plant are treated at Effluent treatment plant and domestic waste is treated in Sewage treatment plant. Roads at the Bhuiyadih and other area are being widened to cater increased traffic load.
21.	Shri Mahesh Santhalia, Jamshedpur	I am in favour of expansion of the plant. There should be control/ stoppage of discharge of polluted water from the plant. Drinking water facility should be provided for the local/ Basti people. Proper arrangement should be done to ensure that there is no pollution from the unit/plant.	Environment control measure has been already in place.	Environment control measures are already in place. All the effluents generated in plant are treated at Effluent treatment plant and domestic waste is treated in Sewage treatment plant. Drinking water facility has been provided to local people.
22.	Smt. Santoshi Devi Babudih	Water facility should be provided in Babudih Basti. Even if a Tap is arranged for the public in the road side will also help to some extent.	CSR committee has been formed and action plan is under preparation.	Water facility has been provided in Babudih Basti under CSR activities.
23.	Shri Anand Bihari Dubey Bagunagar	Earlier also Public Hearing was conducted here in the same place. Assurance was also given for solving / avoiding problems of local people. The presentation which was shown by the management is fully false. There were five-five ponds here where	A committee will be constituted with the company representatives considering view of local people.	<ul style="list-style-type: none"> Local problems are being resolved under CSR. Basic needs such as Health, Sanitation (Domestic Toilets), Drinking Water, Education, Livelihood (Skill

Public hearing commitments and their compliance status for expansion of 0.3 MTPA to 0.8 MTPA EC

CRM Bara, Dated 08/05/2014

		<p>this public hearing is being conducted. Now the ponds have been filled with slag. Due to this, the water levels at Bagunnagar, Bagunhatu, Babudih and Baridih Basti have gone down. There were thousands of trees. Ponds (Talab) were filled and all big-big trees were cut. The water levels here have gone down to 600-700 feet.</p> <p>Company management should arrange public water taps in the region. The polluted water from the company is directly sent to rivers.</p> <p>Outsiders have been provided works in the name of global tenders. I am not against the expansion of the plant. But the problems of the region should be given more concentration. A good school for the children, employment for the youth, drinking water in the surrounding areas, electricity, medical facilities, training for women for their self-employment, etc. should be provided. It should be ensured that there will not be any pollution impact on environment. There will be acute opposition if the management neglects the local problems and expands the plant.</p>	<p>Efforts will be made to solve the problems in the surrounding areas.</p> <p>Special attention will be given for the community development activities. Direct and indirect employment opportunities will be provided.</p>	<p>Development), Livelihood (Agriculture), Sports, Infrastructure & Urban Services, Environment and Ethnicity are undertaken under CSR activities of Tata Steel Ltd.</p> <ul style="list-style-type: none"> • Work for rejuvenation of ponds completed which also cater rain-water harvesting. • Green belt in and around plant has been developed. • No polluted water is discharged from the unit/plant. All the effluents generated in plant are treated at Effluent treatment plant and domestic waste is treated in Sewage treatment plant. • More than 50% employment has been given to local people.
24.	Shri Feroz Ali Khan Dhatakidi	I am in favour of the expansion of the plant.		
25.	Shri A.K.Srivatsava	We all want that the plant should be expanded. Management also should concentrate on the local problems. Chances will increase for improving employment opportunities with the expansion of the company during this recession period.	Employment opportunities will be provided.	More than 50% employment has been given to local people.



EMD/C-38/1357/15
September 16, 2015

Shubhanand Mukesh
Head Environment Management

District Commissioner, East Singhbhum
Office of the District Commissioner
JAMSHEDPUR- 831 001

Subject: Information of grant of Environmental Clearance for expansion of Cold Rolling Mill from 0.3 MTPA to 0.8 MTPA capacity at CRM Complex of Tata Steel Limited, Bara, Jamshedpur

Reference: MoEFCC Environmental Clearance letter no. J-11011/22/2013-IS II (I) dated September 15, 2015


Dear Sir,

This has reference to the captioned subject and cited reference. It is to inform that the Ministry of Environment, Forests and Climate Change (MoEFCC), Govt. of India vide their letter no. J-11011/22/2013-IS II (I) dated September 15, 2015 has accorded Environment Clearance to M/s Tata Steel Limited for expansion of Cold Rolling Mill from 0.3 to 0.8 MTPA at CRM Complex at Bara, Jamshedpur in accordance with the EIA Notification, 2006 of the Environment (Protection) Act, 1986.

It is also to inform that copy of the said Environmental Clearance letter may also be seen at Company's Website at <http://www.tatasteelindia.com/corporate-citizen/environment-compliance-reports.asp>.

Thanking you,

Warm regards,
For Tata Steel Limited



Shubhanand Mukesh
Head, Environment Management

Encl: Copy of Environmental Clearance letter


19/9/15

TATA STEEL LIMITED

Environment Management Jamshedpur 831 001 India
Tel 91 657 2424125 6644859 Fax 91 657 2427819 e-mail shubhanand.mukesh@tatasteel.com
Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com



Shubhanand Mukesh
Head Environment Management

EMD/C-38/137/15
September 16, 2015

Block Development Officer
East Singhbhum
JAMSHEDPUR- 831 001

Subject: Information of grant of Environmental Clearance for expansion of Cold Rolling Mill from 0.3 MTPA to 0.8 MTPA capacity at CRM Complex of Tata Steel Limited, Bara, Jamshedpur

Reference: MoEFCC Environmental Clearance letter no. J-11011/22/2013-IS II (I) dated September 15, 2015

Dear Sir,

19/9/15
This has reference to the captioned subject and cited reference. It is to inform that the Ministry of Environment, Forests and Climate Change (MoEFCC), Govt. of India vide their letter no. J-11011/22/2013-IS II (I) dated September 15, 2015 has accorded Environment Clearance to M/s Tata Steel Limited for expansion of Cold Rolling Mill from 0.3 to 0.8 MTPA at CRM Complex at Bara, Jamshedpur in accordance with the EIA Notification, 2006 of the Environment (Protection) Act, 1986.

It is also to inform that copy of the said Environmental Clearance letter may also be seen at Company's Website at <http://www.tatasteelindia.com/corporate-citizen/environment-compliance-reports.asp>.

Thanking you,

Warm regards,
For Tata Steel Limited


Shubhanand Mukesh

Shubhanand Mukesh
Head, Environment Management

Encl: Copy of Environmental Clearance letter

TATA STEEL LIMITED

Environment Management Jamshedpur 831 001 India
Tel 91 657 2424125 6644859 Fax 91 657 2427819 e-mail shubhanand.mukesh@tatasteel.com
Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com



Shubhanand Mukesh
Head Environment Management

EMD/C-38/138/15
September 16, 2015

Special Officer
Jharkhand Notified Area Committee
East Singhbhum
JAMSHEDPUR- 831 001

Subject: Information of grant of Environmental Clearance for expansion of Cold Rolling Mill from 0.3 MTPA to 0.8 MTPA capacity at CRM Complex of Tata Steel Limited, Bara, Jamshedpur

Reference: MoEFCC Environmental Clearance letter no. J-11011/22/2013-IS II (I) dated September 15, 2015

Dear Sir,

This has reference to the captioned subject and cited reference. It is to inform that the Ministry of Environment, Forests and Climate Change (MoEFCC), Govt. of India vide their letter no. J-11011/22/2013-IS II (I) dated September 15, 2015 has accorded Environment Clearance to M/s Tata Steel Limited for expansion of Cold Rolling Mill from 0.3 to 0.8 MTPA at CRM Complex at Bara, Jamshedpur in accordance with the EIA Notification, 2006 of the Environment (Protection) Act, 1986.

It is also to inform that copy of the said Environmental Clearance letter may also be seen at Company's Website at <http://www.tatasteelindia.com/corporate-citizen/environment-compliance-reports.asp>.

Thanking you,

Warm regards,

For Tata Steel Limited

Shubhanand Mukesh

Head, Environment Management

Encl: Copy of Environmental Clearance letter

TATA STEEL LIMITED

Environment Management Jamshedpur 831 001 India
Tel 91 657 2424125 6644859 Fax 91 657 2427819 e-mail shubhanand.mukesh@tatasteel.com
Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

Online Display Board at CRM Bara



POSSESSION NOTICE (UNDER SARFAESI ACT-2002) for immovable property

Securitisation and Reconstruction of Financial Assets & Enforcement of Powers Act, 2002 (SARFAESI Act, 2002) clause calling upon the borrower to deposit the amount borrower being liable to repay the amount, notice is taken possession of the property described herein with rule 8 of the said Rules on the 17th day of 17.09.2015

Date of Demand Notice & Possession Notice	Amount of Notice
04.07.2014 & 17.09.2015	Rs. 15,97,777.01 + IB, w.e.f. 30.06.2014
30.01.2014 & 17.09.2015	Rs. 2.50 lakhs + IB, w.e.f. 30.06.2014

Sd/- Authorised Officer, Bank of India.



The Telegraph
AMB EXCHANGE
TIRUPUR/DEVALAR
MIRJAL AND BENDUR
BIR, GIRELANI
BEYOND CHENNAI
AND BEYOND
BANGALORE
INDORE/SHARDA

situations vacant
Reqd Exp/Retd or
DUAL/DIGITAL/IT
Mech/Elec Engineer for
CALCUTTA/SHARDA
apply: email:hr@the
telegraph.com

DIA
All Assets and
under Section
2002, the
to account as
on the date of
is hereby
has taken
inferred on him
date mentioned
by cautioned
to the charge
of the account
Vidya Kumar
Vidya Kumar
and Notice-
1. Deed no.
1248, Mauza-
at Ph.No.
Interest cost
Sd/-
Official Officer
Bank of India

National Highways Authority of India
(Ministry of Road Transport & Highways)
CORRIGENDUM
Reference NIT published in the Gazette of India, dated 08.10.15, 09.15 for 4-laning of
Sole-Contractor for the work of
may be read as "Contractor".
Kishorekumar

NOT JUST ROADS, BUILDING A NATION

TATA STEEL
PUBLIC NOTICE

General Public is hereby informed that the Ministry of Environment, Forests and Climate Change (MoEFCC), Govt. of India vide their letter no. J-11011/22/2013-IS II (I) dated September 15, 2015 has accorded Environment Clearance to M/s Tata Steel Limited for expansion of Cold Rolling Mill from 0.3 to 0.8 MTPA at CRM Complex at Bara, Jamshedpur in accordance with the EIA Notification, 2006 of the Environment (Protection) Act, 1986.

General Public is further informed that copy of the said Environmental Clearance letter is available with the office of the Jharkhand State Pollution Control Board, Ranchi and may also be seen at Website of the MoEFCC at <http://moef.nic.in>.

This public notice is issued in compliance to the General Condition no. (xiv) of the Environmental Clearance letter.

Met office predicts heavy rain today

Ranchi/Jamshedpur, Sept. 18 Interim rain showers and drizzle may forecast down temperatures in the steel city of Jamshedpur today with the weather office predicting heavy rain in isolated pockets of the state tomorrow.

According to senior Met official at Ranchi S.D. Sen, a marked low pressure zone over central Bay of Bengal, coupled with an upper air circulation system, led to rains in Jamshedpur and other parts of Kolhan division, comprising the districts of twin Singhbhum and Seraikela-Kharsawan.

While Dhanbad experienced light showers, there was very little rain reported from various parts of capital Ranchi. "There was no significant rain anywhere else apart from Kolhan today. However, due to the influence of a low pressure system, there is a forecast of heavy rain, accompanied by thunderstorms, at isolated places in the next 48 hours," said Sen.



A woman rides through heavy showers in Jamshedpur on Saturday. Photo by Bha Prasad

certainly brought us some relief," said Babush Chandra, a hardware shopowner in Sakchi.

A. Wadood of Birsa Agriculture University said the prospect of rain tomorrow would definitely add a smile to the faces of farmers.

"There hasn't been much rain in September, which has been a cause of concern for agriculture experts, government officials and, most importantly, paddy and maize farmers. Heavy rain, if that happens, will help reduce the rain deficiency," he added.

Wadood said that from August till September 18, the north-eastern part of the state, including capital Ranchi and Dhanbad, recorded 68mm rainfall against an average of 1,085mm, while the north-western part of the state, including Samthal Pargana, recorded 82mm rain against an average of 1,087mm.

South Jharkhand, comprising Kolhan, recorded only 82mm rain against an average of 1,078mm.

RU seeks slap report

Ranchi, Sept. 18 Ranchi University (RU) today shot a letter to principal of Marwari Women's College Kamli Singh, seeking an explanation into yesterday's episode of a professor slapping a girl student.

RU registrar A.K. Choudhary, acting at the behest of vice-chancellor R.K. Pandey directed the principal to submit a report later by Monday. The professor, interim-duty in charge Jitendra Kumar Singh, was replaced by another teacher, Kumar A.N. Shukla, yesterday itself.

"I have issued a show-cause notice to the professor, but we

have not suspended him. We may take action after submitting the report to the varsity on Monday," the principal told **The Telegraph**.

The girl was waiting on the campus around 11am when Singh apparently walked up to her and asked her "rudely" why she was still there when classes had ended at 10.30am.

As the girl replied she was waiting for her parents, the professor said something on the lines of "you always do this" and slapped her.

But today, Singh refuted the allegations, "Subhendu and Ilum Azin (it's a baseless allegation). I just told her not to be on the campus after class

es got over, but she argued with me," he said, adding he would respond to the show-cause notice on Monday.

CISF complaint
CISF jawan R.K. Chaturvedi has filed a counter-complaint against the three dead and mute teenagers of Bokaro, who accused him and his three colleagues of beating them up on Thursday night.

In his complaint filed at Sector IX police station of Bokaro steel city late last evening, Chaturvedi said that the boys had prevented them from performing government duty besides clicking their video with their permission.

प्रभात खबर सिटी
TATA STEEL
सार्वजनिक सूचना

सर्वसाधारण को एतत् द्वारा यह सूचना दी जाती है कि भारत सरकार के पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय ने पर्यावरण (संरक्षण) अधिनियम, 1986 की पर्यावरण प्रभाव आकलन (ईआईए) अधिसूचना, 2006 के अनुरूप 15 सितंबर, 2015 के अपने पत्र संख्या J-11011/22/2013-IS II (I) के जरिए मेसर्स टाटा स्टील लिमिटेड को बारा, जमशेदपुर स्थित सीआरएम कॉम्प्लेक्स की कोल्ड रॉलिंग मिल के 0.3 मिलियन टन प्रतिवर्ष से 0.8 मिलियन टन प्रतिवर्ष तक के विस्तारीकरण के लिए पर्यावरण स्वीकृति (इन्वायर्नमेंट क्लियरेंस) प्रदान की है।

सर्वसाधारण को यह भी सूचित किया जाता है कि उपरोक्त पर्यावरण स्वीकृति पत्र की प्रति झारखंड राज्य प्रदूषण नियंत्रण बोर्ड, राँची के कार्यालय में उपलब्ध है और इसे पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय के वेबसाइट <http://moef.nic.in> पर जाकर देखा जा सकता है।

यह सार्वजनिक सूचना पर्यावरण स्वीकृति पत्र की सामान्य शर्त संख्या (xiv) के अनुपालन हेतु जारी की जा रही है।

Sun, 20 September 2015
प्रभात खबर
epaper.prabhatkhabar.com/c/6607321

OFFICE OF THE DIVISIONAL FOREST OFFICER, DHALBHUM FOREST DIVISION,
JAMSHEDPUR

Letter no. 1204

Dated : 17/4/08

To,
M/s Tata Steels Ltd.
Cold Rolling Mill Complex (CRMC)
Bara, East Singhbhum
Jamshedpur - 831001


Sub: Impact of Cold Rolling Mill Complex, Bara on Dalma Reserve
Forest

Ref: Your letter no. CPED/CRM-391/8231/2008 Dated 14-2-2008

Sir,

This is to inform that the site for proposed Cold Rolling Mill complex has been inspected by Shri. Anoop K.R., IFS, Attached Officer, Dhalbhum Forest Division. After studying the various environmental aspects of the establishment of the Cold Rolling Mill complex, he has opined that there is no direct apparent threat to Dalma Reserve Forest from the said complex.

Yours faithfully



Divisional Forest Officer
Dhalbhum Forest Division
Jamshedpur



कार्यालय : वन प्रमण्डल पदाधिकारी, जमशेदपुर वन प्रमण्डल, जमशेदपुर।

(सी० एच० एरिया, रोड नं० 1, जमशेदपुर – 831001)

दूरभाष संख्या- 0657-2231017, फ़ैक्स-0657-2231017, ई-मेल- dfo.jamshedpur@gmail.com

पत्रांक- 2614 / जमशेदपुर

दिनांक 02/9/2014

सेवा में,

श्री शुभानन्द मुकेश
हेड एनवाइरमेंट मैनेजमेंट
टाटा स्टील लिमिटेड
जमशेदपुर ।

विषय :- Submission of application for clearance by the standing Committee of the National Board of Wild life under the Wild life (Protection) Act , 1972 for expansion of Cold Rolling Mill from 0.3 MTPA to 0.8 MTPA capacity of Tata Steel Limited at CRM Complex at Bara , Jamshedpur

प्रसंग:- आपका पत्रांक EMD/C-38/207/13 दिनांक 8.11.2013

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र के संदर्भ में सूचित करना है कि प्रस्तावित विस्तारीकरण स्थल का वन क्षेत्र पदाधिकारी , मानगो द्वारा स्थलीय निरीक्षण किया गया है जिसके अनुसार प्रस्तावित विस्तारीकरण स्थल से वन सीमा की दूरी निम्नवत है :-

1.84 K.M	North
1.776 K.M	North North West
4.0 K.M	East
2.04 K.M	West
8.00 K.M	South East

यहाँ यह उल्लेखनीय है कि प्रस्तावित स्थल (बारा) वार्ड न011 जमशेदपुर अधिसूचित क्षेत्र समिति ,खाता न0 52 ,नया प्लॉट न0 62(पी.),63(पी.),64(पी.) एवं 65(पी.) में अवस्थित है जो कि गैर वनभूमि है । कोल्ड मील के विस्तारीकरण से दलमा वन्य प्राणी आश्रयणी पर प्रभाव की संभावना नहीं है ।

विश्वासभाजन
02/9/14

वन प्रमंडल पदाधिकारी
जमशेदपुर वन प्रमंडल,
जमशेदपुर