

**Half Yearly Compliance Report****2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

<b>Proposal Name</b>	Regularization of Existing production facilities for Steel Wires of capacity 175000 TPA located at- Plot A6, Tarapur Industrial Area, PO. Boisar, Tehsil & District Palghar, Maharashtra (M/s. Tata Steel Limited)		
<b>Name of Entity / Corporate Office</b>	Tata Steel Limited - Wire Division, Plot A6		
<b>Village(s)</b>	Kolawae		
<b>District</b>	PALGHAR		
<b>Proposal No.</b>	SIA/MH/IND/68609/2021	<b>Category</b>	Industrial Projects - 1
<b>Plot / Survey / Khasra No.</b>	Plot A6, MIDC, Tarapur Industrial Area	<b>Sub-District</b>	Palghar
<b>State</b>	MAHARASHTRA	<b>Entity's PAN</b>	*****2803M
<b>MoEF File No.</b>	SIA/MH/IND1/409027/2022	<b>Entity name as per PAN</b>	UTSAV KASHYAP

**Compliance Reporting Details**

**Reporting Year** 2026  
**Remarks (if any)**  
**Reporting Period** 01 Jun(01 Oct - 31 Mar)

**Details of Production and Project Area**

**Name of Entity / Corporate Office** Tata Steel Limited - Wire Division, Plot A6

	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	9.9	9.9
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
<b>Total</b>	<b>9.9</b>	<b>9.9</b>

**Others Area**

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Steel Wires	Tons per Annum (TPA)	28/02/2030	175000	130020	175000

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	WATER QUALITY MONITORING AND PRESERVATION	During deliberation, Project Proponent informed that, though they have permission for water supply of 2400 KLD from MIDC and MPCB, they have implemented various water conservation methods in past years that resulted in the reduction in their total water consumption from 2400 KLD to 1200 KLD. PP to make necessary changes
<b>PPs Submission:</b> Complied Focus on 3-R principles (Reduce, Reuse, Recycle) to minimize dependency on fresh water. For the period from Oct - March 2025 the avg daily water consumption was 1045 KLD. The quantity of waste consumption to 1600 KLD has been applied in the CTO renewal application for consideration.		Date: 27/05/2026
2	MISCELLANEOUS	The Project Proponent should ensure that there shall not be any increase in the capacity manufacturing of steel wires, as presently consented by Maharashtra Pollution Control Board
<b>PPs Submission:</b> Complied Noted and complied Steel wires production capacity is as per the CTO granted by Maharashtra Pollution Control Board. Ensure that there will be No increase in production beyond permissible limit		Date: 27/05/2026
3	GREENBELT	Project Proponent informed that, the mandatory- 40% green belt is not developed on the proposed site. Only 15% green belt is being developed till time on the site. It has also been informed that they have space to develop only 30% green belt on their plot whereas the deficit 10% greenbelt PP planned to develop on their adjacent plot No. A9 for which PP need to submit the permission / NOC from MIDC office .
<b>PPs Submission:</b> Complied Revised Proposed Greenbelt Drawing, approved by MIDC, submitted to Appraisal Committee. As on date There are nearly 6000 nos of sapling existing inside the plot A6 which is approx. 38 percentage of greenbelt are of total plot area. Along with that 5500 saplings being planted at TSL colony which gives total 68 percentage of green coverage of A6 plot, and at TSL colony as declared. Planting of trees are the regular activity for every year.		Date: 27/05/2026
4	WATER QUALITY MONITORING AND PRESERVATION	Project Proponent to carryout soil and ground water sampling analysis based on the identification of control site outside the premises and collect soil and ground water samples in and around the proposed site. PP to choose parameters to be analysed based on the use of raw materials and finished products by the earlier owner of the site and all other parameters including heavy metals. PP to compare these results with the control site result and prepare and implement appropriate mitigation plan to address soil and ground water contamination issue. PP to carry out this study by reputed credible Government institute.

<p><b>PPs Submission: Complied</b> Plant had carried out the Soil, Groundwater, Surface water and treated effluent monitoring by the government institute Department of Environmental Science, Asutosh College, University of Calcutta. The monitoring results showed that all 15 parameters were within the CTO- specified discharge standards. The monitored value, along with the discharge standard, has been provided in the report attached. Sampling was also done to cross-check the pollution status outside. Samples outside were found within limits. Report enclosed</p>		<p>Date: 27/05/2026</p>
5	Statutory compliance	Project Proponent to ensure compliance to the conditions stipulated in the CEPI. Need to submit the present status of compliance to the CEPI conditions.
<p><b>PPs Submission: Complied</b> Complied. present status FY26 of compliance to the CEPI conditions submitted</p>		<p>Date: 28/05/2026</p>
6	WASTE MANAGEMENT	Project Proponent Need to provide ZLD Effluent Treatment Plant. Need to get ZLD design vetted by the reputed Govt. institution like IITs/NITs.
<p><b>PPs Submission: Agreed to Comply</b> The installed RO plant of full capacity of 600 CMD is under stabilization. RO partially is under operation and the Performance guarantee will be established the ZLD design vetted by the reputed Govt. institution like IITs/NITs will be done by the supplier only once RO utilisation reach 100 percent</p>		<p>Date: 28/05/2026</p>
7	Statutory compliance	Project Proponent to obtain permission for Rain water harvesting bore pit from the competent authority
<p><b>PPs Submission: Complied</b> No Rain water harvesting bore pit exists within the plant premises and there is no provision of rain water recharge to be done at MIDC Industrial belt. The rain water will be stored in the tank and reuse in the process.</p>		<p>Date: 28/05/2026</p>
8	ENERGY PRESERVATION MEASURES	Project Proponent to submit details of proposed solar power use envisaged in the project along with cost estimation.
<p><b>PPs Submission: Complied</b> A solar power plant is under commissioning at Akohla Distric of MH by Tata Steel and Tata Power. Approximately 35 MW solar power will be utilised once the plant is established. Solar Power has injected 74.5 lakh units in March 26 and 46 lakh Units in Feb26 into the grid for Tarapur. The cost estimated nearly 50 lakhs of rupees per month</p>		<p>Date: 28/05/2026</p>
9	Risk Mitigation and Disaster Management	Project Proponent to carry out detailed quantitative Risk Assessment and submit report along with proposed mitigation measures.
<p><b>PPs Submission: Complied</b> The Environmental Risk Assessment is a part of Enterprise Risk Assessment and Management of the division. The Risk for FY26 has been identified as "GWI inability to timely meet changing Environmental norms leads to Reputation and Brand erosion where the quantitative Risk Assessment has been done along with proposed mitigation measures.</p>		<p>Date: 28/05/2026</p>
10	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to prepare and submit VOCs (Volatile Organic Compound) monitoring and control management plan.
<p><b>PPs Submission: Complied</b> VOC monitoring being done and the parameters are within the specified limit</p>		<p>Date: 28/05/2026</p>

11	WASTE MANAGEMENT	Project Proponent to submit copy of MOU executed with the authorised vendors for disposal of wastes (HZW / Non HZW) generated on site.
<b>PPs Submission:</b> Complied Membership Certificate vide no. RESL-HZW-TAR-2894 between M/S Tata Steel Limited, Global Wires India, Tarapur and M/S Re- Sustainability Ltd For treating the Hazardous Waste is enclosed.		Date: 28/05/2026
12	WASTE MANAGEMENT	Project Proponent to obtain all necessary permissions from competent authority to treat their spent acid on the other plot where the acid recovery plant is established by TSL.
<b>PPs Submission:</b> Complied The Valid CTO for operation of Acid Recovery Plant established by TSL. The CTO issued by MPCB vide no. CONSENT-0000238277/CR/2506000383 issued on 04/06/2025 and valid till 31/05/2030		Date: 28/05/2026
13	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to submit adequacy report of all stacks exists on site w.r.t type of fuel, equipment design and height of stack to ensure all emission are under prescribed limits all the time.
<b>PPs Submission:</b> Complied The stacks with appropriate height are being constructed as per the standard / drawing provided by technology supplier as per process requirement, type of fuel. The clean fuel like PNG is being used in the process. Fumeless HCL acid pickling is provided in process lines. Main pickling is enclosed tunnel type is provided with wet scrubber with 25 M height stack as per MPCB guidelines. All the emission parameters are within the permissible limit.		Date: 28/05/2026
14	MISCELLANEOUS	Project Proponent to ensure to deploy well trained regular employees on all critical / hazardous operations and storage of hazardous chemicals instead of contract workers. Regular safety training to be provided to all such employees.
<b>PPs Submission:</b> Complied Noted and Complied		Date: 28/05/2026
15	MISCELLANEOUS	Project Proponent to prepare chemical compatibility chart of all chemicals handled, stored in site and ensure its storage / handling as per compatibility.
<b>PPs Submission:</b> Complied Noted and Complied		Date: 28/05/2026
16	AIR QUALITY MONITORING AND PRESERVATION	Project Proponent to provide continuous online monitoring system connected to the server of CPCB and MPCB. Also to include VOCs monitoring in the scheduled ambient air monitoring plan.
<b>PPs Submission:</b> Complied The continuous stack emission data is being transfered to MPCB server. Data transmission to CPCB server is under process. VOC monitoring has been scheduled in regular AAQ monitoring plan		Date: 28/05/2026
17	MISCELLANEOUS	PP to ensure to provide adequate space for parking of all types of vehicles including external vehicles carrying raw material and finished products. No vehicle shall be parked on the public road.
<b>PPs Submission:</b> Complied Noted and complied		Date: 28/05/2026

18	Corporate Environmental Responsibility	PP to utilise CER funds for the development of public infrastructure in the vicinity of the project area in consultation with District Administration. A proper CER plan to be prepared and shared for MSW management in the region for its effective implementation.
<p><b>PPs Submission:</b> Complied</p> <p>Tata Steel global Wires, Tarapur unit has spent nearly Rs. 47.61 Lakhs in FY26 on development of community through giving the Joyti fellowship to scholar students, providing health checkup and medical treatment of community people, improve livelihood by providing skill development programme to female SHG, upgrade infrastructure in local school by providing borewell, solar lighting system and other basis infrastructure facilities etc. The PP is in touch with the district administration office</p>		Date: 28/05/2026
19	MISCELLANEOUS	PP to ensure to prepare and implement Onsite and Off-site emergency handling plan. The plan shall be prepared based on the Job Safety Analysis, Risk Assessment etc. Required training to all employees be provided on the emergency handling plans.
<p><b>PPs Submission:</b> Complied</p> <p>Onsite and Offsite Emergency Handling plan has been prepared by authorised third party based on the Job safety analysis and Risk assessment. Regular training being imparted based on the plan of action.</p>		Date: 28/05/2026
20	MISCELLANEOUS	PP to complete rain water harvesting facility before commissioning of the manufacturing activity
<p><b>PPs Submission:</b> Complied</p> <p>The rain water harvesting facility exists within the plant. The rain water collected from the roof top is being stored in artificial water tank and used in process, firefighting system and other ancillary activities. The Rain Water collected in artificial tank/reservoir structure. Further detail RWH study being done by expert / consultant to improve the rainwater collection and capture the run off water by proper designing the storage tank and other facilities.</p>		Date: 28/05/2026
21	GREENBELT	PP to submitted the undertaking dated 31.10.2023 stating that we have obtained plan approval from MIDC and as per plan proposed to provide 30.3% greenbelt that is 3.00 Ha within the plot boundary and deficit greenbelt is proposed on the land owned by the Housing colony . The total greenbelt area is 5.67 Ha which is 57.27% of the plot area. MIDC to ensure the compliance of the same.
<p><b>PPs Submission:</b> Complied</p> <p>Submitted. As on date nearly 68 percentage area being covered with greenbelt including A6 plot and TSL housing colony</p>		Date: 28/05/2026
22	GREENBELT	PP need to undertake Miyawaki plantation of the native and indigenous trees such as Banyan, Peepal, Neem Jamun and other suitable trees as per the Forest Dept, Govt of Maharashtra circular no SaVaVi-2019/C.R.3/F-11 dated 25 June 2019. The said plantation to be completed in the first year of operation of EC under expert guidance of Miyawaki experts / arborist. As proposed, green belt shall be developed in more than 33 % area within and around the plant premises as per the CPCB guidelines in consultation with DFO.
<p><b>PPs Submission:</b> Complied</p> <p>Noted and complied. In most of the areas The plantation done through Miyawaki methods. There are nearly 5500 nos of sapling existing inside the plot A6 and 5800 saplings being planted at TSL colony to comply 68 percentage of green coverage of A6 plot, and at TSL colony as declared.</p>		Date: 28/05/2026
23	WASTE MANAGEMENT	PP to strictly observe Solid Waste Management Rules 2016 as amended time to time

<p><b>PPs Submission:</b> Complied Ensured and complied</p>		<p>Date: 28/05/2026</p>
24	WASTE MANAGEMENT	PP to strictly observe HZW and other Wastes (Management and Transboundary Movement ) Rules 2016 as amended time to time
<p><b>PPs Submission:</b> Complied Ensured and Complied</p>		<p>Date: 28/05/2026</p>
25	AIR QUALITY MONITORING AND PRESERVATION	PP to identify all sources of fugitive air pollution on site and provide pollution control measures to mitigate pollution and meet the standard parameters stipulated in the Environment Protection Rules 1986 amended time to time and Air Prevention and control of Pollution Act 1981, amended time to time
<p><b>PPs Submission:</b> Complied Complied as per direction. No significant fugitive emission as All sources of fugitive air pollution is under covered shed. To control the dust emission water spraying, dust suction system being used. All the wire drawing machine is under full shed / cover to control emission. Regular AAQ monitoring being done by authorised 3rd party and all parameter</p>		<p>Date: 28/05/2026</p>
26	MISCELLANEOUS	PP to ensure storage of chemicals as per Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 amended time to time to ensure no release of any chemical to atmosphere and leakage to the soil
<p><b>PPs Submission:</b> Complied Noted and ensured to follow the Manufacture, Storage and Import of Hazardous Chemical Rules 1989 in future if being used and will ensure no release of any chemical to the atmosphere and leakage to the soil. But No HZW chemicals being manufactured, stored or imported for the operation of plot A6 till date.</p>		<p>Date: 28/05/2026</p>
27	Statutory compliance	PP to ensure transport, Storage, handling and use of the flammable/ toxic chemicals as per conditions stipulated in license/approval of the Petroleum and Explosive Safety Organisation (PESO)
<p><b>PPs Submission:</b> Complied Complied</p>		<p>Date: 28/05/2026</p>
28	Statutory compliance	PP to obtain approval and license from the Directorate of Industrial Health & Safety (DIHS) for proposed project and implement all condition stipulated there in. Need to carry out safety audit as stipulated in the Maharashtra Factories Rules, 1963 and ensure compliance of recommendation of the Audit
<p><b>PPs Submission:</b> Complied The approved factory license issued by DIHS vide license number 129000000027628 dated 1/18/2023 has been issued valid up to December 2026, The safety audit as stipulated in the Maharashtra Factories Rules, 1963 carried out and ensure compliance of recommendation of the Audit.</p>		<p>Date: 28/05/2026</p>
29	ENERGY PRESERVATION MEASURES	PP to provide solar energy for illumination of Administrative Building, street lights and parking area
<p><b>PPs Submission:</b> Complied Noted and Complied</p>		<p>Date: 28/05/2026</p>

30	MISCELLANEOUS	PP to use of briquette/bio coal/pellets or any such suitable product derived from scientific processing of appropriate stream of dry waste/agricultural waste, not less than 50% of the total fuel requirement to the boiler
<b>PPs Submission:</b> Agreed to Comply Not applicable as on date as the plant is operating with PNG and wire drawing process is cold drawing process. Agreed to comply whenever needed.		<b>Date:</b> 28/05/2026
31	Corporate Environmental Responsibility	PP to provide roof top rain water harvesting facility
<b>PPs Submission:</b> Complied Provided		<b>Date:</b> 28/05/2026
32	MISCELLANEOUS	PP to ensure that proposed project is a ZLD unit
<b>PPs Submission:</b> Being Complied The unit will be ZED unit in phase manner. Currently 200 KLD waste water out of 600 KLD being reused in the process. Rest being given to CETP for further treatment before discharge finally. No untreated effluent is being discharged in the ground / river		<b>Date:</b> 28/05/2026
<b>General Conditions</b>		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	PP to scrupulously follow the requirement of Maharashtra Factories Act 1948 and rules 1963 as amended from time to time
<b>PPs Submission:</b> Complied Noted and Complied		<b>Date:</b> 28/05/2026
2	MISCELLANEOUS	PP shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of the issue of this letter, informing that the project had been accorded Environmental Clearance and copies of Environmental Clearance letter are available with the Maharashtra Pollution Control Board website of the company and may also be seen at Website at <a href="http://parivesh.nis.in">http://parivesh.nis.in</a>
<b>PPs Submission:</b> Complied EC published in 2 newspaper on 15 January 2024 i) Marathi Lok Shakta Mumbai edition and ii) English Indian Express Mumbai Edition. Informed MPCB about receiving of EC on 10 January 2024. The EC published in the company website <a href="http://www.tatasteel.com">www.tatasteel.com</a>		<b>Date:</b> 28/05/2026
3	Statutory compliance	The PP shall upload the status of compliance (Soft copies) of the conditions stipulated Environmental clearance letter including monitoring data of air, water, soil noise etc on their website and shall update the same periodically. The half yearly compliance report shall simultaneously be submitted to the Maharashtra Pollution Control Board, SEIAA and Regional office of MOEF&CC at Nagpur, on 1st June and 1st December of each calendar year
<b>PPs Submission:</b> Complied The last half yearly compliance report of April 2024 - Sept 2025 submitted to PARIVESH Portal , the same has been given to the Maharashtra Pollution Control Board, SEIAA and Regional office of MOEF&CC at Nagpur.		<b>Date:</b> 28/05/2026

4	MISCELLANEOUS	A separate Environment Management Cell with qualified personnel shall be set up for implementation of the stipulated environmental safeguards
<b>PPs Submission:</b> Complied The separate Environment Management Cell with qualified personnel already exist		Date: 28/05/2026
5	MISCELLANEOUS	In the event of failure of any pollution control equipment the manufacturing activity shall be immediately stopped safely till the effective functioning of pollution control equipment's is regained
<b>PPs Submission:</b> Complied Noted and Complied		Date: 28/05/2026
6	Statutory compliance	PP to strictly follow conditions stipulated in the Consent of Establish / Operate issued by the Maharashtra Pollution Control Board
<b>PPs Submission:</b> Complied Noted and Complied		Date: 28/05/2026
7	MISCELLANEOUS	PP to Provide separate drains for storm water and effluent and ensure that the storm water drains are dry all the time and in no case the effluent shall mix with the storm water drain
<b>PPs Submission:</b> Complied Noted and complied		Date: 28/05/2026
8	MISCELLANEOUS	Periodic Monitoring of ground water in the study area as marked in the Environmental Impact Assessment Report shall be undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the MPCB
<b>PPs Submission:</b> Complied Ground water analysis done by accredited laboratory within and Periphery area of the project and results are within the permissible limit		Date: 28/05/2026
9	Noise Monitoring & Prevention	The overall noise levels in and around the factory premises shall be kept within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, 1989 as amended from time to time by providing adequate noise control measures and protective equipment's like ear muff and ear plug etc
<b>PPs Submission:</b> Complied Overall noise levels are within the limit. Regular noise monitoring is being done by 3rd party. Adequate noise control measure like noise Acoustic Enclosure for DG set, fully covered drawing machines, providing proper PPEs like ear plug / muff etc being provided to the employees who are exposed to high noise level.		Date: 28/05/2026
10	MISCELLANEOUS	Adequate safety measures shall be ensured to limit the risk zone within the factory premises. Leak detection system shall be installed for early detection and mitigation purpose
<b>PPs Submission:</b> Complied Noted and Complied		Date: 28/05/2026
11	Statutory compliance	The Environmental Statement for each financial year ending on

31st March in form V as is mandated to be submitted by the PP to the concerned Pollution Control Board as prescribed under Environment Protection Rule 1989 as amended from time to time, it shall also be put on the website of the company along with the status of the compliance conditions stipulated in the Environment Clearance letter.

**PPs Submission:** Complied  
The latest Environment Statement for FY25 has been submitted to MPCB on 10 September 2025.  
The same has been uploaded in the company website also.

Date:  
28/05/2026

### Visit Remarks

**Last Site Visit Report Date:**

N/A

**Additional Remarks:**

**Note:** This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.