



Ref. No: FAMD/FAPB/ 02 /FY27

Date: 20.05.2026

**Additional Principal Chief Conservator of Forests (C),  
Ministry of Environment, Forest and Climate Change,  
Regional Office (EZ),  
A/3, Chandrasekharapur,  
Bhubaneswar -751023**

**Sub:** Submission of Six-monthly compliance report on Implementation of Environmental safeguard of Ferro Alloy Plant, Bamnibal, for the period from Oct'2025 to Mar'2026

**Ref:** Ministry of Environment and Forests Letter NO: J-1101/10/2007-IAII (I), dated 07.05.2007

**Dear Sir,**


We are herewith submitting the six-monthly compliance report in respect of the stipulated environmental clearance conditions of Ferro Alloy Plant, Bamnibal, for the period from Oct'2025 to Mar'2026 as per EIA Notification, 2006.

This is in reference to the MoEF&CC's notification vide S.O-5845, dt. 28th Nov 2018, the six-monthly compliance report is being submitted only in soft copy mode, shared with your good office over e-mail @ roez.bsr-mef@nic.in and is being uploaded in Parivesh portal.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavour for further improve upon our environmental management practices.

Thanking You,

Yours Faithfully

  
HEAD (FA Production)  
FAP, Bamnibal  
M/s Tata Steel Ltd.

Head(Ferro Alloys Production)  
**TATA STEEL LIMITED**  
Ferro Alloy Plant, Bamnibal  
Keonjhar, Odisha, Pin-758082

**Copy to:**

1. The Director, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Aliganj, Jorbagh Road, New Delhi-110 003
2. The Regional Directorate, Central Pollution Control Board, 'South end Conclave' Block-502, 5th & 6th Floor, 1582, Razidanga, Main Road, Kolkata- 700107
3. Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Bhubaneswar, 751012.

**TATA STEEL**

Ferro Alloy Plant , Bamnibal-758082, Keonjhar, Orissa , India

Tel.: 9238118601,9238118603,Fax: 916726243324

Regd.Office : Bombay House, 24 Homi Mody Street, Mumbai -400 001

Tel 91 22 6665 8282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website [www.tatasteel.com](http://www.tatasteel.com)

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/OR/IND/2129/2007
<b>Compliance ID</b>	1228322828
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/1228322828/2026
<b>Reporting Year</b>	2026
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	22-05-2026
<b>RO/SRO Name</b>	Shri Senthil Kumar Sampath
<b>RO/SRO Email</b>	agmu156@ifs.nic.in
<b>State</b>	ODISHA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Bhubaneswar

**Note:-** SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, ODISHA with Notification to Project Proponent.

**Half Yearly Compliance Report****2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

<b>Proposal Name</b>	Expansion of Ferro Chrome Plant (50000 to 100000TPA) and coal based Captive Power Plant (60 MW) in Ferro Alloy Plant at Brahmanipal, Ghatgaon, Keonjhar, Orissa by M/s Tata Steel Limited		
<b>Name of Entity / Corporate Office</b>	Tata Steel Limited		
<b>Village(s)</b>	N/A		
<b>District</b>	KENDUJHAR		
<b>Proposal No.</b>	IA/OR/IND/2129/2007	<b>Category</b>	Industrial Projects - 1
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	N/A
<b>State</b>	ODISHA	<b>Entity's PAN</b>	*****2803M
<b>MoEF File No.</b>	J-11011/10/2007-IA.II(I)	<b>Entity name as per PAN</b>	UTSAV KASHYAP

**Compliance Reporting Details**

<b>Reporting Year</b>	2026
<b>Remarks (if any)</b>	Submission of Half Yearly EC Compliance for a period of October 2025 to March 2026 in details as below.
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)

**Details of Production and Project Area**

<b>Name of Entity / Corporate Office</b>	Tata Steel Limited	
	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	71.719	71.719
Revenue Land	0	0
Forest	39.72	39.72
Others	N/A	N/A
<b>Total</b>	<b>111.439</b>	<b>111.439</b>

**Others Area**

Sr. no	Other Name	Area Granted	Area Actual
1	NA	NA	NA

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	High Carbon Ferro Chrome	Tons per Annum (TPA)	31/03/2031	100000	17446	65000

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.
<b>PPs Submission:</b> Complied Existing plant emission level is within the permissible limit. Guidelines/codes of practice issued by CPCB are followed. Monthly monitoring reports are forwarded to SPCB, Bhubaneswar and Regional office, Keonjhar.		Date: 20/05/2026
2	AIR QUALITY MONITORING AND PRESERVATION	Continuous stack monitoring facilities for all the major stacks and adequate air pollution control systems shall be provided to keep emission levels below 50 mg/Nm <sup>3</sup> and reports submitted to the OSPCB and CPCB.
<b>PPs Submission:</b> Complied CEMS has been provided in process stack and the furnace has been provided with wet scrubber. Monthly monitoring reports are forwarded to SPCB, Bhubaneswar and Regional office, Keonjhar.		Date: 20/05/2026
3	ENERGY PRESERVATION MEASURES	In-plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fume and dust extraction system with bag filters shall be provided at the transfer and discharge points to control fugitive emissions. Pneumatic ash conveying system and storage silos shall be used for dust transfer to silos. ESP shall be provided to the Captive Power Plant (CPP) to control air emissions to 100mg/Nm <sup>3</sup> . Further, specific measures like water sprinkling around the coal stockpiles and asphaltting or concreting of the roads shall be done to control fugitive emissions.
<b>PPs Submission:</b> Complied All necessary in-plant control measures such as Mobile and fixed water sprinklers, mist cannons, etc have been implemented to minimize fugitive emissions.		Date: 20/05/2026
4	AIR QUALITY MONITORING AND PRESERVATION	Secondary fugitive emissions shall be controlled within the prescribed limits, regularly monitored and records maintained. Guideline / Code of practice issued by the CPCB in this regard shall be followed.
<b>PPs Submission:</b> Complied Suitable dust control measures have been provided to control the secondary fugitive emissions within the prescribed limits. Regular monitoring of work zone AAQ is being carried out and the report is being submitted to OSPCB on monthly basis.		Date: 20/05/2026

5	WATER QUALITY MONITORING AND PRESERVATION	Total requirement of the water from Remal Dam and Kusei River shall not exceed 4416 m <sup>3</sup> /day and 7584 m <sup>3</sup> /day respectively as per the permission accorded by the Department of Water Resources, Govt. of Orissa. All the 3640 m <sup>3</sup> /day treated effluent shall be used for dust suppression and green belt development after treatment for total suspended solids (TSS) and pH. Domestic wastewater shall be treated in Sewage Treatment Plant (STP). No waste water shall be discharged outside the factory premises and Zero discharge shall be adopted.
<b>PPs Submission:</b> Complied The water requirement for existing plant is 1750 KLD, and is well below the above permissible limit. Also, Zero Effluent Discharge concept has been adopted for the plant. Domestic wastewater is treated in common 200 KLD STP installed in colony.		Date: 20/05/2026
6	WASTE MANAGEMENT	All the solid waste including process slag, SAF flue dust, raw material fines, product fines, ash, raw water treatment slurry and ETP sludge shall be properly disposed of. Fly ash and granulated slag shall be provided to the cement manufacturing units for further use. Hexavalent Chromium present in the slag shall be converted to trivalent chromium. Ferro-chrome shall be stored in secured landfill as per the CPCB guidelines. Bottom ash shall be disposed of in a suitably designed landfill as per CPCB guide line to prevent leaching to the sub-oil and underground aquifer. STP sludge after drying shall be used as fertilizer for green belt development. Used oil shall be sold to recyclers and pre-processors.
<b>PPs Submission:</b> Complied All applicable OSPCB norms with respect to disposal of hazardous and non-hazardous solid wastes are being complied with.		Date: 20/05/2026
7	WASTE MANAGEMENT	SAF slag shall not be dumped but reused as per the alternate action plan submitted to the Ministry. Product fines and flue dust shall not be dumped anywhere but reused in the process.
<b>PPs Submission:</b> Complied SAF hard slag is used for construction and road levelling activities in Tata Steel Kalinganagar Projects and NINL.		Date: 20/05/2026
8	WATER QUALITY MONITORING AND PRESERVATION	The company shall develop rainwater harvesting structures to harvest the rainwater for utilization in the lean season besides recharging the ground water table.
<b>PPs Submission:</b> Complied All the uncontaminated rainwater from around the plant area is channelled into the rainwater harvesting cum storage pond located inside the colony area. Rainwater from RM yard and other plant process areas is sent to ETP for treatment before recycling back in plant operations.		Date: 20/05/2026
9	LAND RECLAMATION	Out of total 71.719 ha. Green belt shall be developed in 40 ha within and around the plant premises as per the CPCB guidelines in consultation with DFO besides compensatory afforestation in 39.72 ha in lieu of forest land acquired.
<b>PPs Submission:</b> Complied More than 33 percentage of total plant area has been developed as Green cover.		Date: 20/05/2026
10	Human Health Environment	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

<p><b>PPs Submission:</b> Complied Periodic medical check-ups are conducted on yearly basis and the records of the same are being maintained as per Factories Act.</p>		<p>Date: 20/05/2026</p>
11	Statutory compliance	Recommendations made in the CREP guidelines issued for Ferro chrome plants shall be implemented.
<p><b>PPs Submission:</b> Complied CREP (Corporate Responsibility for Environmental Protection) recommendations have been implemented.</p>		<p>Date: 20/05/2026</p>
12	MISCELLANEOUS	No construction activities at the 39.72 ha forest land shall start without prior approval under Forest (Conservation) Act, 1980 and subsequent amendments.
<p><b>PPs Submission:</b> Complied The construction of the proposed expansion project has not commenced, and no activities were undertaken within the EC validity period. Accordingly, fresh Environmental Clearance will be obtained if the project is taken up in future.</p>		<p>Date: 20/05/2026</p>
13	GREENBELT	Comments/observations of the Chief Wildlife Warden/State Forest Department shall be obtained regarding impact of the proposed expansion plant on the Rebana RF, Daitari RF, Tamka RF, Mahagiri RF which are located around the project site and all the recommendations should be implemented in time bound manner.
<p><b>PPs Submission:</b> Complied The construction of the proposed expansion project has not commenced, and no activities were undertaken within the EC validity period. Accordingly, fresh Environmental Clearance will be obtained if the project is taken up in future.</p>		<p>Date: 20/05/2026</p>
<p><b>General Conditions</b></p>		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The project authorities must strictly adhere to the stipulations made by the Orissa Pollution Control Board (OSPCB) and the State Government.
<p><b>PPs Submission:</b> Complied All the stipulations made by the Odisha Pollution Control Board and the State Government are strictly followed for existing facility.</p>		<p>Date: 20/05/2026</p>
2	Statutory compliance	No further expansion or modification in the plant should be carried out without prior approval of the Ministry of Environment and Forests.
<p><b>PPs Submission:</b> Complied No expansion or modifications in the plant is carried out without prior approval of the Ministry.</p>		<p>Date: 20/05/2026</p>
3	AIR QUALITY MONITORING AND PRESERVATION	At least four ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO <sub>2</sub> and NO <sub>x</sub> are anticipated in consultation with the OSPCB. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the OSPCB/CPCB once in six months.

<p><b>PPs Submission:</b> Complied The monitoring of the air quality is being conducted at four locations twice in a week as per CPCB guidelines. The air quality analysis report is submitted to OSPCB on monthly basis.</p>		<p>Date: 20/05/2026</p>
4	<p><b>WATER QUALITY MONITORING AND PRESERVATION</b></p>	<p>Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended form time to time. The treated wastewater shall be utilized for plantation purpose.</p>
<p><b>PPs Submission:</b> Complied The industrial wastewater is properly collected and treated in ETP. The treated water is being recycled back in plant operations.</p>		<p>Date: 20/05/2026</p>
5	<p>Noise Monitoring &amp; Prevention</p>	<p>The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level should conform to the standards prescribed under EPA Rules, 1989 viz 75 dBA (daytime) and 70 dBA (night-time).</p>
<p><b>PPs Submission:</b> Complied The overall noise levels in and around the plant area is being maintained within the standards (85 dBA) by providing noise control measures such as acoustic hoods, silencers, enclosures etc. on all sources of noise generation.</p>		<p>Date: 20/05/2026</p>
6	<p>Corporate Environmental Responsibility</p>	<p>The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.</p>
<p><b>PPs Submission:</b> Complied The socio-economic, development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc. are being taken care of by our TSF team (CSR team).</p>		<p>Date: 20/05/2026</p>
7	<p>MISCELLANEOUS</p>	<p>As mentioned in the EIA/EMP, Rs.25.44 Crores and Rs.3.26 Crores shall be earmarked towards capital cost and recurring cost/annum to control pollution and shall be judiciously utilized to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purpose.</p>
<p><b>PPs Submission:</b> Complied The construction of the proposed expansion project has not commenced, and no activities were undertaken within the EC validity period. Accordingly, fresh Environmental Clearance will be obtained if the project is taken up in future.</p>		<p>Date: 20/05/2026</p>
8	<p>Statutory compliance</p>	<p>The Regional Office of this Ministry at Bhubaneswar/CPCB/OSPCB shall monitor the stipulated conditions. A six-monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.</p>
<p><b>PPs Submission:</b> Complied The half yearly EC compliance report along with monitored data is being submitted on Parivesh portal.</p>		<p>Date: 20/05/2026</p>
9	<p>MISCELLANEOUS</p>	<p>The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of</p>

		the clearance letter are available with the OSPCB/Committee and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office at Bhubaneswar.
--	--	--

<p><b>PPs Submission:</b> Complied          News was published in two local newspapers (The Samaja, The Indian Express) about the grant of EC. These two newspapers are widely circulated in the region of locality concerned in the vernacular language, a copy of the same forwarded to the Regional Office at Bhubaneswar.</p>	<p>Date: 20/05/2026</p>
---	-----------------------------

10	MISCELLANEOUS	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work
----	---------------	---

<p><b>PPs Submission:</b> Complied          The construction of the proposed expansion project has not commenced, and no activities were undertaken within the EC validity period. Accordingly, fresh Environmental Clearance will be obtained if the project is taken up in future.</p>	<p>Date: 20/05/2026</p>
--	-----------------------------

**Visit Remarks**

**Last Site Visit Report Date:**

N/A

**Additional Remarks:**

**Note:** This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.

