



By-Email

Ref.No.: MGM/P&E/239

Date:25/05/2026

**To,**  
**Dy. Director General,**  
**Integrated Regional Office,**  
**Ministry of Environment and Forest & Climate Change, Eastern Region Office,**  
**A/3, Chandrasekharpur, Bhubaneswar-751023**

**Subject:** Submission of half-yearly compliance report on the stipulated environmental clearance terms and conditions in respect of Tiringpahar Iron and Manganese Mine of M/s TATA Steel Ltd., for the period from October'2025 to March'2026.

**Reference:**

- 1) MoEFCC's Letter Ref No: J-11015/87/2004-IA. II(M) dated 17<sup>th</sup> November 2005.
- 2) MoEFCC's notification vide S.O-5845 (E), dated 28<sup>th</sup> November 2018.

Respected Sir,

We are herewith submitting the six-monthly compliance report on the status of the implementation of the conditions stipulated in environmental clearance awarded to us vide MoEFCC's Letter Ref No: J-11015/85/2003-IA. II(M) dated 17<sup>th</sup> November 2005 in respect of Tiringpahar Iron and Manganese Mine of M/s TATA Steel Ltd. for the period from October'2025 to March'2026 for your kind perusal.

This is in reference to the above referred MoEFCC's notification, the six-monthly compliance report is being submitted only in soft copy mode, shared with your good office at e-mail @ [roez.bsr-mef@nic.in](mailto:roez.bsr-mef@nic.in).

We believe the above submission is in order.

Thanking You,

Yours Faithfully,

F: TATA STEEL LTD.

*Pinku Kumar*  
Head (Mine Planning),  
Tiringpahar Iron & Manganese Mines,  
Ferro Alloys Mineral Division

**Encl:** As above.

**Copy To:**

- 1) Zonal Office Kolkata, Central Pollution Control Board, South end Conclave, Block 502, 5<sup>th</sup> and 6<sup>th</sup> Floors, 1582 Rajdanga Main Road, Kolkata, West Bengal 700107.
- 2) The Member Secretary, State Pollution Control Board, A/118, Nilakantha Nagar, Bhubaneswar, Odisha-751012.
- 3) The Regional Officer, State Pollution Control Board, Baniapat, DD College Road, Keonjhar, Odisha-758001.

**TATA STEEL LIMITED**

Ferro Alloys & Manganese Division, Manganese Group of Mines, At/P.O.: Bichhakundi, Via: Joda,

Dist: Keonjhar Odisha – 758 034 Tel.: 9238101370, email : mnminesadmin@tatasteel.com

Regd. Office : Bombay House, 24 Homi Modi Street, Mumbai – 400 001 Tel 912266658282, Fax 912266657724

Corporate Identity Number L27100MH1907PLC000260 Website [www.tatasteel.com](http://www.tatasteel.com)

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/OR/MIN/11666/2005
<b>Compliance ID</b>	1229248677
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/1229248677/2026
<b>Reporting Year</b>	2026
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	26-05-2026
<b>RO/SRO Name</b>	Shri Senthil Kumar Sampath
<b>RO/SRO Email</b>	agmu156@ifs.nic.in
<b>State</b>	ODISHA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Bhubaneswar
<b>Note:-</b> SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, ODISHA with Notification to Project Proponent.	

**Half Yearly Compliance Report  
2026  
01 Jun(01 Oct - 31 Mar)**

**Acknowledgement**

<b>Proposal Name</b>	Tiringpahar Manganese Ore Mine of M/s Tata Steel, Dist. Keonjhar, State Odisha (Expansion in the Production of Manganese Ore from 0.43 LTPA to 0.85 LTPA)		
<b>Name of Entity / Corporate Office</b>	Tata Steel		
<b>Village(s)</b>	N/A		
<b>District</b>	KENDUJHAR		
<b>Proposal No.</b>	IA/OR/MIN/11666/2005	<b>Category</b>	Non-Coal Mining
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	N/A
<b>State</b>	ODISHA	<b>Entity's PAN</b>	*****2803M
<b>MoEF File No.</b>	J-11015/87/2004-IA.II(M)	<b>Entity name as per PAN</b>	UTSAV KASHYAP

**Compliance Reporting Details**

<b>Reporting Year</b>	2026
<b>Remarks (if any)</b>	Six Monthly EC Compliance in respect of Tiringpahar Manganese Mine Project: Metal Mining (Open Cast) Project Proponent: Tata Steel Limited.
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)

**Details of Production and Project Area**

**Name of Entity / Corporate Office**      Tata Steel

	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	0	1.311
Revenue Land	98.486	34.515
Forest	70.514	133.174
Others	N/A	N/A
<b>Total</b>	<b>169</b>	<b>169</b>

**Others Area**

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Manganese Ore	Tons per Annum (TPA)	31/03/2030	85000	79215	85000
Conditions						
Specific Conditions						
Sr.No.	Condition Type	Condition Details				
1	Statutory compliance	Mining shall not be undertaken in areas of forestland within the lease for which forestry clearance has not been obtained.				
<p><b>PPs Submission:</b> Complied</p> <p>The present leasehold area of Tiringpahar Manganese Mine is 169.0 ha. Out of which, forest land is 133.174 and non-forest land and 35.826 ha respectively. Stage-II Forest clearance has been accorded vide letter no F. No. 8-80/2004-FC dated 28.03.2007 for 52.348 ha of forest land. FC for balance forest area 80.826 Ha has been obtained vide letter no 8-01/2019FC/I/108207/2025</p>						Date: 26/05/2026
2	GREENBELT	Topsoil should be stacked properly with proper slope at earmarked site(s) with adequate measures and should be used for reclamation and rehabilitation of mined out area.				
<p><b>PPs Submission:</b> Complied</p> <p>No topsoil generated during the period April-25-March-26 since mining has not advanced into any virgin land. Whenever topsoil is generated and it will be stacked in a designated place earmarked for the same. Topsoil recovered during mining operation earlier has been concurrently used for plantation over matured dumps and for roadside avenue plantation.</p>						Date: 26/05/2026
3	WATER QUALITY MONITORING AND PRESERVATION	OB and other wastes should be stacked at earmarked sites only and should not be kept active for long periods of time. Plantation should be taken up for soil stabilization along the slopes of the dump and terraced after every 5-6 m of height and overall slope angle shall be maintained not exceeding 28°. Sedimentation pits shall be constructed at the corners of the garland drains. Retention/toe walls shall be provided at the base of the dumps.				
<p><b>PPs Submission:</b> Complied</p> <p>Mining and all its associated operational activities are ensured in line with the provisions of approved mining plan. Dedicated sites have been earmarked for storing overburden (OB) and other waste and/or minerals/ mineral rejects. The status thereof is updated in the surface plan on quarterly basis. All matured dumps are stabilized by bio-reclamation with the plantation of Vetiver grass on the slopes and native varieties of forestry saplings. The dump is terraced at every 5-6 mtrs and overall slope is maintained well within 28 degree. Environmental Protection Measures ensured at site especially for the dump management aspects are as follows: 1. Network of Garland Drains and/or Toe Walls 2. Intermittent Sedimentation tanks/settling pits 3. Slope stabilization by means of coir matting and/or vetiver grass plantation 4. Final rehabilitation measures by means of native varieties of forestry saplings both on the slope and benches of the dump.</p>						Date: 26/05/2026
4	WATER QUALITY MONITORING AND PRESERVATION	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The drains should be regularly desilted and maintained properly. Garland drains (size, gradient & length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the				

		area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Storm water return system should be provided. Storm water should not be allowed to go to the effluent treatment plant during high rainfall/super cyclone period. A separate storm water sump for this purpose should be created.
<p><b>PPs Submission:</b> Complied</p> <p>Existing catch drains and garland drains have been constructed all along the periphery of dump at the toe, so that silt/sediments in the surface runoff can be arrested. Size, gradient and length of the drains and the ponds are adequately made with respect to the size of the same to take care of the peak flow during the rainy season. The garland drain, catch drains and sedimentation pits are periodically de-silted and maintained properly every year before the onset of monsoon. The storm water which gets collected in the lower most areas of the leasehold, during rains, is connected to a series of drains which lead to mine pit to store the water and also recharge the ground water table.</p>		<p>Date: 26/05/2026</p>
5	WATER QUALITY MONITORING AND PRESERVATION	Dimension of retaining wall at the toe of OB dumps and benches within the mine to check run-off and siltation should be based on the rainfall data.
<p><b>PPs Submission:</b> Complied</p> <p>While designing network of garland drains, check dams, retention walls and rain passes for slope protection as well as arresting silt and sediment during monsoon season, following factors are considered such as Rainfall (peak scenarios), catchment area, gradient slope and retention hours.</p>		<p>Date: 26/05/2026</p>
6	AIR QUALITY MONITORING AND PRESERVATION	Trace Metals such as Ni, Co, As and Hg should be analyzed in dust fall and soil samples for at least one year during summer, monsoon and winter seasons. If concentrations of these metals are found below the standards then with prior approval of MOEF this specific monitoring could be discontinued.
<p><b>PPs Submission:</b> Complied</p> <p>Yearly monitoring of trace metals both in dust fall and soil samples for parameters like Ni, Co, As and Hg is being carried out. So far, no such trace mineral has been detected in the collected samples. Enclosed as Annexure-01</p>		<p>Date: 26/05/2026</p>
7	AIR QUALITY MONITORING AND PRESERVATION	Mineral and OB transportation shall be in trucks/dumpers covered with tarpaulins. Vehicular emissions should be kept under control and regularly monitored. Suitable measures should be taken to check fugitive emissions from haulage roads & transfer points, etc.
<p><b>PPs Submission:</b> Complied</p> <p>Mineral Transportation is ensured by tippers and all the trucks are covered with tarpaulins before issuance of transit permits for their onward transportation. All the dispatch vehicles are mandatorily required to have Pollution under Check (PuC) certificate to enter the mine. To restrict the fugitive emissions form haul roads, the following measures have been taken up1. Fixed Sprinkling System for the Haul Roads 2. Mist Canons at sorting yards 3. Automatic Wheel wash facility at the exit point of the mines 4. Dust suppression by means of mobile water tanker (capacity 12Kl) deployed for Haul Roads and other locations. 5. Fixed sprinkling arrangement at railway siding</p>		<p>Date: 26/05/2026</p>
8	GREENBELT	A green belt of adequate width and area of 1.9 ha should be raised by planting the native species around ML area, and in addition plantation should also be carried out along roads, OB dump sites (21.996 ha) and in other areas within the lease (47.774 ha) covering a total area of 71.67 ha in consultation with the local DFO/ Agriculture Department. The density of the trees should be not less than 2500 plants per ha.
<p><b>PPs Submission:</b> Complied</p> <p>Plantation activities are ensured in accordance with the provisions of Progressive Mine Closure Plan</p>		<p>Date: 26/05/2026</p>

		(PMCP). Tata Steel Limited has developed a site-specific biodiversity management plan for implementation of measures for protection and conservation of biodiversity in and around the mine. Accordingly, emphasis on the principles of restoration is ensured by following scientific plantation strategies with the help of mixed varieties of native (non-exotic) forestry saplings in the scheme of plantation. So far, around 37.43 hectares of area (including waste dump, safety zone, back filled area and avenue plantation zones) have been covered under plantation with 1,95,932 nos of saplings (approx.). In the process of afforestation, the mine has ensured rehabilitation of around 17.930 hectares over OB dump, 14.77 ha of Avenue Planation and 2.55 ha of Safety zone plantation where the saplings have attained self-sustaining stage. In addition to the above, 12900 nos. of saplings including gap filling were planted over an area of 0.813 ha on the dump during FY 26.	
9	Statutory compliance	Groundwater shall not be used for mine operations. Prior approval of CGWA shall be obtained for using groundwater.	
		<b>PPs Submission:</b> Complied There is no ground water intersection for the mine. Neither any borewell water is being used; nor there is any mine associated ground water seepage. There is no interception of the ground water table. Water required for operations is sourced from the adjacent mine i.e. Bamebari Manganese Mine (another mine of the company).	Date: 26/05/2026
10	MINING PLAN	Mining will not intersect groundwater. Prior permission of the MOEF and CGWA shall be taken to mine below water table.	
		<b>PPs Submission:</b> Complied As per the approved mining plan and status thereof, it is conclusive that ultimate pit depth of the mine at the end of mine plan period will not intercept the regional ground water table.	Date: 26/05/2026
11	WATER QUALITY MONITORING AND PRESERVATION	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers. The monitoring should be done for quantity four times a year in pre-monsoon (April / May), monsoon (August). Post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the Ministry of Environment & Forests and the Central Ground Water Authority quarterly.	
		<b>PPs Submission:</b> Complied A network of open dug wells and bore wells have been identified for monitoring of GW levels and quality in and around the mine areas.	Date: 26/05/2026
12	WATER QUALITY MONITORING AND PRESERVATION	Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn at specific locations for both surface water downstream and in ground water at lower elevations from mine area, shall be periodically monitored in consultation with the OSPCB and State Ground Water Board. Suitable treatment measures shall be undertaken in case levels are found to be higher than permissible limits.	
		<b>PPs Submission:</b> Complied Water Quality parameters are regularly tested for both surface water and ground water. Monitoring reports are submitted to SPCB from time to time. So far from the water quality analysis result of both surface and ground water attributes, no such adverse impacts have been observed when compared with applicable permissible limits/standards prescribed. Enclosed as Annexure-02	Date: 26/05/2026
13	Statutory compliance	"Consent to Operate" should be obtained from SPCB before expanding mining activities.	
		<b>PPs Submission:</b> Complied Consent to Operate for Production of Mn Ore for 85000 TPA and Operation of Mobile Screening Plant of 1X392 TPD and a mobile crushing plant of 1X50TPH has been accorded by SPCB, Odisha	Date: 26/05/2026

vide letter No. 6657/IND/I/CON/190 dated 29-03-2025 which is valid up to 31/03/2030.

14

Statutory compliance

A Conservation Plan for conservation of endangered fauna including the Indian Elephant found in and around the mine area shall be prepared and implemented in consultation with identified agencies/institutions and with the State Forest Department. The Plan should be dovetailed with that prepared/under implementation/proposed for the endangered fauna found in the Reserve Forest in the buffer zone of the project site. The costs for the specific activities/tasks should be earmarked in the Conservation Plan and shall not be diverted for any other purpose. Year wise status of the implementation of the Plan and the expenditure thereon should be reported to the Ministry of Environment & forests, RO, Bhubaneswar.

**PPs Submission:** Complied

A site-specific wildlife conservation plan has been approved by PCCF, Bhubaneswar, Odisha and Chief Wildlife Warden Odisha vide memo no. 7724/1WL-SSP-94/2015 dated 03.08.2015. Following funds have been deposited by PP to State Forest Dept till date for 1. Rs. 240.47 lakhs for the implementation of various provisions of site-Specific wildlife conservation plan like avifauna monitoring, solar fencing and other 2. Rs 35.7 Lakhs by user agency 3. Rs 7267000/- for the implementation of regional wildlife conservation as per the demand notices.

Date:  
26/05/2026

15

MINING PLAN

A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.

**PPs Submission:** Complied

A Final Mine Closure Plan (FMCP) shall be prepared in accordance with the provisions laid down under the GUIDELINES FOR PREPARATION OF FINAL MINE CLOSURE PLANS as prescribed by Indian Bureau of Mines. As per the said guideline, FMCP is required to be prepared 2 years in advance from the date of closure/life of the mine. However presently during the approval of Mine Plan, a progressive mine closure plan (PMCP) is being submitted for approval. During the process of such approval, based on the area put to use for excavation and allied activities, we have deposited a sum of Rs. 5.6042 Cr to Indian Bureau of Mines (IBM) in the form of Bank Guarantees towards financial assurance for the implementation of measures of PMCP provisions. This approval was communicated to the Regional office , MoEFCC, Bhubaneswar.

Date:  
26/05/2026

**General Conditions**

Sr.No.

Condition Type

Condition Details

1

MINING PLAN

No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.

**PPs Submission:** Complied

There is no change in the mining technology and scope of working of the mines. Mining is carried out as proposed by using shovel-dumper combination. Dry mobile screening is carried out with the help of a 1X392 TPD screen plant.

Date:  
26/05/2026

2

MINING PLAN

No change in the calendar plan including excavation, quantum of manganese ore and waste should be made.

**PPs Submission:** Complied

Production and excavation quantum is regulated by the Mine Plan approved by Indian bureau of Mines (IBM). No change in the calendar plan has been made. Total annual production achieved from the mine is well within the EC limit of 0.85 Lakh tonnes per annum.

Date:  
26/05/2026

3	AIR QUALITY MONITORING AND PRESERVATION	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM. SPM, SO <sub>2</sub> , NO <sub>x</sub> . monitoring. Location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Data on ambient air quality (RPM, SPM, SO <sub>2</sub> & NO <sub>x</sub> .) should be regularly submitted to the Ministry including its Regional office at Bhubaneshwar and the State Pollution Control Board I Central Pollution Control Board once in six months.
<p><b>PPs Submission:</b> Complied</p> <p>In consultation with Regional Office, State Pollution Control Board (Keonjhar Region), 04 nos of dedicated Ambient Air Quality monitoring station have been established and regular monitoring is being carried out twice a week. Additionally 05 Nos of location is also identified for Ambient Air Quality monitoring in buffer zone. Photographs of fixed type platforms properly geotagged with the spatial coordinates have been shared with State Pollution Control Board and the same was accepted to SPCB during renewal of CTO. Enclosed as Annexure-03</p>		<p>Date: 26/05/2026</p>
4	AIR QUALITY MONITORING AND PRESERVATION	Drills should be wet operated or with dust extractors and controlled blasting should be practiced.
<p><b>PPs Submission:</b> Complied</p> <p>Wet drilling concept is already in place and practiced. Exploratory drills have been provided with inbuilt DE system. Controlled blasting technique with NONEL is in practice. Ground vibrations are being checked for every blasts done in the mine. Blasting parameters are assessed periodically by engaging agency like CIMFR, Dhanbad. Based on the recommendation of such assessments, the blasting rounds are designed and fired.</p>		<p>Date: 26/05/2026</p>
5	AIR QUALITY MONITORING AND PRESERVATION	Fugitive dust emissions from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangements on haul roads, wagon loading, dumpers/ trucks, loading & unloading points should be provided and properly maintained.
<p><b>PPs Submission:</b> Complied</p> <p>Following measures are ensured for containment of fugitive dust emission: 1. Mobile water tanker for Haul Roads, Dump yards and other locations) 2. Mist Canons for sorting yards and screening plants 3. Fixed Sprinkling system for static haul roads 4. Automatic Wheel wash facility at Railway Siding and exit point of the mines</p>		<p>Date: 26/05/2026</p>
6	Noise Monitoring & Prevention	Adequate measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operations of HEMM, etc. should be provided with ear plugs/ muffs.
<p><b>PPs Submission:</b> Complied</p> <p>Ear plugs and Earmuffs are provided to the workers working in mining operation and DG operations and other high noise generating equipment's. Provision of acoustic enclosures are invariably ensured before the installation of such noise generating instruments. Following monitoring measures are ensured for the regulation of noise pollution associated impacts: 1. Monitoring of Noise level (both ambient noise survey) and workplace noise survey is carried out on monthly basis using an integrated sound level meter. Enclosed as Annexure-04 2. Occupational Noise Exposure assessment is also carried out for the persons engaged in high noise generating areas on quarterly basis by sampling individual workers over eight-hour durations.</p>		<p>Date: 26/05/2026</p>
7	WATER QUALITY MONITORING AND PRESERVATION	In Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.

<p><b>PPs Submission: Being Complied</b> This condition is not applicable. No workshop facility exists within the mine lease area. Mining operations are executed through an MDO, and no HEMM servicing or washing is carried out within the mine. All such activities are conducted outside the lease area; therefore, no industrial wastewater is generated from workshop operations within the project site</p>		<p>Date: 26/05/2026</p>
8	MISCELLANEOUS	Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.
<p><b>PPs Submission: Complied</b> Environmental Monitoring services are carried out by engaging an NABL Accredited agency having it's laboratory recognized by Ministry of Environment, Forest and Climate Change.</p>		<p>Date: 26/05/2026</p>
9	Human Health Environment	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
<p><b>PPs Submission: Complied</b> Personnel Protective Equipments (PPEs) are being mandatorily used by all the workers as per applicability. It is regularly ensured at the entry points. Safe Operating Procedure based training is imparted to all the workers apart from the initial VT training. Periodical Medical Examination of employees (departmental and contractual) are conducted as per prescribed norms of Mines Rule, 1955. Besides, Occupational health surveillance assessment as mentioned below are also carried out.</p>		<p>Date: 26/05/2026</p>
10	Corporate Environmental Responsibility	A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the Organization.
<p><b>PPs Submission: Complied</b> The company has made a robust arrangement for reviewing and monitoring the implementation of Environment management plan. A Centralized Environmental Management Department has been set up headed by the Chief (Environment) and supporting staff. The operation and legal sections at mine level include Head (Mine and Production Planning), Head (Environment), Senior Manager - Mine Planning, Area Manager (RM Environment), Environment Engineer.</p>		<p>Date: 26/05/2026</p>
11	Corporate Environmental Responsibility	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneshwar.
<p><b>PPs Submission: Complied</b> A dedicated cost Centre for maintaining all environmental expenditure is maintained in a separate GL account having a unique cost centre mapped in the SAP system. All sorts of environmental protection related expenditures are booked in the said cost centre for accounting purpose. The details of expenditure incurred during the last 3 financial years is as under: FY-2023-24: Rs. 227.00 Lakhs FY-2024-25: Rs. 223.55 Lakhs FY-2025-26: Rs 93.133 Lakhs</p>		<p>Date: 26/05/2026</p>
12	MISCELLANEOUS	The Regional Office of this Ministry located at Bhubaneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/ monitoring reports.
<p><b>PPs Submission: Complied</b> The company has been extending full co-operation to the officers of the Regional Office and other</p>		<p>Date: 26/05/2026</p>

statutory agencies by furnishing the requisite data / information / monitoring reports as and when required. The same shall be continued in future as well.		
13	PUBLIC HEARING	A copy of clearance letter will be marked to the concerned Panchayat/local NGO, if any, from whom suggestion/ representation has been received while processing the proposal.
<b>PPs Submission:</b> Complied The clearance letter has been uploaded on the website of the Company. Copy of the clearance letter marked to Sarpanch, Gram Panchayat, Jajang on 12.01.2006.		Date: 26/05/2026
14	Statutory compliance	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.
<b>PPs Submission:</b> Complied The EC documents was displayed in the office of Regional Office, District Industry Centre, and Collector's Office/ Tehsildar's Office for 30 days		Date: 26/05/2026
15	Statutory compliance	The project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular of the locality concerned within seven days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at Web Site of the Ministry of Environment & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.
<b>PPs Submission:</b> Complied A copy of Environmental Clearance with regard to Tiringpahar Manganese Mine was published in Oriya News Papers Anupam Bharat and Aam Khabar dated 10.01.2006.		Date: 26/05/2026
<b>Visit Remarks</b>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		
<p style="text-align: center;"><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		