



**The Member Secretary
State Pollution Control Board, Odisha
Paribesh Bhawan
A/118, Nilakantha Nagar, Unit - VIII
Bhubaneswar - 751012**

MD/ ENV/ 228 / 120 / 2026

Date: 21st September 2026

Sub: Environmental Statement of Khondbond Iron & Manganese Mine, Tata Steel Limited for 2025-26.

Dear Sir

Kindly find attach herewith the Environmental Statement in the prescribed format (Form V) as per "Environmental (Protection) Amendment Rules 1992" of our Khondbond Iron & Manganese Mine for your kind perusal.

Thanking you,

Yours faithfully
f: Tata Steel Limited

Area Manager (Environment), OMQ

Encl: As above

**Copy to: The Regional Officer, State Pollution Control Board, At: Baniapata,
College Road, Keonjhar - 758001, Odisha**

TATA STEEL LIMITED

Mines Division Noamundi 833 217 India

Tel 91 9234301340 Fax 91 6596 290737

Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001 India

Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

ENVIRONMENT STATEMENT 2025-26



Khondbond Iron & Manganese Mine

KHONDBOND IRON & MANGANESE MINE TATA STEEL LIMITED

September 2026

FORM - V
(See Rule -14)

ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH 2026
KKHONDBOND IRON & MANGANESE MINE, TATA STEEL LIMITED

PART-A

1.	Name and address of the owner/ occupier of the industry, operation or process	:	Mr Gedela V Satyanarayana, Chief (Khondbond) Khondbond Iron & Manganese Mine Tata Steel Limited, Joda Dist.- Keonjhar, Odisha – 758034 Mr Rajesh Kumar, Mines Manager (Khondbond) Khondbond Iron & Manganese Mine Tata Steel Limited, Joda Dist.- Keonjhar, Odisha – 758034
	Nominated Owner	:	Mr. Debasis Jena, General Manager, OMQ division, Noamundi Iron Mine, Tata Steel Limited PO.: Noamundi, Dist.-West Singhbhum Jharkhand – 833217 Mr T V Narendran, Managing Director & CEO, Tata Steel Limited, PO: Jamshedpur, Dist.: East Singhbhum, Jharkhand-831001
2.	Industry Category	:	Opencast Iron & Manganese Mining & Processing & Dispatch Industry (Major)
3.	Production Capacity*	:	Mine: 08 MTPA Iron Ore & Manganese :0.1MTPA Beneficiation & Dispatch: 08 MTPA Iron Ore
4.	Year of Establishment	:	1960
5.	Date of last Environmental Statement submitted.	:	22th September 2025, vide letter no. MD/ENV/335/120/2025 for the year 2024-25.

*As per Environmental Clearance

PART-B

Water and Raw Material Consumption

(i) Water Consumption:

Consumption Head:	2024-25 (in cu.m/day) (Annual Average)	2025-26 (in cu.m/day) (Annual Average)
Process	755.27	3271.40
Spraying in mine pit, services	784.98	842.15
Domestic	554.90	563.41
Name of the product	Process water consumption per product output (m3/MT)	
Iron Ore	0.07	0.07

This is a mechanised mine producing iron ore. The iron ore processing is dry crushing and screening only. Dust suppression at C&S plant is carried out through a scientific way using dry fog system, thus reducing the requirement of water to very minimum level.

ii) Raw Material Consumption

The following items have been consumed/ utilized:

Name of Raw Materials	Consumption of Raw Material	
	Previous Year 2024-25	Current Year 2025-26
High Speed Diesel	9790533 Ltrs	5807864 Ltrs
Lubricants	101430 Ltrs	107142 Ltrs
Grease	15146 kg	12369 kg
Gas	4797 Cu.m	6622 Cu.m
Explosive of all types (Explosive, codex, detonator)	2227147 kg	2451325 kg
Tyres	88 nos.	98 nos.
Drill rods	470 nos.	595 nos.
Electricity Consumed	27512407 kwh	32658909 kwh
Electricity Generated	70640 kwh	72964 kwh

PART-C

POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT (Parameters as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with reasons
a) Water	The Khondbond Iron & Manganese Mine with the processing plant, the iron and manganese mine pits have separately been operated. The processing plant is under construction and shall be of zero effluent discharge unit; all the effluent generated from the processing of iron ore is collected from slime pond and recycled & reused by 100% in various activities including dust suppression and iron ore processing. One sewage treatment plant (STP) of 10 KLD is installed & in operated and entire treated water is recycled & reused for plantation and gardening purpose. The HEMM cleaning & washing unit passed through oil separation pit and water is recycled back. All the water quality results of STP & ETP are attached herewith in annexure 1.		
b) Air	The Khondbond Iron & Manganese Mine is an opencast iron mine with processing plant & dispatch unit. The air quality in the form of fugitive, dust fall, ambient, respirable has been measured and monitored regularly and is well within limits. All the dust generating points such as loading -unloading devices are equipped with dust arresting system such as dry fog, fixed & mobile water sprinklers, mist spray, dust extractors -bag filters, water scrubbers etc. Three continuous ambient air quality monitoring stations with PM10, PM2.5, SOx, NOx, (NO2 & NO) & CO parameters have continuously been monitored with online data connectivity at state Pollution Control Board server.		

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with reasons
b) Air	A thick & dense vegetation is also placed in all surrounding the mines area which		

	significantly reduced the pollution load.
	The results of air quality monitoring are attached as Annexure 2.

PART-D
HAZARDOUS WASTES

As specified under the Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016 and amendment thereof

Hazardous Wastes	Total Quantity	
	During previous financial year (2024-25)	During current financial year (2025-26)
(a) From Process		
• Used Oil	71.57 MT	56.94 MT
• Waste containing Oil (Jute etc)	Nil	Nil
• Rejected & used hosepipes	Nil	Nil
• Ferrous drums	12.00 MT	6.16 MT
From Pollution Control Facility	Nil (Included in process) All the Hazardous waste generated are disposed as per law.	
• Waste oil from oil & grease separation pit		
• Sludge from oil and grease separation pit		

PART-E
SOLID WASTES

Solid wastes from Khondbond Iron & Manganese Mine has been categories in two parts i.e. Overburden/rejects removed during mining operations and slime/tailings generated from beneficiation / processing of Iron Ore. All the materials overburden and tailings are stocked in designated place inside the mine. However, other solid waste is also being generated from mining and processing / beneficiation activity. Currently no slime/tailings generated as the process plant is under construction.

Sources	Total Quantity	
	During previous financial year (2024-25)	During current financial year (2025-26)
From Process		
From mining as Overburden	741703.31 cu.m	664629.22 cu.m
Rejects	372754 Tonne	177770.48 Tonne
From OB Plant as Tailing	Nil	Nil
From Pollution Control Facility	Not Applicable	Not Applicable
c) i. Quantity recycled or reutilized within the unit		

Sources	Total Quantity	
	During previous financial year (2024-25)	During current financial year (2025-26)
ii. Quantity sold		
General Office waste	Nil	Nil
iii. Quantity disposed		
Mining overburden	741703.31 cu.m	664629.22 cu.m

Rejects	Nil	Nil
Canteen & colony waste	Organic wastes are disposed off in dumps	Organic wastes are disposed off in dumps

PART-F

PLEASE SPECIFY THE CHARACTERISTICS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

The Khondbond Iron & Manganese Mine and processing / beneficiation generate hazardous waste mainly in the form of used oil. The used oil is being generated from HEMM maintenance, which are used in manning operations. The used oil is disposed to authorized agency for recycling and reuse. During handling and maintenance of HEMM, the oil-soaked materials (jute etc.) has been kept and disposed in impervious pit. The hazardous waste such as used batteries is sold to authorized agency.

The other solid waste in the form of overburden and sub-grade mineral are stocked in designated place.

PART-G

IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- Khondbond Iron & Manganese Mine is a star rated iron mine as per Sustainable Development Framework (SDF) has declared by Indian Bureau of Mines, Ministry of Mines, Govt. of India and has adopted various mineral conservation techniques such as blending of waste / subgrade materials, use of low-grade ore etc as per customer quality requirements.
- For conservation of natural resources, high efficiency HEMM are used with adequate maintenance so as to reduce the fuel consumption. Zero effluent discharge has been maintained.
- For ground water augmentation, various rainwater harvesting structures are made, the capacity of pond ~ 47,793 m³/yr which will harvest the water through various RWH structures. Piezometers are also installed in mines.
- New Fleet Management System (FMS) for better and efficient working of the HEMM was introduced in the mines which significantly reduced diesel consumption.

PART-H

ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION

- Coir matting was done on fine stocks to prevent any erosion that can lead to pollution. Various toe wall, garland drains are made as per progressive mine plan & mine closure plan. Bio Toilets were also installed in area.
- Bio-gas plant for adequate disposal of canteen waste & reduction of LPG are installed.
- The check dams are strengthened with two additional RWH structure.
- For biodiversity conservation, a niche -nesting project implemented at Khondbond. Plantation of local species, development of local nursery at site in area various scientific studies such as Carbon Sequestration study, ground vibration study etc. done.
- The above abatement measures have resulted in improvement of air and water quality, reduction in noise levels, and improvement greenery within the lease. In addition, Tata Steel Rural Development Society (TSRDS) is engaged in peripheral developmental activities in villages around the mine. The projects of the Society include irrigation and agricultural extension projects, plantation programmes, creation of SAVE FOREST groups, civic amenities

development, medical care and health education, rural sports and skill development, rural cultural promotion, etc.

PART-I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

- Khondbond Iron & Manganese Mine of Tata Steel Ltd. is a captive mine and is certified for the Integrated Management System (ISO-9001:2015, ISO-14001:2015 & OHSAS-18001:2007 and SA:8000) from last two decades. The unit has obtained various prestigious accolades and is the only a star rated mine of Jharkhand State.
- The Company is having a full-fledged Environmental Management Department with personnel from different backgrounds to take care of all environmental aspects relating to mines of Tata Steel. This department has in house capabilities for monitoring various environmental parameters and suggesting to the management necessary abatement measures.
- Various awareness programs throughout the year conducted in the area which included celebration of World Environment Day, World Water Day, Mine Environment & Mineral Conservation Week, World Bio-diversity Week, Annual Flower & Vegetable Show etc. In which environment conservation models, current & future proposals are made, environment messages through Nukkad natak, poems, slogans, swachhata drive has been done every year.




Area Manager (Environment), OMQ

WATER QUALITY DATA 2025-26
Khondbond Iron & Manganese Mine
(Annual Average)

Parameters	STP 10 KLD		ETP 7 KLD	
	Inlet	Outlet	Inlet	Outlet
pH	8.14	7.57	7.93	8.03
TSS (mg/l)	168	58	582.68	32.8
TDS (mg/l)	3092	1358.28	2985.58	1253.0
COD (mg/l)	271.33	148.52	648.92	138.75
BOD 5 days (mg/l)	37.45	22.48	298.33	24.07
Oil & Grease (mg/l)	BLQ (LOQ-4)	BLQ (LOQ-4)	BLQ (LOQ-4)	BLQ (LOQ-4)


SURFACE WATER			
Parameters	Sona river Upstream	Sona river Downstream	Standard
pH	6.92	6.75	6.0-9.0
DO (mg/l)	4.09	5.4	>4.0
TSS (mg/l)	51.02	43.80	100
BOD 5 days (mg/l)	2.3	2.0	3.0
COD (mg/l)	9.27	8.35	250
Iron (mg/l)	0.35	0.35	0.5
Faecal Coliform	Absent	Absent	5000



Area Manager (Environment), OMQ

AIR QUALITY DATA 2025-26
Annual Average Air quality of Khondbond Iron & Manganese Mine of FY'26

Pollutants	Concentration of pollutants ($\mu\text{g}/\text{m}^3$)	Standards ($\mu\text{g}/\text{m}^3$)
Near Pit-3		
1. PM10	61.68	100
2. PM2.5	24.71	60
3. SO ₂	10.55	80
4. NO _x	19.21	80
5. CO	BLQ (LOQ-0.5)	4*
Near Manganese Mine		
1. PM10	61.98	100
2. PM2.5	25.44	60
3. SO ₂	11.93	80
4. NO _x	20.80	80
5. CO	BLQ (LOQ-0.5)	4*
Near 16-D		
1. PM10	65.34	100
2. PM2.5	25.38	60
3. SO ₂	11.69	80
4. NO _x	20.98	80
5. CO	BLQ (LOQ-0.5)	4*
Near Security Barrack		
1. PM10	64.40	100
2. PM2.5	25.96	60
3. SO ₂	11.62	80
4. NO _x	19.96	80
5. CO	BLQ (LOQ-0.5)	4*


Area Manager (Environment), OMQ