



The Member Secretary
State Pollution Control Board, Odisha
A/118, Nilakantha Nagar
Unit - VIII
Bhubaneswar – 751 012

MD/ ENV/ 244 /129/2026
Date: 29.09.2026

Sub: Environmental Statement of Tata Main Hospital, Joda for 2025-26.

Dear Sir

Kindly find attach herewith the Environment Statement in the prescribed format (Form V) as per "Environmental (Protection) Amendment Rules, 1992" of our Tata Main Hospital, Joda for your kind perusal.

Thanking you.

Yours faithfully
f: Tata Steel Limited


Chief Medical Officer
Tata Main Hospital, Joda
I/C CMO Office
TATA Main Hospital, Joda
Encl: As above

Copy to: The Regional Officer, State Pollution Control Board Odisha, At:
Baniapata, College Road, Keonjhar - 758001, Odisha

TATA STEEL LIMITED

Mines Division Noamundi 833 217 India
Tel 91 9234301340 Fax 91 6596 290737

Registered Office Bombay House 24 Horni Mody Street Fort Mumbai 400 001 India
Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

ENVIRONMENT STATEMENT 2025-26



Tata Main Hospital, Joda

TATA STEEL LIMITED

September 2026

FORM - V
(See Rule -14)

ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31st OF MARCH 2026

TATA MAIN HOSPITAL, JODA

PART-A

1	Name and address of the owner/ occupier of the industry, operation or process	:	Tata Main Hospital, Joda Joda West, Po.- Joda, Dist.-Keonjhar, Odisha -758034
	Agent	:	Dr Tapas Sarangi
	Nominated Owner	:	Mr. Debasis Jena, General Manager, OMQ division, Administrative Building, Noamundi Iron Mine, TATA Steel Limited PO.: Noamundi, Dist.-West Singhbhum Jharkhand -833217 Mr T V Narendran, Managing Director & CEO Tata Steel India & SEA, Jamshedpur-831001
2	Industry Category	:	Hospital
3	Production Capacity	:	75 Bedded Hospital
4	Year of Establishment	:	1946
5	Date of last Environmental Statement submitted.	:	12.09.2025 vide letter no. MD/ENV/326/129/2025

PART-B

Water and Raw Material Consumption

(i) Water Consumption: (Joda East Iron Mine)

<u>Consumption Head:</u>	<u>2024-25 (in KL)</u>	<u>2025-26 (in KL)</u>
Process	Nil	Nil
Spraying in mine pit, services	Nil	Nil
Domestic	Nil	Nil
Name of the product	<u>Process water consumption per product output (m3/MT)</u>	
	<u>During the Previous financial Year (2024-25)</u>	<u>During the current financial Year (2025-26)</u>

As specified under the Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016 and amendment thereof

Hazardous Wastes	Total Quantity	
	During previous financial year (2024-25)	During current financial year (2025-26)
I) From Process:	Nil	Nil
H) From Pollution Control Facility:		
▪ Bio-medical incinerator ash	Nil	Nil

PART-E **SOLID WASTES**

TATA Steel Hospital, Joda is a Health Care Facility with ICU, Blood Bank, Pathological Lab, X-ray unit, Ultrasound facility etc. The solid waste generated in hospital such as refused food, peel of fruits etc. been generated and disposed of along with municipal solid waste.

Sources	TOTAL QUALITY	
	During previous financial year (2024-25)	During current financial year (2025-26)
a) From Process:		
b) From Pollution Control Facility		
c) i. Quantity recycled or reused within the unit	Treated water from ETP	Treated water from ETP
ii. Quantity sold		
▪ General Waste (garbage)	1396.7 KG	2191.1 KG

PART-F

THE CHARACTERISTICS (in terms of composition and quantum) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

Tata Steel Hospital, Joda is a Health Care Facility with ICU, Blood Bank, Pathological Lab, X-ray unit, Ultrasound facility etc. Only bio-medical waste along with garbage (solid waste) has been generated. All the bio-medical waste generated are disposed off as per Biomedical waste management Rule -2016.

Yellow Category : 3382.7 kg/yr.

Red Category: 1827.45kg/yr.

White Category : 25.5 kg/yr.

Blue Category: 1097.1 kg /yr.

General Solid Waste: 2191.1 kg/yr

DISPOSAL PRACTICE: -

The segregation of Bio-medical waste is made from generation point and shall be disposed as per norms. Due to absence of common facility, a double chamber incinerator has been installed at Hospital along with autoclave, shredder, and other various facilities for disposal of Bio-medical waste.

Hospital (Used in Housekeeping activity)	641200 litres	641400 KL
---	---------------	-----------

ii) Raw Material Consumption

The following items have been consumed/ utilized:

Name of Raw materials	Consumption of Raw Material	
	During previous financial year (2024-25)	During current financial year (2025-26)
Oxygen gas	64800 liters (Central Line oxygen facility)	64800 liters (Central Line oxygen facility)
Carbon dioxide	480 CFT or 4800Kg	480 CFT or 4800Kg
Nitrous oxide	1200 CFT or 14400 Kg	1200 CFT or 14400 Kg
It's a health care facility (Hospital) & thus various medicine are used for medical treatments		
Electric Power:		
Consumed	Nil	
Generated		

PART-C

POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT (Parameters as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass / day)	Concentration of Pollutants discharges (mass / day)	Percentage of variation from prescribed standards with reasons
a) Water	At Tata Steel Covid-19 Hospital Joda, after pre-treatment, all the liquid waste of both Covid-19 & non-Covid area, is connected to Effluent Treatment Plant (ETP) of 10 KLD. The treated water is consumed for plantation activities. All the water quality results of ETP are attached herewith in annexure 1.		
b) Air	At Tata Steel Covid-19 Hospital, Joda, for disposal of bio-medical waste, an incinerator is installed. The air emission from same has regularly been monitored.		

PART-D HAZARDOUS WASTES



50 Nm³/ Hr. Medical Oxygen Plant at Tata Steel Hospital, Joda (Sept 2021)

PART-H

ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION

- The hospital spends additional environmental cost for operation and maintenance of bio-medical treatment facility apart from mines.

PART-I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

- The hospital is an integral part of mine and has adopted & certified for the Integrated Management System (ISO 9001: 2015, ISO 14001: 2015 & ISO 45001:2018 & SA 8001) and have been certified from year 2008.
- The hospital has its own facilities such as Covid-19 ward, ICU, Isolation ward, X-ray, Ultrasound, Pathology, Dispensary, OT, Wards, Blood Centre, Medicine store with pharmacist.

The liquid chemical waste generated from pathology, blood Centre etc. is pre-treated in neutralisation pit followed by treatment in 10 KLD Effluent Treatment Plant (ETP). The treated water is recycled and reused in horticultural activities.

PART-G

IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- For the adequate disposal of biomedical waste an Incinerator has been installed in unit.
 - Plastic shredder, deep burial ash disposal, deep burial pit, safe pit for sharp waste, autoclave is available in hospital.
 - 10 KLD Effluent Treatment Plant has been established in December 2017.
 - 360 KLD Sewage treatment Plant (STP) is connected to hospital for treatment of waste.
-
- Pre-treatment of Covid-19 waste & hazardous bio-medical waste & waste bins -such as neutralization of contamination of waste by using 1-2% Hypochlorite dosing and autoclaving is practiced regularly before final waste disposal.
 - The hospital has enhanced the facility such as Covid-19 ward, Covid-19 ICU & Isolation ward, new casualty, eye operation machines, laparoscopic surgery, Orthopaedic surgery, Gynae & Obstetric Surgery and various microscopes for surgery, auto analyser etc.
 - The hospital is also proposed in Ayushman Bharat the National Health Protection Scheme of Govt. of India for treatment of economically weaker section of people.



10 KLD Effluent Treatment Plant (ETP) at Tata Steel Hospital Joda (Dec 2017)

- The hospital celebrated & organizes various public events for awareness such as World TB Day, World Health Day, World Diabetes Day, World Hypertension Day, Nutrition & dietetics day, World Heart Day, No Tobacco Day, AIDS Awareness Day, Breast Feeding Day etc. and organizes various Blood donation camps.


Chief Medical Officer
Tata Main Hospital, Joda
Tata Main Hospital, Joda

Annexure-I

WATER QUALITY DATA 2025-26
TATA Main Hospital, Joda
(Annual Average)

Parameters	EFFLUENT TREATMENT PLANT (ETP)		Standard
	10 KLD Inlet	10 KLD Outlet	
pH*	7.24	7.11	5.5-9.0
TSS (mg/l)	72.5	55.60	100
BOD 5 days (mg/l)	26.5	20.5	30
COD (mg/l)	209	175	250
Oil & Grease (mg/l)	BLQ (LOQ-4)	BLQ (LOQ-4)	10.0
Iron (mg/l)	2.35	1.90	3.0
Faecal Coliform	168.5	134.67	-

BDL - Below detection limit.

