

The Member Secretary Jharkhand State Pollution Control Board T A Division HEC CAMPUS, Dhurwa RANCHI-834004, Jharkhand

MD/ENV/597/120/17 Date: 26.09.2017

Dear Sir,

Sub: Environment Statement of Noamundi Iron Mine, Tata Steel Ltd. for 2016-17.

As required under "Environmental (Protection) Amendment Rules, 1992", we are submitting here with the Environmental Statement for our Noamundi Iron Mine for your kind perusal.

Thanking you, Yours faithfully,


F: Tata Steel Limited

Head (Planning), OMQ

uteau lourly op

Encl: As above.

Copy to: Regional Officer, Jharkhand State Pollution Control Board, MB/12 New Housing, Colony, ADITYAPUR, Jamshedpur-831 013, Jharkhand.



# FORM - V

(See Rule -14)

#### ENVIRONMENT STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31st MARCH, 2017

## **NOAMUNDI IRON MINE, TATA STEEL LIMITED**

## PART-A

1 Name and address of the owner/ : Noamundi Iron Mine,

occupier of the industry,

operation or process

Noamundi Iron Mine, Tata Steel Limited,

Noamundi, Dist.-West Singhbhun,

Iharkhand-833217

Agent : Mr R P Mali

Nominated Owner : Mr T V Narendran,

Managing Director, Tata Steel India & SEA, Jamshedpur-831001

2 Industry Category : Major

3 Production Capacity : 10 MTPA Iron Ore

4 Year of Establishment : 1926

5 Date of last Environmental : 29th September, 2015

Statement submitted.

# <u>PART-B</u> <u>Water and Raw Material Consumption</u>

## (i) Water Consumption:

Consumption Head:	2015-16	2016-17
	(in cum/day) (Annual average)	(in cum/day) (Annual average)
Process	5329.95	5471.37
Spraying in mine pit, services	192.70	157.37
Domestic	1274.11	1171.37
	Process water consumption per product output (m3/MT)	
Name of the product	During the Previous financial Year (2015-16)	During the current financial Year (2016-17)
Iron Ore	0.42	0.35

Based on industrial water consumption for processing of ROM of Noamundi & Katamati Iron Mine.

# (ii) Raw Material Consumption

The following items have been consumed/ utilized:

	Consumption of Raw Material	
Name of Raw materials	During previous financial year (2015-16)	During current financial year (2016-17)
High Speed Diesel	4167470 Litres	5246833 Litres
Lubricants	265091 Litres	490496 Litres
Grease	16726 kg	37310 kg
Explosives of all types (Explosive, codex, detonator)	1564987.475 kg	1295062 kg
Electric Power:		
Consumed	37752552 KWH	48014600 KWH
Generated	0 KWH	0 KWH
Gas	22631 Cum	28811 Cum
Tyres	141 Nos.	152 Nos.
Drill rods	12 Nos.	88 Nos.

# PART-C POLLUTION DISCHARGED TO ENVIROMENT/ UNIT OF OUTPUT (Parameters as specified in the consent issued)

## **Air Pollution:**

Average Air Quality of NIM of FY' 17:

Pollutants	Concentration of pollutants (µg/m³)	Standards (μg/m³)
MRSS Building		
1. PM <sub>10</sub>	51.38	100
2. PM <sub>2.5</sub>	29.77	60
3. SO <sub>2</sub>	5.06	80
4. NO <sub>x</sub>	10.96	80
Bottom Bin area		
1. PM <sub>10</sub>	61.31	100
2. PM <sub>2.5</sub>	33.94	60
3. SO <sub>2</sub>	5.82	80
4. NO <sub>x</sub>	12.47	80
GM's Office		
1. PM <sub>10</sub>	48.76	100
2. PM <sub>2.5</sub>	26.65	60
3. SO <sub>2</sub>	4.84	80
4. NO <sub>x</sub>	10.50	80
Near Hospital		
1. PM <sub>10</sub>	46.38	100
2. PM <sub>2.5</sub>	24.39	60
3. SO <sub>2</sub>	4.68	80
4. NO <sub>x</sub>	10.17	80

#### <u>PART-D</u> <u>HAZARDOUS WASTES</u>

As specified under the Hazardous & Other Waste (Management & Trans boundary Movement)
Rules, 2016 and amendment thereof

	Total Q	Total Quantity	
Hazardous Wastes	During the Current	During the Current	
	Financial Year (2015-16)	Financial Year (2016-17)	
I) From Process:			
<ul><li>Used Oil</li></ul>	80000 Litre	13000 Litre	
<ul><li>Waste containing Oil</li></ul>	1.00 MT	0.50 MT	
<ul><li>Waste Battery</li></ul>	187 Nos.	Nil	
II) From Pollution Control Facility:			
<ul><li>Waste oil from oil &amp; grease</li></ul>			
separation pit	├ Included in the Item I	Included in the Item I	
<ul><li>Sludge from oil and grease</li></ul>			
separation pit	γ		

#### PART-E SOLID WASTES

Solid waste from this mine is generally of two categories i.e. Overburden/rejects removed during mining operations and slime generated in the process of iron ore washing.

	TOTAL QUALITY	
Sources	During the Previous Year (2014-15)	During the Current Year (2015-16)
a) From Process:		
<ul> <li>From Mining as Overburden</li> </ul>	274608 MT	1525932 MT
<ul> <li>From OB plant as Tailing</li> </ul>	536074.56	519866
b) From Pollution Control Facility	Not Applicable	Not Applicable
c) i. Quantity recycled or reused within the unit	Study under Progress	Study under Progress
ii. Quantity sold	_	_
<ul> <li>General Office Waste</li> </ul>	Nil	Nil
iii. Quantity disposed		
<ul><li>Mining overburden</li></ul>	274608 MT	1525932 MT
<ul> <li>Canteen and colony waste</li> </ul>	Organic wastes are	Organic wastes are
	disposed in dumps	disposed in dumps

#### PART-F

# THE CHARACTERISTICS (in terms of composition and quantum) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

The composition of hazardous wastes like used oil & waste containing oil are Gear oil: SP460, 320, 220 & 90, Hydraulic oil: 68, 10, 46, and 100, Mobil oil: 20W40, 30, 40 Transformer oil, Grease: Senogem EP2, KG 10. Solid waste generated as overburden, sub-grade mineral and slime are inert. The average chemical composition of OB and slime are as follows:

	Overburden/Sub-grade (in %)	Slime (in %)
Fe	51.43	55.60
SiO <sub>2</sub>	9.77	6.90
$Al_2O_3$	8.04	7.30
Phos	0.00	0.11

#### **DISPOSAL PRACTICE:-**

#### a) **SOLID WASTES**:

The overburden is systematically and scientifically dumped on a geologically barren area and properly supported with hard material and the same is being reclaimed by plantation after being declared inactive.

The organic wastes from the canteen and other places are stored in individual different waste buckets and arrangement, which are later on disposed at defined place to enrich the nutrient content. This has been found to hasten the plant growth and the seeds contained in the vegetable waste have contributed to the green cover in the dumps.

The municipal solid wastes (other than above) are segregated as per their characteristics e.g. paper, jute bags, tins, bottles, plastics, metal scraps etc. and are sold to a party at Cuttack for recycling. The inert material like building debris etc. is used as landfills development of landscapes etc.

Slime from ore washing plant is separately stored in a slime dam.

#### b) **HAZARDOUS WASTE:**

#### **Used Oil:**

The waste oil generated at various sources is collected in leak proof barrels and then are kept under a covered roof and on concrete platforms (Capacity – 200 Kl) in the barrels very carefully and sealed properly to avoid any spillage or leakage. The storage area is properly fenced and caution board displayed.

During transfer of waste oil to barrels, a trough is placed underneath in order to prevent land contamination due to oil spillage. Then at a fixed interval, these barrels are disposed through auction to the authorized recycler after due intimation to State Pollution Control Board. After dispatch of same, intimation of auction along with copy of manifest is also being sent to State Pollution Control Board.

#### Waste containing Oil:

Oil soaked jutes, filter and filter materials are produced during the schedule maintenance and repair of the vehicles from the workshop. It is stored in the HDPE lined placer dumper buckets. The HDPE enclosure prevents contamination of land and water bodies. Oil soaked sand/soil are stored in a vat made before the oil and grease separation system. Water is added to make the waste free from oil. The oil containing water is led to oil and grease separation system and the sand/soil is disposed off like filters and filter material mentioned above.

Oily waste in solid form are being collected and kept in an impervious pit. It is then regularly handed over to M/s West Bengal Waste Management Ltd. for incineration as advised by OSPCB.

#### c) **WASTE BATTERIES**:

The used lead acid batteries with diluted acid and caps intact are kept under a shed having impervious floor. Then at a fixed interval, these batteries are disposed through auction to the authorized recycler after due intimation to State Pollution Control Board. After dispatch of same, intimation of auction along with copy of manifest is also being sent to State Pollution Control Board.

#### **PART-G**

# IMPACT OF POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- Efforts were made to reduce the consumption of lube oil used in heavy mining equipment, by arresting leakages in time and by eliminating spillages. During the year 2016-17 the total consumption of lubricants was 490496 litres. The specific lubricant consumption during 2016-17 has been achieved as 0.09 liter/MT as compared to 0.24 liter/MT during 2015-16.
- Similarly, attempts were made to reduce the consumption of electricity in our operations. During the year 2016-17 the total electricity consumption was 48014600 KWH.
- Water spraying on mine haul ways by water tankers has reduced the dust levels in the ambient air. The cost of operation and maintenance of water sprinklers during 2016-17 was approx. Rs. 174.00 lakhs.
- Dust suppression and dust extraction systems employed in the beneficiation plant have improved the work zone environment in the plant. During 2016-17, the mine has spent an amount of Rs.5.50 lakhs towards the maintenance of DS & DE System.
- Wet drilling is in practice by each Drill machine. This helps in minimizing the dust generation during the drilling activity. During 2016-17, the mine has spent an approx. amount of Rs. 29.60 lakhs for the above measures.
- Company has spent approx. Rs. 3.86 Lakhs for stack emission monitoring during 2016-17.
- An amount of Rs.80.00 lakhs was spent towards de-silting of Check dam during 2016–17.
- For maintenance of slime dam the company has incurred an expenditure of Rs.100.00 lakhs.
- An amount of Rs. 500.00 lakhs was spent towards construction of rain water harvesting structures.
- An amount of Rs. 8.50 lakhs was spent towards environmental monitoring.
- Towards the procurement of Laboratory instruments as required in the Environment Laboratory an amount of Rs. 50.00 lakhs was spent in the year 2015-16.
- An amount of Rs.0.90 lakhs was spent as a part of Manpower Engagement in the Environment Department in the year 2016-17.
- An amount of Rs. 3.56 lakhs was spent towards the maintenance of electronic boards at Noamundi during 2016-17.
- An amount of Rs. 3.50 lakhs was spent towards ground vibration studies conducted at Noamundi.
- An amount of Rs. 2.15 lakhs have been spent towards rock fragmentation studies at Noamundi Iron Mine, by CMIFR, Dhanbad.
- An amount of Rs.4.69 lakhs was spent towards vehicle engaged in Environmental Monitoring at Noamundi during 2016-17.
- For landscaping, horticultural development in the lease area and development of Sir Dorabji Tata Botanical Park an amount of Rs. 40.84 lakhs was spent during 2016-17.
- To generate awareness among the employees and their families about environment, World Environment Day was celebrated at Noamundi. During 2016-17 an amount of Rs. 1.50 lakh was spent on this account.
- To generate awareness about Bio Diversity among school children, villagers, several programmed have been conducted with approximate expense of Rs. 25 lakh in 2016-17.
- Annual Flower and Vegetable Show was conducted in the month of January 2017 to make the public appreciate the importance of greening efforts. An amount of Rs. 3.50 lakh was spent for the show.

 Environment Management Department is functioning at Noamundi to manage monitoring and other required activities. The administrative expenditure of the department for year 2016-17 was Rs.20.00 lakhs.

In addition to the above Tata Steel Rural Development Society (TSRDS) is engaged in peripheral developmental activities in villages around the mine like various civil amenities projects, illuminating villages by tapping renewable source of energy with the installation of solar lights, digging ponds in support to provision of irrigation water and for other domestic use irrigation and agricultural extensions and in recharging groundwater by arresting the flow of rainwater in downstream, plantation programmes, medi-care and health, education, rural sports and skill development, rural cultural promotion activities taken up in these villages.

#### **PART-H**

# ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION

- Approx Rs.8.50 lakhs will be spent on monitoring of various environmental parameters during next financial year.
- During monsoon 2016, 6025 saplings will be planted in available sites inside the lease area with a budgetary provision of approximately Rs.15.00 lakhs. About 2000 nos. of saplings have already been plated till Aug'17.
- Approx. 75.00 lakhs will be spent towards peripheral development during the next year.
- Approx Rs. 1 Crore shall be spent towards buying scientific equipment and strengthening the environmental laboratory.

#### **PART-I**

# ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

- The mine is having a full-fledged Environmental Management Department with personnel from science background to take care of all environmental aspects relating to mines of TATA STEEL.
- This department has in-house capabilities for monitoring various environmental parameters and suggesting to the management necessary abatement measures.
- Dust suppression and Dust extraction system are installed in the plant with to improve the air quality.
- To check run-offs during monsoon season from the mine lease, four check dams are provided across Balijhor Nalla, which is passing through the lease. An amount of Rs. 80 lakhs were spent during 2016-17 for de-siltation of the check dams.
- Old mining benches have been reclaimed by afforestation and these areas are now converted into a forest like.
- An independent Environmental Laboratory is in operation since 1994 to carry out the monitoring and analytical jobs, with a total expenditure of Rs. 30 lakhs.
- The mine has adopted the Integrated Management System (ISO 9001: 2015, ISO 14001: 2015 & OHSAS 18001: 2007) and have been certified in 1st August 2008.

Head (Planning), OMQ

view coulyer