	be used for green belt development	
iii.	In plant control measures for checking fugitive emission from spillage/ raw materials handling should be provided. Further specific measures like provision of dust extraction system at sinter plant, stock house fume extraction system at cast house of blast furnace shall be installed. Particulate emissions shall not exceed 100mg/Nm3. Further de- dusting facilities at new lime kiln, sinter plant and wet suppression system at raw material bedding and blending plant shall be provided.	To check the fugitive emission in raw material handling, dry-fog dust suppression systems are effectively operating. Spillage on the road, along the conveyors, if any, is collected and recycled. ESP and Bag Houses are installed in Sinter Plants. Cast Houses of Blast furnaces are having Fume Extraction System. Lime Kilns have been provided with Bag House. The emissions from the stacks are within specified limits. Please refer Annexure – I for monitoring reports for October 2017 to March 2018 .
iv.	The company shall phase out steam coal burning by using by- products fuel gas and replace existing wet quenching facility of coke oven battery No.5,6 and 7 by dry quenching to recover energy and reduce CO2 greenhouse gas emission.	 The conversion of all the coal-fired boilers to gas firing in PH # 3, PH#4 & PH # 5 has been completed. Coke dry quenching facility has been commissioned at battery no. 5, 6 & 7.
v.	As per the solid waste management plan submitted to the Ministry, about 7268 TPD of solid waste shall be generated. There shall be no generation of boiler ash as BF gas would be used instead of coal. The company shall recycle the BF and LD slag for cement manufacturing, road embankment, construction and filing up of low-lying areas. As per the plan submitted to the Ministry the company shall reuse 100% of BF and LD slag by December 2007.	 Tata Steel has been successful in achieving almost complete utilization of most of the solid wastes except LD Slag. Tata Steel has taken a number of initiatives to find increasing usage of LD Slag in construction, road making, soil conditioning and cement making. The initiatives include among others: Approvals from BIS for use of LD slag in cement making. Commercial trials for use of LD slag as soil conditioner.
		Three of four power houses within the Steel Works do not have even provision for firing coal. Only one

		boiler located at Power House 4
		has provision for coal firing in
		addition to by-product gas firing.
		Normally this boiler also runs on
		by-product gas. Only in case of
		emergency conditions and
		shortage by-product gas due to
		disturbance in plant operations,
		coal firing is done as per the need.
		The quantity of fly ash generated
		has reduced drastically which is
— .		handled appropriately.
vi.	a. The chrome sludge (251kg/d)	Chrome sludge is being
	generated from the colour	disposed off in land filling
	coating shall be disposed off in	facility in steel works.
	the lined pit within the plant	• The analysis of ground water is
	premises and oily sludge	done for chromium content; the
	(25TPD) shall be incinerated.	values are within prescribed
	b. The company shall undertake	limits.
	ground water quality monitoring	Please refer Annexure – I for
	around the chrome sludge	monitoring reports for October
	disposal site and data submitted	2017 to March 2018.
	to the Ministry.	2017 to march 2010.
vii.	A green belt adequate width and	• We have planted approx.
v II.	density should be developed in an	1 11
	area of 7.0 ha of plant area in	16,310 nos. saplings during
	addition to the 75 ha of area	October 2017 to March 2018.
	already afforested within and	inside the works, Jugsalai
	5	Muck Dump area and in
	around the plant premises as per	Jamshedpur town. Every year
	the CPCB guidelines.	1 0 0
		plantation done in available
		space.
		• The following plant species are
		being planted:
		Ficus, karanj, Cicilipinia, Palm,
		Ashoka, Mahogany, Caesalpinia
		Arjun, Sita Ashok, Bakul,
		Spathodia, Kanchan, Jural,
		Tabulia, Sissam, Termanelia
		Sp.,Arica palm, foxtail palm,
1		
		Tecoma, Kannel. Tababia.
		Tecoma, Kannel, Tababia, Ghandhrai calendra Tagar
		Tecoma, Kannel, Tababia, Ghandhraj, calendra, Tagar, Hemelia, Kamani, Karbi, Calendra

		etc.
viii.	The company shall undertake rainwater-harvesting measures to harvest the rainwater for utilisation in the lean season as well as to recharge the ground water table.	 Rainwater collected from various facilities within the Steel Plant is channelled through surface drains into Cooling Pond. The rainwater thus collected is recycled in the plant. Rainwater harvesting has been planned and being implemented at suitable locations within the plant.
ix.	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per Factories Act.	The health surveillance is being done as per Factory Act. Records are maintained at the Occupational Health Services. Health check-up for contractor's persons are conducted regularly.
x.	Recommendations made in the CREP shall be implemented.	Tata Steel has implemented the recommendations of CREP.
xi	The company shall carry out life cycle assessment for monitoring to assess the overall environmental improvement of the plant with respect to consumption norms of natural resources and energy and specific norms for waste generation.	Tata Steel had participated in the life cycle assessment conducted with the government agencies.
-	eneral Conditions	
i.	The project authorities must adhere to the stipulations made by the Jharkhand Environment Conservation Board and the State Government.	by JSPCB and State Government
ii.	No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	Environmental Clearance for the expansion from 6.8 MTPA to 9.7 MTPA Steel Plant was granted vide MoEF letter no. J- 11011/691/2007-IA. (II) dated May 11, 2010. Environmental Clearance for the expansion from 9.7 MTPA to 11 MTPA Steel Plant was granted vide MoEF letter no. J- 11011/691/2007-IA. (II) dated

		N 1 1 001C
		March 1, 2016.
		Necessary Environment Clearance will be taken before any further expansion or modification.
iii.	At least four ambient air quality- monitoring stations should be established in the downward direction as well as where maximum ground level concentration of SPM, SO2 and NOx are anticipated in consultation with the state pollution Control Board. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional office at Bhubaneswar and State Pollution Control Board/Central Pollution Control Board once in six months.	Four Ambient Air Quality Monitoring Stations have been installed. Monitoring data on ambient air quality and stack emission is being submitted regularly to JSPCB. Please refer Annexure – I for monitoring reports for October 2017 to March 2018 .
iv.	Industrial wastewater should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19 th May, 1993 and 31 st December 1993 or as amended form time to time. The treated wastewater should be utilized be for plantation purpose.	 All wastewater discharges from Steel Works are let out after treating them suitably. The discharge water quality is monitored at all the discharge points Please refer Annexure - I for monitoring reports for October 2017 to March 2018.
v.	The overall noise level in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, Silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time).	 The noise control measures such as; silencers, enclosures, hoods, rubber pads, have been provided at the required places in the existing plant. The work areas where noise levels are high, earplugs and earmuffs have been provided to the people to minimize noise exposure. The high noise area within the plant have been identified and demarcated. Adequate caution boards are displayed and anyone who enters the area is required to wear ear-plugs/ear-

		muffs.
		8
;		regularly.
vi.	The project proponent shall also	Socio economic development
	comply with all the environmental	activities are regularly undertaken
	protection measures and	in and around Jamshedpur
	safeguards recommended in the	through the two agencies namely,
	EIA / EMP report. Further, the	Tata Steel Rural Development
	company must undertake socio-	Society and Tata Steel Community
	economic development	Development & Welfare Services
	programmes, educational	Centres. The development
	programmes, drinking water supply	activities undertaken in the
	and health care etc.	surrounding community are need
		based and are in the field of health
		care, education, mid-day meals in
		schools, sports and culture, self-
		employment, drinking water, rural
		electrification, etc. Tata Steel also
		facilitate the Institutes like R D
		Tata Technical Institute, Tata
		Football Academy, Tata Archery
		Foundation, etc. which encourages
		the local talent to develop
		themselves and participate at
		National and International levels.
vii.	The project authorities shall	The funds for capital investment
	provide an amount of Rs 286 crores	on pollution control equipment
	(question no. xix part b) funds both	were not diverted. The 5 MTPA
	recurring and non-recurring to	project has been completed. All the
	implement the conditions	pollution control equipment have
	stipulated by the Ministry of	been commissioned and are being
	Environment and Forests as well as	operated and maintained regularly.
	the State Government along with	
	the implementation schedule for all	
	the conditions stipulated herein.	
	The funds so provided should not	
	be diverted for any other purposes.	
vii.	The Regional Office of this Ministry	Six monthly compliance reports
	at Bhubaneswar/ Central Pollution	and the monitored data are being
	Control Board/State Pollution	submitted regularly.
	Control Board will monitor the	Please refer Annexure - I for
	stipulated conditions. A six-	monitoring reports for October
	monthly compliance report and the	2017 to March 2018.
	monitored data along with	
	statistical interpretation should be	

	· · · · · · · · · · · · · · · · · · ·	
	submitted to them regularly.	
ix.	The Project Proponent should	The Notice has been advertised in
	inform the public that the project	two local newspapers viz. Chamkta
	has been accorded environmental	Aaina (Hindi) and The Avenue Mail
	clearance by the Ministry and	(English) on June 04, 2005 and
	copies of the clearance letter are	communication to this effect was
	available with the State Pollution	also sent to the MoEF.
	Control Board/ Committee and	
	may also be seen at Website of the	
	Ministry of Environment and	
	Forests at http./envfor.nic.in. This	
	should be advertised within seven	
	days from the date of issue of the	
	clearance letter, at least in two	
	local newspapers that are widely	
	circulated in the region of which	
	one shall be in the vernacular	
	language of the locality concerned	
	and a copy of the same should be	
	forwarded to the regional office.	
x.	The Project Authorities should	It has been complied as the project
	inform the Regional Office as well	has already been completed.
	as the Ministry, the date of	
	financial closure and final approval	
	of the project by the concerned	
	authorities and the date of	
	commencing the land development	
	work.	